Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Categories:

- Tumour / Cancer
- Cerebral / Stroke / MCAO
- Vital Organs / Shock
- Plastic Surgery / Wound Healing
- Physiology / Ischemia
- Ophthalmology
- *In Vitro* Applications
- Methodology / Validation
- Other

Tumour / Cancer

Zhao Z, Ba L, Li S, Wang J, Luo Y, Wang S, Jin Y, Wu C (2026). Ultrasound-targeted microbubble cavitation enhances anti-PD-L1 therapy in TNBC via eNOS-mediated reoxygenation. JCI Insight

Curiel-Garcia A, Holmstrom SR, et al., and Olive KP (2025). Ras-dependent activation of BMAL2 regulates hypoxic metabolism in pancreatic cancer. bioRxiv

Geirnaert F, Kerkhove L, Rifi A, Everaert T, Sanders J, Coppens J, Vandenplas H, Corbet C, Gevaert T, Dufait I, De Ridder M (2025). Revisiting hydrogen peroxide as radiosensitizer for solid tumor cells. Radiother

Karle C, Filosa DI, et al., and Dokic I (2025). First *in vitro* and *in vivo* experiments with ultra-high-dose rate oxygen ion radiotherapy. Phys Imaging Radiat

Chiu TY, Zho YJ, and Ho YJ (2025). Evaluating Immune Activation Feasibility in Pancreatic Ductal Adenocarcinoma via Oxygen Bubble-Induced Anti-Vascular Therapy. Pharmaceutics

Schieferecke J, Hoffmann A, Pawelke J (2025). MR imaging of proton beam-induced oxygen depletion. Med Phys

Lu B, Yang W, Sun H, Johnson M, Vikas V, Cherop F, Wilson BC, Hadfield RH, Zhu TC (2025). Adanced photodynamic therapy monitoring using a 7-channel continuous singlet oxygen luminescent dosimetry (CSOLD) device. Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy

Geirnaert F, Kerkhove L, Rifi A, Everaert T, Sanders J, Coppens J, Vandenplas H, Corbet C, Gevaert T, Dufait I, De Ridder M (2025). Revisiting hydrogen peroxide as radiosensitizer for solid tumor cells. Radiother Oncol

Bogaerts E, Saade G, et al., and Haustermans K (2025). A comprehensive mechanistic study on the proton FLASH sparing effect in zebrafish embryos: From DNA damage to developmental abnormalities. Radiother Oncol

Yang W, Sorvanous D, Lu B, Vikas V, Johnson M, Sun H, Wilson BC, Hadfield RH, Zhu TC (2025). Comparative analysis of multichannel singlet oxygen luminescence dosimetry (MSOLD) and singlet oxygen explicit dosimetry (SOED) in benzoporphyrin derivative (BPD)-mediated photodynamic therapy: a mouse model study. Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy

Liao H, Chen M, Liao Z, Luo Y, Chen S, Wang L, Wang Z, Niu C (2025). MnO2-based nanoparticles remodeling tumor micro-environment to augment sonodynamic immunotherapy against breast cancer. Biomater Sci

Birhan YS, Hsu CY, Yu HP, Lai PS (2025). Oxygen tension regulating nanoformulation for the improved photodynamic therapy of hypoxic tumors. Mater Today Bio

Hoffmann-Młodzianowska M, Maksym RB, Pucia K, Kuciak M, Mackiewicz A, Kieda C (2024). Endometriosis development in relation to hypoxia: a murine mgriljodel study. Mol Med

McGovern MK, Witt E, Rhodes AC, Kim J, Feig VR, Bi J, Cafi AB, Hatfield S, Nwosu I, and Byrne JD (2024). Impact of formulation on solid oxygen-entrapping materials to overcome tumor hypoxia. J Biomed Mater Res A

Horst F, Bodenstein E, Brand M, Hans S, Karsch L, Lessmann E, Löck S, Schürer M, Pawelke J, and Beyreuther E (2024). Dose and dose rate dependence of the tissue sparing effect at ultra-high dose rate studied for proton and electron beams using the zebrafish embryo model. Radiother Oncol

Yang TS, Hsiao YC, Chiang YF, and Chang CJ (2023). Imaging and Histopathological Analysis of Microvascular Angiogenesis in Photodynamic Therapy for Oral Cancer. Cancers

Maurer HC, Curiel-Garcia A, Holmstrom S, et al., and Olive KP (2023). Ras-dependent activation of BMAL2 regulates hypoxic metabolism in pancreatic cancer. bioRxiv

Valenzuela-Molina F, Bura FI, Vázquez-Borrego MC, et al., and Romero-Ruiz A (2023). Intraoperative oxygen tension and redox homeostasis in Pseudomyxoma peritonei: A short case series. Front Oncol

Schmidt K, Thatcher A, Grobe A, Hicks L, Gu H, Sears DD, Ellies LG, Kalachev L, and Kroll E (2023). The combined treatment with ketogenic diet and metformin slows tumor growth in two mouse models of triple negative breast cancer. Res Sq

Thomsen AR, Saalmann MR, Nicolay NH, Grosu AL, and Vaupel P (2022). Improved Oxygenation of Human Skin, Subcutis and Superficial Cancers Upon Mild Hyperthermia Delivered by WIRA-Irradiation. Adv Exp Med Biol

Angel CZ, Stafford MYC, McNally CJ, Nesbitt H, and McKenna DJ (2022). MiR-21 Is Induced by Hypoxia and Down-Regulates RHOB in Prostate Cancer. Cancers

Wu SY, Ye YX, Zhang Q, et al., and Wang ZC (2022). Multifunctional Protein Hybrid Nanoplatform for Synergetic Photodynamic-Chemotherapy of Malignant Carcinoma by Homologous Targeting Combined with Oxygen Transport. Adv Sci

Sun H, Ong YH, Zhu TC (2022). Reactive oxygen species explicit dosimetry (ROSED) for fractionated photofrin-mediated photodynamic therapy (PDT). Proc SPIE Int Soc Opt Eng

Sedlack AJH, Penjweini R, Link KA, Brown A, Kim J, Park S-J, Chung JH, Morgan NY, Knutson JR (2022). Computational Modeling and Imaging of the Intracellular Oxygen Gradient. Int J Mol Sci

Maitz CA, Tate D, Bechtel S, Lunceford J, Henry C, Flesner B, Collins A, Varterasian M, Tung D, Zhang L, Saha S, Bryan JN (2022). Paired 18F-Fluorodeoxyglucose (18F-FDG), and 64Cu-Copper(II)-diacetyl-bis(N(4)-methylthiosemicarbazone) (64Cu-ATSM) PET Scans in Dogs with Spontaneous Tumors and Evaluation for Hypoxia-Directed Therapy. Radiat Res

Karsch L, Pawelke J, Brand M, Hans S, Hideghéty K, Jansen J, Lessmann E, Löck S, Schürer M, Schurig R, Seco J, Szabó ER, Beyreuther E (2022). Beam pulse structure and dose rate as determinants for the flash effect observed in zebrafish embryo. Radiother Oncol

Claus A, Sweeney A, Sankepalle DM, Li B, Wong D, Xavierselvan M, Mallidi S (2022). 3D Ultrasound-Guided Photoacoustic Imaging to Monitor the Effects of Suboptimal Tyrosine Kinase Inhibitor Therapy in Pancreatic Tumors. Front Oncol

Karam M, Ives A, Auclair C. (2022). Is Sphingosine-1-Phosphate a Regulator of Tumor Vascular Functionality? Cancers (Basel)

Xavierselvan M, Cook J, Duong J, Diaz N, Homan K, and Mallidi S (2021). Photoacoustic Nanodroplets for Oxygen Enhanced Photodynamic Therapy of Cancer. Photoacoustics

Owen J, Logan K, Nesbitt H, Able S, Vasilyeva A, Bluemke E, ... Stride E (2021). Orally administered oxygen nanobubbles enhance tumor response to sonodynamic therapy. Nano Select. doi:10.1002/nano.202100038

Liu X, Dong X, Yang S, Lai X, Liu H, Gao Y, ... Fang C (2021). Biomimetic Liposomal Nanoplatinum for Targeted Cancer Chemophototherapy. Advanced Science 8(8), 2003679. doi:10.1002/advs.202003679

Bader SB, Ma TS, Simpson CJ, Liang J, Maezono SEB, Olcina MM, Buffa FM, and Hammond EM (2021). Replication catastrophe induced by cyclic hypoxia leads to increased APOBEC3B activity. Nucleic Acids Res 49(13), 7492-7506

Lu N, Zhang M, Lu L, Liu YZ, Liu XD, Zhang HH (2021). Insulin-Induced Gene 2 Expression Is Associated with Breast Cancer Metastasis. Am J Pathol 191(2), 385-395

Sheng T, Ong YH, Guo W and Zhu T (2020). Reactive oxygen species explicit dosimetry to predict tumor growth for benzoporphyrin derivative-mediated vascular photodynamic therapy. J Biomed Opt 25(6), 1-13. doi: 10.1117/1.JBO.25.6.063805

Ong YH, Sheng T, Busch TM, and Zhu TC (2020). Reactive oxygen species explicit dosimetry for the evaluations of treatment efficiency of single and fractionated ALA-mediated photodynamic therapy. Proc. SPIE 11220, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXIX, 112200R (25 February 2020); doi: 10.1117/12.2546425

Rickard AG, Yoshikawa H, Palmer GM, Liu HQ, Dewhirst MW, Nolan MW, et al (2020). Cherenkov emissions for studying tumor changes during radiation therapy: An exploratory study in domesticated dogs with naturally occurring cancer. PLoS One

Penjweini R, Roarke B, Alspaugh G, Gevorgyan A, Andreoni, Pasut A, Sackett DL and Knutson JR (2020). Single cell-based fluorescence lifetime imaging of intracellular oxygenation and metabolism. Redox Biol. 2020 Jul; 34:101549.

Penjweini R, Kim MM, Ong YH and Zhu TC (2020). 1 O 2 determined from the measured PDT dose and 3 O 2 predicts long-term response to Photofrin-mediated PDT. Phys Med Biol. 24;65(3), 03LT01

Angel CZ, Lynch SM, Nesbitt H, McKenna MM, Walsh CP and McKenna DJ (2020). miR-210 is induced by hypoxia and regulates neural cell adhesion molecule in prostate cells. J Cell Physiol 235(9), 6194-6203

Ong YH, Dimofte A, Kim MM, Finlay JC, Sheng T, Singhal S, Cengel KA, Yodh AG, Busch TM and Zhu TC (2019). Reactive Oxygen Species Explicit Dosimetry for Photofrin-mediated Pleural Photodynamic Therapy. Photochem Photobiol 96(2), 340-348

Sheng T, Ong YH, Guo W and Zhu T (2020). Reactive oxygen species explicit dosimetry to predict tumor growth for benzoporphyrin derivative-mediated vascular photodynamic therapy. J Biomed Opt. 25(6), 1-13

Sheng T, Ong YH, Busch TM and Zhu TC (2019). Reactive oxygen species explicit dosimetry to predict local tumor control for Photofrin-mediated photodynamic therapy. Proc SPIE Int Soc Opt Eng. 10860

Sheng T, Ong YH, Busch TM and Zhu TC (2019). Reactive oxygen species explicit dosimetry to predict tumor growth for BPD-mediated vascular photodynamic therapy. Proc SPIE Int Soc Opt Eng. 10861

Ho YJ, Chu SW, Liao EC, Fan CH, Chan HL, Wei KC and Yeh CK (2019). Normalization of Tumor Vasculature by Oxygen Microbubbles with Ultrasound. Theranostics 9(24), 7370-7383

Bodo S et al. (2019). Single-dose radiotherapy disables tumor cell homologous recombination via ischemia/reperfusion injury. J Clin Invest. 129(2), 786-801

Ong YH, Kim MM, Huang Z and Zhu TC (2018). Reactive Oxygen Species Explicit Dosimetry (ROSED) of a Type 1 Photosensitizer.Proc SPIE Int Soc Opt Eng. 2018 Feb;10476. pii: 104760V. doi: 10.1117/12.2291385.

Luan X, Guan YY, Liu HJ, Lu Q, Zhao M, Sun D, Lovell JF, Sun P, Chen HZ and Fang C (2018). A Tumor Vascular-Targeted Interlocking Trimodal Nanosystem That Induces and Exploits Hypoxia. Adv Sci (Weinh) 5(8):1800034

Luo Z, Tian H, Liu L, Chen Z, Liang R, Chen Z, Wu Z, Ma A, Zheng M and Cai L (2018). Tumor-targeted hybrid protein oxygen carrier to simultaneously enhance hypoxia-dampened chemotherapy and photodynamic therapy at a single dose. Theranostics 8(13), 3584-3596

Eisenbrey JR, Shraim R, Liu JB, Li J, Stanczak M, Oeffinger B, Leeper DB, Keith SW, Jablonowski LJ, Forsberg F, O'Kane P and Wheatley MA (2018). Sensitization of Hypoxic Tumors to Radiation Therapy Using Ultrasound-Sensitive Oxygen Microbubbles. Int J Radiat Oncol Biol Phys 101(1), 88-96]

Bhandari P, Novikova G, Goergen CJ and Irudayaraj J (2018). Ultrasound beam steering of oxygen nanobubbles for enhanced bladder cancer therapy. Sci Rep 8(1):3112

Wang Y, Stewart E, Desjardins L, Hadway J, Morrison L, Crukley C and Lee TY (2017). Assessment of intratumor hypoxia by integrated 18F-FDG PET / perfusion CT in a liver tumor model. PLoS One 12(3):e0173016

Bhandari PN, Cui Y, Elzey BD, Goergen CJ, Long CM, Irudayaraj J (2017). Oxygen nanobubbles revert hypoxia by methylation programming. Sci Rep 7(1):9268

Nesbitt H, Worthington J, Errington RJ, Patterson LH, Smith PJ, McKeown SR and McKenna DJ (2017). The unidirectional hypoxia-activated prodrug OCT1002 inhibits growth and vascular development in castrate-resistant prostate tumors. Prostate 77(15), 1539-1547

Koonce NA, Griffin RJ and Dings RPM (2017). Galectin-1 Inhibitor OTX008 Induces Tumor Vessel Normalization and Tumor Growth Inhibition in Human Head and Neck Squamous Cell Carcinoma Models. Int J Mol Sci 18(12). pii: E2671

Fan Q, Tang CY, Gu D, Zhu J, Li G, Wu Y and Tao X (2017). Investigation of hypoxia conditions using oxygen-enhanced magnetic resonance imaging measurements in glioma models. Oncotarget 8(19), 31864-31875

Sheng Y, Nesbitt H, Callan B, Taylor MA, Love M, McHale AP and Callan JF (2017). Oxygen generating nanoparticles for improved photodynamic therapy of hypoxic tumours. J Control Release. 264, 333-340

Tomaszewski MR, Gonzalez IQ, O'Connor JP, Abeyakoon O, Parker GJ, Williams KJ, Gilbert FJ and Bohndiek SE (2017). Oxygen Enhanced Optoacoustic Tomography (OE-OT) Reveals Vascular Dynamics in Murine Models of Prostate Cancer. Theranostics 7(11), 2900-2913

Xiong XX, Qiu XY, Hu DX and Chen XQ (2017). Advances in Hypoxia-Mediated Mechanisms in Hepatocellular Carcinoma. Mol Pharmacol 92(3), 246-255

Ong YH, Kim MM, Rodriguez CE, Dimofte A, Finlay JC, Busch TM, Yodh AG, Cengel KA, Singhal S and Zhu TC (2017). Monitoring and assessment of tumor hemodynamics during pleural PDT. Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470C (February 16, 2017); doi:10.1117/12.2252979

Penjweini R, Kim MM, Ong YH and Zhu TC (2017). Singlet oxygen explicit dosimetry to predict long-term local tumor control for BPD-mediated photodynamic therapy. Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470X; doi:10.1117/12.2250435

© Oxford Optronix Ltd., 2026

Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Kim MM, Penjweini R, Ong YH, Finlay JC and Zhu TC (2017). Oxygen measurements to improve singlet oxygen dosimetry. Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 100470A (February 13, 2017); doi:10.1117/12.2250432

Penjweini R, Kim MM, Ong YH and Zhu TC (2017). Singlet oxygen explicit dosimetry to predict local tumor control for HPPH-mediated photodynamic therapy. Proc. SPIE 10047, Optical Methods for Tumor Treatment and Detection: Mechanisms and Techniques in Photodynamic Therapy XXVI, 1004710; doi:10.1117/12.2251011

Burmakin M, van Wieringen T, Olsson PO, Stuhr L, Åhgren A, Heldin CH, Reed RK, Rubin K and Hellberg C (2017). Imatinib increases oxygen delivery in extracellular matrix-rich but not in matrix-poor experimental carcinoma. J Transl Med 15(1), 47

Li F, Jørgensen JT, Forman J, Hansen AE and Kjaer A (2016). 64Cu-ATSM Reflects pO2 Levels in Human Head and Neck Cancer Xenografts but Not in Colorectal Cancer Xenografts: Comparison with 64CuCl2. J Nucl Med 57(3), 437-43

Melsens E, Verberckmoes B, Rosseel N, Vanhove C, Descamps B, Pattyn P and Ceelen W (2016). The VEGFR Inhibitor Cediranib Improves the Efficacy of Fractionated Radiotherapy in a Colorectal Cancer Xenograft Model. Eur Surg Res 58(3-4), 95-108

Penjweini R, Kim MM, Finlay JC and Zhu TC (2016). Investigating the impact of oxygen concentration and blood flow variation on photodynamic therapy. Proc SPIE Int Soc Opt Eng. 2016 Feb 13;9694. pii: 96940L

O'Connor JBP, Boult JKR, Jamin Y, Babur M, Finegan KG, Williams KJ, Little RA, Jackson A, Parker GJM,2 Reynolds AR, Waterton JC and Robinson SP (2016). Oxygen-enhanced MRI accurately identifies, quantifies, and maps tumor hypoxia in preclinical cancer models. Cancer Res 76(4), 787–795

Lin WH, Yeh SH, Yeh KH, Chen KW, Cheng YW, Su TH, Jao P, Ni LC, Chen PJ and Chen DS (2016). Hypoxia-activated cytotoxic agent tirapazamine enhances hepatic artery ligation-induced killing of liver tumor in HBx transgenic mice. Proc Natl Acad Sci USA 113(42), 11937-11942

Laurens E, Yeoh SD, Rigopoulos A, O'Keefe GJ, Tochon-Danguy HJ, Chong LW, White JM, Scott AM, Ackermann U (2016). Fluorine-18 radiolabeling of a nitrophenyl sulfoxide and its evaluation in an SK-RC-52 model of tumor hypoxia. J Labelled Comp Radiopharm 59(10), 416-23

Li F, Jørgensen JT, Forman J, Hansen AE and Kjaer A (2016). 64Cu-ATSM Reflects pO2 Levels in Human Head and Neck Cancer Xenografts but Not in Colorectal Cancer Xenografts: Comparison with 64CuCl2. J Nucl Med 57(3), 437-43

Nesbitt H, Browne G, O'Donovan KM, Byrne NM, Worthington J, McKeown SR and McKenna DJ (2016). Nitric Oxide Up-Regulates RUNX2 in LNCaP Prostate Tumours: Implications for Tumour Growth In Vitro and In Vivo. J Cell Physiol. 231(2), 473-82

Byrne NM, Nesbitt H, Ming L, McKeown SR, Worthington J and McKenna DJ (2016). Androgen deprivation in LNCaP prostate tumour xenografts induces vascular changes and hypoxic stress, resulting in promotion of epithelial-to-mesenchymal transition. Br J Cancer 114(6) 659-68

Epel B, Redler G, Tormyshev V and Halpern HJ (2016). Towards Human Oxygen Images with Electron Paramagnetic Resonance Imaging. Adv Exp Med Biol 876, 363-9

Nesbitt H, Browne G, O'Donovan KM, Byrne NM, Worthington J,4, McKeown SR and McKenna DJ (2016). Nitric Oxide Up-Regulates RUNX2 in LNCaP Prostate Tumours: Implications for Tumour Growth In Vitro and In Vivo. J Cell Physiol 231(2), 473-82

Frank J, Gündel 2, Drescher S, Thews O and Mäder K (2015). Injectable LiNc-BuO loaded microspheres as in vivo EPR oxygen sensors after co-implantation with tumor cells. Free Radic Biol Med 89, 741-9

Corroyer-Dulmont A, Chakhoyan A, Collet S, Durand L, MacKenzie ET, Petit E, Bernaudin M, Touzani O and Valable S (2015). Imaging Modalities to Assess Oxygen Status in Glioblastoma. Front Med (Lausanne). Aug 19;2:57. doi: 10.3389/fmed.2015.00057

Gremonprez F, Descamps B, Izmer A, Vanhove C, Vanhaecke F, De Wever O and Ceelen W (2015). Pretreatment with VEGF(R)-inhibitors reduces interstitial fluid pressure, increases intraperitoneal chemotherapy drug penetration, and impedes tumor growth in a mouse colorectal carcinomatosis model. Oncotarget 6(30), 29889-900

Hueting R, Kersemans V, Tredwell M, Cornelissen B, Christlieb M, Gee AD, Passchier J, Smart SC, Gouverneur V, Muschel RJ and Dilworth JR (2015). A dual radiolabelling approach for tracking metal complexes: investigating the speciation of copper bis(thiosemicarbazonates) in vitro and in vivo. Metallomics 7(5), 795-804

Cerniglia GJ, Dey S, Gallagher-Colombo SM, Daurio NA, Tuttle S, Busch TM, Lin A, Sun R, Esipova TV, Vinogradov SA, Denko N, Koumenis C and Maity A (2015). The PI3K/Akt Pathway Regulates Oxygen Metabolism via Pyruvate Dehydrogenase (PDH)-E1α Phosphorylation. Mol Cancer Ther 14(8), 1928-38

Johnson JL, Leos RA, Baker AF and Unger EC (2015). Radiosensitization of Hs-766T Pancreatic Tumor Xenografts in Mice Dosed with Dodecafluoropentane Nano-Emulsion-Preliminary Findings. J Biomed Nanotechnol 11(2), 274-81

Bluff JE, Reynolds S, Metcalf S, Alizadeh T, Kazan SM, Bucur A, Wholey EG, Bibby BA, Williams L, Paley MN and Tozer GM (2015). Measurement of the acute metabolic response to hypoxia in rat tumours in vivo using magnetic resonance spectroscopy and hyperpolarised pyruvate. Radiother Oncol 116(3), 392-9

Levy EB, Johnson CG, Jacobs G, Woods DL, Sharma KV, Bacher JD, Lewis AL, Dreher MR and Wood BJ (2015). Direct Quantification and Comparison of Intratumoral Hypoxia following Transcatheter Arterial Embolization of VX2 Liver Tumors with Different Diameter Microspheres. J Vasc Interv Radiol 26(10), 1567-73

Reyal J, Lebas N, Zlatanova I, Vilar J and Silvestre J-B (2015). Post-occlusive Reactive Hyperemia in Mouse Melanoma. J Cancer Res Therap Oncol 1, 1-6

Neshatian MN; Chung S; Yohan D; Yang C and Chithrani DB (2015). Uptake of Gold Nanoparticles in Breathless (Hypoxic) Cancer Cells. J Biomed Nanotechnology 11(7), 1162-1172

Fleming IN, Manavaki R, Blower PJ, West C, Williams KJ, Harris AL, Domarkas J, Lord S, Baldry C and Gilbert FJ (2014). Imaging tumour hypoxia with positron emission tomography. Br J Cancer 112(2), 238-50

Rich LJ and Seshadri M (2014). Photoacoustic Imaging of Vascular Hemodynamics: Validation with Blood Oxygenation Level-Dependent MR Imaging. Radiology 275(1), 110-8]

Collet G, Lamerant-Fayel N, Tertil M, El Hafny-Rahbi B, Stepniewski J, Guichard A, Foucault-Collet A, Klimkiewicz K, Petoud S, Matejuk A, Grillon C, Jozkowicz A, Dulak J and Kieda C (2014). Hypoxia-regulated overexpression of soluble VEGFR2 controls angiogenesis and inhibits tumor growth. Mol Cancer Ther 13(1), 165-78

Laurens E, Yeoh SD, Rigopoulos A, Cao D, Cartwright GA, O'Keefe GJ, Tochon-Danguy HJ, White JM, Scott AM and Ackermann U (2014). Radiolabelling and evaluation of a novel sulfoxide as a PET imaging agent for tumor hypoxia. Nucl Med Biol 41(5), 419-25

Raykov Z, Grekova SP, Bour G, Lehn JM, Giese NA, Nicolau C and Aprahamian M (2014). Myo-inositol trispyrophosphate-mediated hypoxia reversion controls pancreatic cancer in rodents and enhances gemcitabine efficacy. Int J Cancer 134(11), 2572-82

Bailey KM, Cornnell HH, Ibrahim-Hashim A, Wojtkowiak JW, Hart CP, Zhang X, Leos R, Martinez GV, Baker AF and Gillies RJ (2014). Evaluation of the "Steal" Phenomenon on the Efficacy of Hypoxia Activated Prodrug TH-302 in Pancreatic Cancer. PLoS One. 2014 Dec 22;9(12):e113586

Tran LB, Bol A, Labar D, Karroum O, Bol V, Jordan B, Grégoire Vand Gallez B (2014). Potential role of hypoxia imaging using (18)F-FAZA PET to guide hypoxia-driven interventions (carbogen breathing or dose escalation) in radiation therapy. Radiother Oncol 113(2), 204-9

Weiss A, van Beijnum JR, Bonvin D, Jichlinski P, Dyson PJ, Griffioen AW and Nowak-Sliwinska P (2014). Low dose angiostatic tyrosine kinase inhibitors improve photodynamic therapy for cancer: lack of vascular normalization. J Cell Mol Med 18(3), 480-91

Collet G, Robert E, Lenoir A, Vandamme M, Darny T, Dozias S, Kieda C and Pouvesle JM (2014). Plasma jet-induced tissue oxygenation: potentialities for new therapeutic strategies. Plasma Sources Sci. Technol. 23 012005 doi:10.1088/0963-0252/23/1/012005

Li CX, Wong BL, Ling CC, Ma YY, Shao Y, Geng W, Qi X, Lau SH, Kwok SY, Wei N, Tzang FC, Ng KT, Liu XB, Lo CM and Man K (2014). A novel oxygen carrier "YQ23" suppresses the liver tumor metastasis by decreasing circulating endothelial progenitor cells and regulatory T cells. BMC Cancer 14, 293

Sun CJ, Li C, Lv HB, Zhao C, Yu JM, Wang GH, Luo YX, Li Y, Xiao M, Yin J and Lang JY (2014). Comparing CT perfusion with oxygen partial pressure in a rabbit VX2 soft-tissue tumor model. J Radiat Res 55(1), 183-90

Tertil M, Skrzypek K, Florczyk U, Weglarczyk K, Was H, Collet G, Guichard A, Gil T, Kuzdzal J, Jozkowicz A, Kieda C, Pichon C and Dulak J (2014). Regulation and novel action of thymidine phosphorylase in non-small cell lung cancer: crosstalk with Nrf2 and HO-1. PLoS One 9(5), e97070

Hueting R, Kersemans V, Cornelissen B, Tredwell M, Hussien K, Christlieb M, Gee AD, Passchier J, Smart SC, Dilworth JR, Gouverneur V and Muschel RJ (2014). A comparison of the behavior of (64)Cu-acetate and (64)Cu-ATSM in vitro and in vivo. J Nucl Med 55(1), 128-34

Li XF, Du Y, Ma Y, Postel GC and Civelek AC (2014). (18)F-fluorodeoxyglucose uptake and tumor hypoxia: revisit (18)f-fluorodeoxyglucose in oncology application. Transl Oncol 7(2), 240-7

Collet G, Lamerant-Fayel N, Tertil M, El Hafny-Rahbi B, Stepniewski J, Guichard A, Foucault-Collet A, Klimkiewicz K, Petoud S, Matejuk A, Grillon C, Jozkowicz A, Dulak J and Kieda C (2014). Hypoxia-regulated over expression of soluble VEGFR2 controls angiogenesis and inhibits tumor growth. Mol Cancer Ther 13(1), 165-78

Sun CJ, Li C, Lv HB, Zhao C, Yu JM, Wang GH, Luo YX, Li Y, Xiao M, Yin J and Lang JY (2014). Comparing CT perfusion with oxygen partial pressure in a rabbit VX2 soft-tissue tumor model. J Radiat Res 55(1), 183-90

Jordan BF, Magat J, Colliez F, Ozel E, Fruytier AC, Marchand V, Mignion L and Gallez B (2013). Application of MOBILE (mapping of oxygen by imaging lipids relaxation enhancement) to study variations in tumor oxygenation. Adv Exp Med Biol 789, 281-8

Rizwan A, Serganova I, Khanin R, Karabeber H, Ni X, Thakur S, Zakian KL, Blasberg R and Koutcher JA (2013). Relationships between LDH-A, lactate, and metastases in 4T1 breast tumors. Clin Cancer Res 19(18), 5158-69

Yoshikawa H, Ehrhart EJ, Charles JB, Custis JT and Larue SM (2013). Assessment of predictive molecular variables in feline oral squamous cell carcinoma treated with stereotactic radiation therapy. Vet Comp Oncol. 2016 Mar;14(1):39-57

Huang T, Civelek AC, Zheng H, Ng CK, Duan X, Li J, Postel GC, Shen B and Li XF (2013). (18)F-misonidazole PET imaging of hypoxia in micrometastases and macroscopic xenografts of human non-small cell lung cancer: a correlation with autoradiography and histological findings. Am J Nucl Med Mol Imaging. 2013;3(2), 142-53

Pagan J, Przybyla B, Jamshidi-Parsian A, Gupta K and Griffin RJ (2013). Blood outgrowth endothelial cells increase tumor growth rates and modify tumor physiology: relevance for therapeutic targeting. Cancers (Basel) 5(1), 205-17

Ming L, Byrne NM, Camac SN, Mitchell CA, Ward C, Waugh DJ, McKeown SR and Worthington J (2013). Androgen deprivation results in time-dependent hypoxia in LNCaP prostate tumours: informed scheduling of the bioreductive drug AQ4N improves treatment response. Int J Cancer 132(6), 1323-32

Mignion L, Magat J, Schakman O, Marbaix E, Gallez B and Jordan BF (2013). Hexafluorobenzene in comparison with perfluoro-15-crown-5-ether for repeated monitoring of oxygenation using 19F MRI in a mouse model. Magn Reson Med 69(1), 248-54

Coudyzer P, Lemoine P, Jordan BF, Gallez B, Galant C, Nisolle M, Courtoy PJ, Henriet P and Marbaix E (2013). Hypoxia is not required for human endometrial breakdown or repair in a xenograft model of menstruation. FASEB J. 27(9), 3711-9

Kieda C, El Hafny-Rahbi B, Collet G, et al., and Nicolau C (2013). Stable tumor vessel normalization with pO2 increase and endothelial PTEN activation by inositol trispyrophosphate brings novel tumor treatment. J Mol Med (Berl). 91(7), 883-99

Skrzypek K, Tertil M, Golda S, et al., and Dulak J (2013). Interplay between heme oxygenase-1 and miR-378 affects non-small cell lung carcinoma growth, vascularization and metastasis. Antioxid Redox Signal. 19(7), 644-60

Deschepper M, Manassero M, Oudina K, Paquet J, Monfoulet LE, Bensidhoum M, Logeart-Avramoglou D and Petite H (2013). Proangiogenic and prosurvival functions of glucose in human mesenchymal stem cells upon transplantation. Stem Cells 31(3), 526-35

Ballegeer EA, Madrill NJ, Berger KL, Agnew DW and McNiel EA (2013). Evaluation of hypoxia in a feline model of head and neck cancer using 64Cu-ATSM positron emission tomography/computed tomography. BMC Cancer 13, 218.

Tran LB, Bol A, Labar D, Jordan B, Magat J, Mignion L, Grégoire V and Gallez B (2012). Hypoxia imaging with the nitroimidazole (18)F-FAZA PET tracer: A comparison with OxyLite, EPR oximetry and (19)F-MRI relaxometry. Radiother Oncol. 105, 29-35

Thrall DE, Maccarini P, Stauffer P, Macfall J, Hauck M, Snyder S, Case B, Linder K, Lan L, McCall Land Dewhirst MW (2012). Thermal dose fractionation affects tumour physiological response. Int J Hyperthermia 28(5), 431-40

Laurens E, Yeoh SD, Rigopoulos A, Cao D, Cartwright GA, O'Keefe GJ, Tochon-Danguy HJ, White JM, Scott AM and Ackermann U (2012). Radiolabelling and evaluation of novel haloethylsulfoxides as PET imaging agents for tumor hypoxia. Nucl Med Biol 39(6), 871-82

Prevo R, Fokas E, Reaper PM, Charlton PA, Pollard JR, McKenna WG, Muschel RJ and Brunner TB (2012). The novel ATR inhibitor VE-821 increases sensitivity of pancreatic cancer cells to radiation and chemotherapy. Cancer Biol Ther 13(11), 1072-81

Fokas E, Yoshimura M, Prevo R, Higgins G, Hackl W, Maira SM, Bernhard EJ, McKenna WG and Muschel RJ (2012). NVP-BEZ235 and NVP-BGT226, dual phosphatidylinositol 3-kinase/mammalian target of rapamycin inhibitors, enhance tumor and endothelial cell radiosensitivity. Radiat Oncol 7, 48

Ming L, Byrne N, Camac S, Mitchell C, Ward C, Waugh D, McKeown S and Worthington J (2012). Androgen deprivation results in time-dependent hypoxia in LNCaP prostate tumours; informed scheduling of the bioreductive drug AQ4N improves treatment response. Int J Cancer 132(6), 1323-32

Ellingsen C, Ovrebø KM, Galappathi K, Mathiesen B and Rofstad EK (2012). pO_2 fluctuation pattern and cycling hypoxia in human cervical carcinoma and melanoma xenografts. Int J Radiat Oncol Biol Phys. 83(4), 1317-23

Myers AL, Orr WS, Denbo JW, Ng CY, Zhou J, Spence Y, Wu J and Davidoff AM (2012). Rapamycin-induced tumor vasculature remodeling in rhabdomyosarcoma xenografts increases the effectiveness of adjuvant ionizing radiation. J Pediatr Surg 47(1), 183-9

© Oxford Optronix Ltd., 2026

Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Hsieh CH, Chang HT, Shen WC, Shyu WC and Liu RS (2012). Imaging the Impact of Nox4 in Cycling Hypoxia-mediated U87 Glioblastoma Invasion and Infiltration. Mol Imaging Biol. 14(4), 489-99

Meng F, Evans JW, Bhupathi D, Banica M, Lan L, Lorente G, Duan JX, Cai X, Mowday AM, Guise CP, Maroz A, Anderson RF, Patterson AV, Stachelek GC, Glazer PM, Matteucci MD and Hart CP (2011). Molecular and cellular pharmacology of the hypoxia-activated prodrug TH-302. Mol Cancer Ther. 11(3), 740-51

Carreau A, El Hafny-Rahbi B, Matejuk A, Grillon C and Kieda C (2011). Why is the partial oxygen pressure of human tissues a crucial parameter? Small molecules and hypoxia. J Cell Mol Med 15(6), 1239-53

Serganova I, Rizwan A, Ni X, Thakur SB, Vider J, Russell J, Blasberg R and Koutcher JA (2011). Metabolic imaging: a link between lactate dehydrogenase A, lactate, and tumor phenotype. Clin Cancer Res 17(19), 6250-61

Lawrentschuk N, Lee FT, Jones G, Rigopoulos A, Mountain A, O'Keefe G, Papenfuss AT, Bolton DM, Davis ID and Scott AM (2011). Investigation of hypoxia and carbonic anhydrase IX expression in a renal cell carcinoma xenograft model with oxygen tension measurements and ^{12}I-cG250 PET/CT. Urol Oncol 29(4), 411-20

Hsieh CH, Shyu WC, Chiang CY, Kuo JW, Shen WC and Liu RS (2011). NADPH oxidase subunit 4-mediated reactive oxygen species contribute to cycling hypoxia-promoted tumor progression in glioblastoma multiforme. PLoS One 6(9), e23945

Kersemans V, Cornelissen B, Hueting R, Tredwell M, Hussien K, Allen PD, Falzone N, Hill SA, Dilworth JR, Gouverneur V, Muschel RJ and Smart SC (2011). Hypoxia imaging using PET and SPECT: the effects of anesthetic and carrier gas on [Cu]-ATSM, [Tc]-HL91 and [F]-FMISO tumor hypoxia accumulation. PLoS One 6(11), e25911

Sen A, Capitano ML, Spernyak JA, Schueckler JT, Thomas S, Singh AK, Evans SS, Hylander BL and Repasky EA (2011). Mild elevation of body temperature reduces tumor interstitial fluid pressure and hypoxia and enhances efficacy of radiotherapy in murine tumor models. Cancer Res 71(11), 3872-80

Winter JD, Akens MK and Cheng H-L, M (2011). Quantitative MRI assessment of VX2 tumour oxygenation changes in response to hyperoxia and hypercapnia. Phys. Med. Biol. 56, 1225–1242

Dalrymple SL, Becker RE, Zhou H, Deweese TL and Isaacs JT (2011). Tasquinimod prevents the angiogenic rebound induced by fractionated radiation resulting in an enhanced therapeutic response of prostate cancer xenografts. Prostate 72(6), 638-48

Busch TM, Wang H-W, Wileyto EP, Yu G. and Bunte RM (2010). Increasing damage to tumor blood vessels during motexafin lutetium-PDT through use of low fluence rate. Radiation Research 174(3), 331-40

Myers AL, Williams RF, Ng CY, Hartwich JE and Davidoff AM (2010). Bevacizumab-induced tumor vessel remodeling in rhabdomyosarcoma xenografts increases the effectiveness of adjuvant ionizing radiation. J Pediatr Surg 5, 1080-5

Sims TL, McGee M, Williams RF, Myers AL, Tracey L, Hamner JB, Ng C, Wu J, Gaber MW, McCarville B, Nathwani AC and Davidoff AM (2010). IFN-beta restricts tumor growth and sensitizes alveolar rhabdomyosarcoma to ionizing radiation. Mol Cancer Ther 9, 761-71

Bejota R, Kersemans V, Kelly C, Carroll L, King RC and Gouverneu V (2010). Pre-clinical evaluation of a 3-nitro-1,2,4-triazole analogue of [18F]FMISO as hypoxia-selective tracer for PET. Nucl Med Biol. 37(5), 565-575

Ostrander JH, McMahon CM, Lem S, Millon SR, Brown JQ, Seewaldt VL, Ramanujam N (2010). Optical redox ratio differentiates breast cancer cell lines based on estrogen receptor status. Cancer Res 70(11), 4759-66

Epel B, Hleihel D, Barth ED and Halpern HJ (2010). Electron paramagnetic resonance oxygen imaging of a rabbit tumor using localized spin probe delivery. Med. Phys. 37, 2553-59

Bartlett R, Zanzonico P, Carlin S, Chen S, Roble G, O'Donoghue J, Beattie B, Narayanan M, Georgi J-C and Humm JL (2010). Kinetic modeling of [18F]-FMISO microPET data and its correlation with image-guided pO2 measurements. J Nucl Med. 51 (Supplement 2):232

Wang W, Lee NY, Georgi J-C, Narayanan M, Guillem J, Schöder H and Humm JL (2010). Pharmacokinetic analysis of hypoxia 18F-Fluoromisonidazole dynamic PET in head and neck cancer. J Nucl Med 51(1), 37–45

Palmer GM, Viola RJ, Schroeder T, Yarmolenko PS, Dewhirst MW and Ramanujam N (2009). Quantitative diffuse reflectance and fluorescence spectroscopy: tool to monitor tumor physiology in vivo. J Biomed Opt 14(2), 024010

Bechet D, Tirand L, Faivre B, Plénat F, Bonnet C, Bastogne T, Frochot C, Guillemin F and Barberi-Heyob M (2009). Neuropilin-1 targeting photosensitization-induced early stages of thrombosis via tissue factor release. Pharm Research 27(3), 468-479

Hardee ME, Eapen RJ, Rabbani ZN, Dreher MR, Marks J, Blackwell KL and Dewhirst MW (2009). Her2/neu signaling blockade improves tumor oxygenation in a multifactorial fashion in Her2/neu+ tumors. Cancer Chemother Pharmacol 63, 219-28

Jordan BF, Cron GO and Gallez B (2009). Rapid monitoring of oxygenation by 19F magnetic resonance imaging: Simultaneous comparison with fluorescence quenching. Magn Reson Med. 61, 634-8

Hou H, Lariviere JP, Demidenko E, Gladstone D, Swartz H and Khan N (2009). Repeated tumor pO(2) measurements by multi-site EPR oximetry as a prognostic marker for enhanced therapeutic efficacy of fractionated radiotherapy. Radiother Oncol 91, 126-31

Moriyama EH, Niedre MJ, Jarvi MT, Mocanu JD, Moriyama Y, Subarsky P, Li B, Lilge LD and Wilson BC (2008). The influence of hypoxia on bioluminescence in luciferase-transfected gliosarcoma tumor cells in vitro. Photochem Photobiol Sci 7, 675-680

Seshadri M, Bellnier DA, Vaughan LA, Spernyak JA, Mazurchuk R, Foster TH and Henderson BW (2008). Light delivery over extended time periods enhances the effectiveness of photodynamic therapy. Clin Cancer Res 14, 2796-2805

Zhang M, Huang M, Le C, Zanzonico PB, Claus F, Kolbert KS, Martin K, Ling CC, Koutcher JA and Humm JL (2008). Accuracy and reproducibility of tumor positioning during prolonged and multi-modality animal imaging studies. Phys Med Biol 53, 5867-82

Elas M, Bell R, Hleihel D, Barth ED, McFaul C, Haney CR, Bielanska J, Pustelny K, Ahn KH, Pelizzari CA, Kocherginsky M and Halpern HJ (2008). Electron paramagnetic resonance oxygen image hypoxic fraction plus radiation dose strongly correlates with tumor cure in FSa fibrosarcomas. Int J Radiat Oncol Biol Phys 71, 542-9

Chan LS, Malcontenti-Wilson C, Muralidharan V and Christophi C (2008). Alterations in vascular architecture and permeability following OXi4503 treatment Anticancer Drugs 19, 17-22

Fels DR, Ye J, Segan AT, Kridel SJ, Spiotto M, Olson M, Koong AC and Koumenis C (2008). Preferential cytotoxicity of bortezomib toward hypoxic tumor cells via overactivation of endoplasmic reticulum stress pathways. Cancer Res, 68, 9323-30

Chan N, Koritzinsky M, Zhao H, Bindra R, Glazer PM, Powell S, Belmaaza A, Wouters B and Bristow RG (2008). Chronic hypoxia decreases synthesis of homologous recombination proteins to offset chemoresistance and radioresistance. Cancer Res 68, 605-14

Bayly SR, King RC, Honess DJ, Barnard PJ, Betts HM, Holland JP, Hueting R, Bonnitcha PD, Dilworth JR, Aigbirhio FI and Christlieb M (2008). In vitro and in vivo evaluations of a hydrophilic 64Cu-bis(thiosemicarbazonato)-glucose conjugate for hypoxia imaging. J Nucl Med 49, 1862-8

Riedl CC, Brader P, Zanzonico PB, Chun YS, Woo Y, Singh P, Carlin S, Wen B, Ling CC, Hricak H and Fong Y (2008). Imaging hypoxia in orthotopic rat liver tumors with iodine 124-labeled iodoazomycin galactopyranoside PET. Radiology 248, 561-70

Gulliksrud K, Vestvik IK, Galappathi K, Mathiesen B and Rofstad EK (2008). Detection of different hypoxic cell subpopulations in human melanoma xenografts by pimonidazole immunohistochemistry. Radiat Res 170, 638-50

Sersa G, Jarm T, Kotnik T, Coer A, Podkrajsek M, Sentjurc M, Miklavcic D, Kadivec M, Kranjc S, Secerov A and Cemazar M (2008). Vascular disrupting action of electroporation and electrochemotherapy with bleomycin in murine sarcoma. Br J Cancer 98,388-98

Via LE, LinPL, Ray SM, Carrillo J, Allen SS, Eum SY, Taylor K, Klein E, Manjunatha U, Gonzales J, Lee EG, Park SK, Raleigh JA, Cho SN, McMurray DN, Flynn JL and Barry CE 3rd (2008). Tuberculous granulomas are hypoxic in guinea pigs, rabbits, and non-human primates. Infect Immun 76, 2333-40

Ceelen W, Boterberg T, Smeets P, van Damme N, Demetter P, Zwaenepoel O, Cesteleyn L, Houtmeyers P, Peeters M and Pattyn P (2007). Recombinant human erythropoietin α modulates the effects of radiotherapy on colorectal cancer microvessels. British Journal of Cancer 96, 692-700

Raman V, Artemov D, Pathak AP, Winnard PT Jr, McNutt S, Yudina A, Bogdanov A Jr and Bhujwalla ZM (2006). Characterizing vascular parameters in hypoxic regions: a combined magnetic resonance and optical imaging study of a human prostate cancer model. Cancer Res 66, 9929-36

Ceelen W, Smeets P, Backes W, Van Damme N, Boterberg T, Demetter P, Bouckenooghe I, De Visschere M, Peeters M and Pattyn P (2006). Noninvasive monitoring of radiotherapy-induced microvascular changes using dynamic contrast enhanced magnetic resonance imaging (DCE-MRI). in a colorectal tumor model. Int J Radiat Oncol Biol Phys 64, 1188-96

Nikfarjam M, Muralidharan V, Malcontenti-Wilson C, McLaren W and Christophi C (2006). Impact of blood flow occlusion on liver necrosis following thermal ablation. ANZ J Surg 76, 84-9

Skliarenko JV, Lunt SJ, Gordon ML, Vitkin A, Milosevic M and Hill RP (2006). Effects of the vascular disrupting agent ZD6126 on interstitial fluid pressure and cell survival in tumors. Cancer Res. 66, 2074-80

Wen B, Muneyasu U, O'Donoghue JA and Ling CC (2006). Measurements of partial oxygen pressure pO2 using the OxyLite system in R3327-AT tumors under isoflurane anesthesia. Radiat Res 166, 512-518

Martinive P, De Wever J, Bouzin C, Baudelet C, Sonveaux P, Gregoire V, Gallez B and Feron O (2006). Reversal of temporal and spatial heterogeneities in tumor perfusion identifies the tumour vascular tone as a tunable variable to improve drug delivery. Mol Cancer Ther 5, 1620-27

Brurberg KG, Thuen M, Ruud EB and Rofstad EK (2006). Fluctuations in pO2 in irradiated human melanoma xenografts. Radiat Res 165, 16-25

Crokart N, Jordan BF, Baudelet C, Ansiaux R, Sonveaux P, Grégoire V, Beghein N, DeWever J, Bouzin C, Feron O, Gallez B (2005). Early reoxygenation in tumors after irradiation: determining factors and consequences for radiotherapy regimens using daily multiple fractions. Int J Radiat Oncol Biol Phys. 63, 901-10

Cemazar M, Wilson I, Prise VE, Bell KM, Hill SA and Tozer GM (2005). The endothelin B (ETB) receptor agonist IRL 1620 is highly vasoconstrictive in two syngeneic rat tumour lines: potential for selective tumour blood flow modification. British Journal of Cancer 9, 98-106

Nikfarjam M, Muralidharan V, Malcontenti-Wilson C and Christophi C (2005). Progressive microvascular injury in liver and colorectal liver metastases following laser induced focal hyperthermia therapy. Lasers Surg Med. 37, 64-73

Daruwalla J, Nikfarjam M, Malcontenti-Wilson C, Muralidharan V, Christophi C (2005). Effect of thalidomide on colorectal cancer liver metastases in CBA mice. J Surg Oncol. 91, 134-40

Brurberg KG, Skogmo HK, Graff BA, Olsen DR, Rofstad EK (2005). Fluctuations in pO2 in poorly and well-oxygenated spontaneous canine tumors before and during fractionated radiation therapy. Radiother Oncol 77, 220-226

Wachsberger PR, Burd R, Marero N, Daskalakis C, Ryan A, McCue P and Dicker AP (2005). Effect of the tumor vascular-damaging agent, ZD6126, on the radioresponse of U87 glioblastoma. Clin Cancer Res 15, 835-42

O'Donoghue JA, Zanzonico P, Pugachev A, Wen B, Smith-Jones P, Cai S, Burnazi E, Finn RD, Burgman P, Ruan S, Lewis JS, Welch MJ and Ling CC (2005). Assessment of regional tumor hypoxia using ^{12}F-fluoromisonidazole and ^{64}Cu(II)-diacetly-bis(N-methylthiosemicarbazone) PET: comparative study featuring MicroPET imaging, pO_2 probe measurement, autoradiography, and fluorescent microscopy in the R3327-AT and FaDu rat tumor models. Int J Rad Onc Biol Phy 61, 1493-1502

Sonveaux P, Kaz AM, Snyder SA, Rixchardson RA, Cardenas-Navia LI, Braun RD, Pawloski JR, Tozer GM, Bonaventura J, McMahon TJ, Stamler JS and Dewhirst MW (2005). Oxygen regulation of tumor perfusion by S-nitrosohemoglobin reveals a suppressor activity of nitric oxide. Circ. Res 96, 1119-22

Kalliomäki T and Hill RP (2004). Effects of tumor acidification with glucose-MIBG on the spontaneous metastatic potential of two murine cell lines. British Journal of Cancer 90, 1842-1849

Cárdenas-Navia LI, Daohai Yu D, Braun RD, Brizel DM, Secomb TW and Dewhirst MW (2004). Tumor-dependent kinetics of partial pressure of oxygen fluctuations during air and oxygen breathing. Cancer Research 64, 6010-6017

Kostourou V, Troy H, Murray JF, Cullis ER, Whitley GS, Griffiths JR, Robinson SP (2004). Overexpression of dimethylarginine dimethylaminohydrolase enhances tumor hypoxia: an insight into the relationship of hypoxia and angiogenesis in vivo. Neoplasia 6, 401-11

Baudelet C and Gallez B (2004). Effect of anesthesia on the signal intensity in tumors using BOLD-MRI: Comparison with flow measurements by laser Doppler flowmetry and oxygen measurements by luminescence-based probes. Magn Reson Imaging 22, 905-12

Barthel H, Wilson H, Collingridge DR, Brown G, Osman S, Luthra SK, Brady F, Workman P, Price PM and Aboagye EO (2004). In vivo evaluation of [^{18}F]fluoroetanidazole as a new marker for imaging tumour hypoxia with positron emission tomography. British Journal of Cancer 90, 2232-2242

Jordan BF, Sonveaux P, Feron O, Gregoire V, Beghein N, Dessy C and Gallez B (2004). Nitric oxide as a radiosensitizer: evidence for an intrinsic role in addition to its effect on oxygen delivery and consumption. Int J Cancer 109, 769-773

Kostourou V, Troy H, Murray JF, Cullis ER, Whitley GJ, Griffiths JR and Robinson SP (2004). Overexpression of dimethylarginine dimethylaminohydrolase enhances tumor hypoxia: an insight into the relationship of hypoxia and angiogenesis in vivo. Neoplasia 6, 401-411

Brurberg KG, Graff BA, Olsen DR and Rofstad EK (2004). Tumor-line specific pO2 fluctuations in human melanoma xenografts. Int J Radiat Oncol Biol Phys 58, 403-09

Huang Z, Chen Q, Trncic N, LaRue SM, Brun PH, Wilson BC, Shapiro H and Hetzel FW (2004). Effects of Pd-bacteriopheophorbide (TOOKAD)-mediated photodynamic therapy on canine prostate pretreated with ionizing radiation. Radiation Research 161, 723-31

Hicks KO, Siim BG, Pruijn FB and Wilson WR (2004). Oxygen dependence of the metabolic activation and cytotoxicity of tirapazamine: implications for extra-vascular transport and activity in tumors. Radiation Research 161, 656-666

Folkes LK and Wardman P (2003). Enhancing the efficacy of photodynamic cancer therapy by radicals from plant Auxin (Indole-3-Acetic Acid). Cancer Res 63, 776-79

© Oxford Optronix Ltd., 2026

Gu Y, Bourke VA, Kim JG, Constantinescu A, Mason RP and Liu H (2003). Dynamic response of breast tumor oxygenation to hyperoxic respiratory challenge monitored with three oxygen-sensitive parameters. Appl Opt 42, 2960-67

Chen B, Ahmed B, Landuyt W, Ni Y, Gaspar R, Roskams T and de Witte P (2003). Potentiation of photodynamic therapy with hypericin by mitomycin C in the radiation-induced fibrosarcoma-1 mouse tumor model. Photochem Photobiol 78, 278-82

Huang Z, Chen Q, Shakil A, Chen H, Beckers J, Shapiro H and Hetzel F W (2003). Hyperoxygenation enhances the tumor cell killing of photofrin-mediated photodynamic therapy. Photochem Photobiol 78, 496-502

Zanzonico P, O'Donoghue J, Chapman, JD, Schneider R, Cai S, Larson S, Wen B, Chen Y, Finn R, Ruan S, Gerweck L, Humm J and Ling C (2003). Iodine-124-labeled iodo-azomycin-galactoside imaging of tumor hypoxia in mice with serial microPET scanning. Eur J Nucl Med Mol Imaging 31, 117-128

Blackwell KL, Kirkpatrick JP, Snyder SA, Broadwater G, Farrell F, Jolliffe L, Brizel DM and Dewhirst MW (2003). Human recombinant erythropoietin significantly improves tumor oxygenation independent of its effects on hemoglobin. Cancer Res 63, 6162-65

Brurberg KG, Graff BA and Rofstad EK (2003). Temporal heterogeneity in oxygen tension in human melanoma xenografts. British Journal of Cancer 89, 350-56

Jordan BF, Sonveaux P, Feron O, Gregoire V, Beghein N and Gallez B (2003). Nitric oxide-mediated increase in tumor blood flow and oxygenation of tumors implanted in muscles stimulated by electric pulses. Int J Radiat Oncol Biol Phys 55, 1066-73

Jarm T, Podobnik B, Sersa G and Miklavcic D (2003). Effect of hydralazine on blood flow, oxygenation, and interstitial fluid pressure in subcutaneous tumors. Adv Exp Med Biol 510, 25-29

Burd R, Lavorgna SN, Daskalakis C, Wachsberger PR, Wahl ML, Biaglow JE, Stevens CW and Leeper DB (2003). Tumor oxygenation and acidification are increased in melanoma xenografts after exposure to hyperglycemia and meta-iodo-benzylguanidine. Radiat Res 159, 328-335

Jordan BF, Beghein N, Aubry M, Gregoire V and Gallez B (2003). Potentiation of radiation-induced regrowth delay by isosorbide dinitrate in FSaII murine tumors. Int J Cancer 103, 138-41

Baudelet C and Gallez B (2002). How does blood oxygen level-dependent (BOLD) contrast correlate with oxygen partial pressure (pO2). inside tumors? Magn Reson Med 48, 980-986

Demeure RJ, Jordan BF, Yang QX, Beghein N, Smith MB, Gregoire V and Gallez B (2002). Removal of local field gradient artefacts in BOLD contrast imaging of head and neck tumours. Phys Med Biol 47, 1819-25

Urano M, Chen Y, Humm J, Koutcher JA, Zanzonico P and Ling C (2002). Measurements of tumor tissue oxygen tension using a time-resolved luminescence-based optical OxyLite probe: comparison with a paired survival assay. Radiat Res 158, 167-173

Jarm T, Sersa G and Miklavcic D (2002). Oxygenation and blood flow in tumors treated with hydralazine: evaluation with a novel luminescence-based fiber-optic sensor. Technol Health Care 10, 363-80

Jordan BF, Gregoire V, Demeure RJ, Sonveaux P, Feron O, O'Hara J, Vanhulle VP, Delzenne N and Gallez B (2002). Insulin increases the sensitivity of tumors to irradiation: involvement of an increase in tumor oxygenation mediated by a nitric oxide-dependent decrease of the tumor cells oxygen consumption. Cancer Res 62, 3555-3561

Cairns RA, Kalliomaki T and Hill RP (2001). Acute (cyclic) hypoxia enhances spontaneous metastasis of KHT murine tumors. Cancer Res 15, 8903-08

Zhao D, Constantinescu A, Hahn EW and Mason RP (2001). Tumor oxygen dynamics with respect to growth and respiratory challenge: investigation of the Dunning prostate R3327-HI tumor. Radiat Res 156, 510-520

Jarm T, Lesnicar H, Sersa G and Miklavcic D (2001). First experience with a novel luminescence-based optical sensor for measurement of oxygenation in tumors. Radiol Oncol 35, 277-291

Braun RD, Lanzen JL, Snyder SA and Dewhirst MW (2001). Comparison of tumor and normal tissue oxygen tension measurements using OxyLite or microelectrodes in rodents. Am J Physiol Heart Circ Physiol 280, H2533-44

Neeman M, Dafni H, Bukhari O, Braun RD and Dewhirst MW (2001). In vivo BOLD contrast MRI mapping of subcutaneous vascular function and maturation: validation by intravital microscopy. Magn Reson Med 45, 887-898

Bussink J, Kaanders JHAM, Strik AM and Van der Kogel AJ (2000). Effects of nicotinamide and carbogen on oxygenation in human tumor xenografts measured with luminescence-based fiber-optic probes. Radiother Oncol 57, 21-30

Dewhirst MW, Klitzman B, Braun RD, Brizel DM, Haroon ZA and Secomb TW (2000). Review of methods used to study oxygen transport at the microcirculatory level. Int J Cancer 90, 237-55

Bussink J, Kaanders JHAM, Strik AM, Vojnovic B and Van der Kogel AJ (2000). Optical sensor-based oxygen tension measurements correspond with hypoxic marker binding in three human tumor xenograft lines. Radiat Res 154, 547-555

Cerebral / Stroke / MCAO

Vieira BN, Mendes LR, Mariano SG, Leirão IP, Pereira-Junior ED, Paes MHS, Katayama PL, Zoccal DB (2026). Breathing irregularities and postnatal hypoxaemia in an experimental model of essential hypertension. J Physiol

Furukawa T, Jufar AH, Trask-Marino AL, May CN, Evans RG, Cochrane AD, Marino B, McCall PR, Hood SG, Raman J, Ow CPC, Snel LIP, Ayton S, Betrie A, Cornthwaite L, Kusunoki M, Huf AC, AlMekhled D, Hadzajlic E, Southon A, Bellomo R, Miles LF, Booth L, Lankadeva YR (2026). Frontal cortical neuroinflammation and circulating biomarkers following cardiopulmonary bypass in sheep. Intensive Care Med Exp

Roy RK, Lira EC, Ongolo MB, Filosa JA, Stern JE (2026). Heart failure-induced reprogramming of salt-evoked neurovascular coupling in the rat hypothalamus. J Physiol

Fick LJ, Pappo F, Imoukhuede A, van den Hoogen NJ, Trang T, Teskey GC (2026). Maximal electroconvulsive shock-induced seizures elicit long-lasting analgesia and short-lasting hyperoxia in a sex dependent manner. Epilepsy Res

Iao HM, Chen CY, et al., and Hu SH (2025). Wireless *In Situ* Catalytic Electron Signaling-Mediated Transcriptomic Reprogramming for Neuron Regeneration via Adaptable Antennas. Adv Sci (Weinh)

Wittenberg P, McBryde FD, Korsak A, Rodrigues KL, Paton JFR, Marina N, Gourine AV (2025). On the regulation of arterial blood pressure by an intracranial baroreceptor mechanism. J Physiol

Hu, J., Zhong, X., Wang, J., Dai, M., Liu, L., & Pan, X. (2025). Sustained oxygen release Organic/Inorganic composite scaffold Delivers BMSCs to promote spinal cord injury repair. Materials & Design

Wang R, Patel P, Boorman L, Okun M, Howarth C, Berwick J (2025). Disassociating cerebral vasomotion from low frequency spontaneous neurovascular coupling. Sci Rep

Wittenberg P, McBryde FD, Korsak A, Rodrigues KL, Paton JFR, Marina N, Gourine AV (2025). On the regulation of arterial blood pressure by an intracranial baroreceptor mechanism. J Physiol

Cheng YW, Yang LY, Chen YT, et al., and Kuo MF (2025). Endothelial progenitor cell-derived conditioned medium mitigates chronic cerebral ischemic injury through macrophage migration inhibitory factor-activated AKT pathway. Stem Cell Res Ther

Price AD, Baucom MR, Becker ER, et al., and Goodman MD (2024). Systemic Inflammatory Effect of Hypobaria During Aeromedical Evacuation after Porcine Traumatic Brain Injury. J Am Coll Surg

Jansen NA, Cestèle S, Marco SS, et al., and van den Maagdenberg AMJM (2024). Brainstem depolarization-induced lethal apnea associated with gain-of-function SCN1AL263V is prevented by sodium channel blockade. Proc Natl Acad Sci USA

Price AD, Baucom MR, Blakeman TC, Smith M, Gomaa D, Caskey C, Pritts T, Strilka R, Branson RD, and Goodman MD (2024). Just Say NO: Inhaled Nitric Oxide Effect on Respiratory Parameters Following Traumatic Brain Injury in Humans and a Porcine Model. J Surg Res

Moretti EH, Lino CA, and Steiner AA (2024). Interplay between brain oxygenation and the development of hypothermia in endotoxic shock. Shock

Cipolla MJ, Hunt RD, Liebeskind DS, and Tremble SM (2024). The impact of collateral therapeutics on stroke hemodynamics in normotensive and hypertensive rats: a step toward translation. Front Neurol

Hunt RD, Cipolla MJ (2024). Chronic hypertension alters the relationship between collateral blood flow cortical cerebral blood flow, and brain tissue oxygenation. J Cereb Blood Flow Metab

Barakat RM, Turcani M, Al-Khaledi G, Kilarkaje N, Al-Sarraf H, Sayed Z, and Redzic Z (2024). Low oxygen in inspired air causes severe cerebrocortical hypoxia and cell death in the cerebral cortex of awake rats. Neurosci Lett

Yang LY, Tang SC, Lee JE, Chen YR, Chen YT, Chen KW, Hsieh ST, and Wang KC (2024). Recombinant soluble form of receptor for advanced glycation end products ameliorates microcirculation impairment and neuroinflammation after subarachnoid hemorrhage. Neurotherapeutics

Althammer F, Roy RK, Kirchner MK, et al., and Stern JE (2023). Angiotensin II-Mediated Neuroinflammation in the Hippocampus Contributes to Neuronal Deficits and Cognitive Impairment in Heart Failure Rats. Hypertension

Rozencwajg S, Heinsar S, Wildi K, et al., and Fraser JF (2023). Effect of flow change on brain injury during an experimental model of differential hypoxaemia in cardiogenic shock supported by extracorporeal membrane oxygenation. Sci Rep

Villa BR, George AG, Shutt TE, Sullivan PG, Rho JM, and Teskey GC (2023). Postictal hypoxia involves reactive oxygen species and is ameliorated by chronic mitochondrial uncoupling. Neuropharmacology

Villa BR, Bhatt D, Wolff MD, Addo-Osafo K, Epp JR, and Teskey GC (2023). Repeated episodes of postictal hypoxia are a mechanism for interictal cognitive impairments. Sci Rep

Ho YJ, Cheng HL, Liao LD, Lin YC, Tsai HC, and Yeh CK (2023). Oxygen-loaded microbubble-mediated sonoperfusion and oxygenation for neuroprotection after ischemic stroke reperfusion. Biomater Res

Wang KC, Yang LY, Lee JE, Wu V, Chen TF, Hsieh ST, and Kuo MF (2022). Combination of indirect revascularization and endothelial progenitor cell transplantation improved cerebral perfusion and ameliorated tauopathy in a rat model of bilateral ICA ligation. Stem Cell Res Ther

Wang CH, Huang CH, Tsai MS, Wang CC, Chang WT, Liu SH, Chen WJ (2022). Inhaled Carbon Dioxide Improves Neurological Outcomes by Downregulating Hippocampal Autophagy and Apoptosis in an Asphyxia-Induced Cardiac Arrest and Resuscitation Rat Model. J Am Heart Assoc. Nov;11(21):e027685

Harris SA, George AG, Barrett KT, Scantlebury MH, Teskey GC (2022). Febrile seizures lead to prolonged epileptiform activity and hyperoxia that when blocked prevents learning deficits. Epilepsia. Oct;63(10):2650-2663

Malik H, Wolff MD, Teskey GC, and Mychasiuk R (2022). Electrographic seizures and brain hyperoxia may be key etiological factors for postconcussive deficits. J Neurophysiol. Sep 1;128(3):727-737

Yang LY, Chen YR, Lee JE, Chen KW, Luh HT, Chen YT, Wang KC, Hsieh ST (2022). Dental Pulp Stem Cell-Derived Conditioned Medium Alleviates Subarachnoid Hemorrhage-Induced Microcirculation Impairment by Promoting M2 Microglia Polarization and Reducing Astrocyte Swelling. Transl Stroke Res

Boorman LW, Samuel, Harris SS, Shabir O, Lee L, Eyre B, Howarth C, and Berwick J (2022). Bidirectional alterations in brain temperature profoundly modulate spatiotemporal neurovascular responses in-vivo: Implications for theragnostics. bioRxiv

George AG, Farrell JS, Colangeli R, Wall AK, Gom RC, Kesler MT, de la Hoz CL, Perera T, Rho JM, Kurrasch D, and Teskey GC (2022). Sudden unexpected death in epilepsy is prevented by blocking postictal hypoxia. bioRxiv

Tai P-A, Chang C-K, Niu K-C, Lin M-T, Chiu W-T, and Lin J-W (2021). Attenuation of Heat-induced Hypothalamic Ischemia, Inflammation, and Damage by Hyperbaric Oxygen in Rats. Journal of Neurotrauma 38,8; doi:10.1089/neu.2010.1323

Nizari S, Basalay M, Chapman P. et al. (2021). Glucagon-like peptide-1 (GLP-1) receptor activation dilates cerebral arterioles, increases cerebral blood flow, and mediates remote (pre)conditioning neuroprotection against ischaemic stroke. Basic Res Cardiol

Poon Y-Y, Liu Y-W, Huang Y-H, Chan SHH, Tsai C-Y (2021). Postoperative Stroke after Spinal Anesthesia and Responses of Carotid or Cerebral Blood Flow and Baroreflex Functionality to Spinal Bupivacaine in Rats. Biology (Basel) 10(7):617. doi: 10.3390/biology10070617

Gom RC, Bhatt D, Villa BR, George AG, Lohman AW, Mychasiuk R, Rho JM, and Teskey GC (2021). The ketogenic diet raises brain oxygen levels, attenuates postictal hypoxia, and protects against learning impairments. Neurobiol Dis. 154:105335. doi: 10.1016/j.nbd.2021.105335. Epub 2021 Mar 17

Poon YY, Tsai CY, Huang YH, Wu JCC, Chan SHH, and Chan JYH (2021). Disproportional cardiovascular depressive effects of isoflurane: Serendipitous findings from a comprehensive re-visit in mice. Lab Anim (NY) 50(1), 26-31. doi: 10.1038/s41684-020-00684-w

Lee K, Bohnert S, Vair C, Mikler J, and Dunn JF (2020). Cerebral blood flow and oxygenation in rat brain after soman exposure. Toxicol Lett 336, 50-56. doi: 10.1016/j.toxlet.2020.10.009.

Chao CM, Chen CL, Niu KC, Lin CH, Tang LY, Lin LS, and Chang CP (2020). Hypobaric hypoxia preconditioning protects against hypothalamic neuron apoptosis in heat-exposed rats by reversing hypothalamic overexpression of matrix metalloproteinase-9 and ischemia. Int J Med Sci 17(17), 2622-2634

Crespi F (2020). Influence of the PPAR Gamma Receptor Agonist GW7845 on Oxygen Tension and Blood Flow in the Medial-Prefrontal Cortex of Rodents: An In Vivo Flow-Oxymetry Study. J Clin Neurol Neurosci 1, 08

Tran CHT, George AG Gordon GR (2020). Seizures elevate gliovascular unit Ca2+ and cause sustained vasoconstriction. JCI Insight. 5(19):e136469. https://doi.org/10.1172/jci.insight.136469.

Yu LH, Thurston EMS, Hashem M, Dunn JF, Whelan PJ and Murari K (2020). Fiber photometry for monitoring cerebral oxygen saturation in freely-moving rodents. Biomedical Optics Express 11 (7), 3491-3506

Desai RA, Davies AL, Del Rossi N, Tachrount M, Dyson A, Gustavson B, Kaynezhad P, Mackenzie L, van der Putten MA, McElroy D, Schiza D, Linington C, Singer M, Harvey AR, Tachtsidis I, Golay X and Smith KJ (2020). Nimodipine Reduces Dysfunction and Demyelination in Models of Multiple Sclerosis. Ann Neurol 88(1), 123-136

Wolff MD, Farrell JS, Scantlebury MH and Teskey GC (2020). Dynamic oxygen changes during status epilepticus and subsequent endogenous kindling. Epilepsia 61(7), 1515-1527

© Oxford Optronix Ltd., 2026

Marina N, Christie IN, Korsak A, Doronin M, Brazhe A, Hosford PS, Wells JA, Sheikhbahaei, Humoud I, Paton JFR, Lythgoe MF, Semyanov A, Kasparov S and Gourine AV (2020). Astrocytes monitor cerebral perfusion and control systemic circulation to maintain brain blood flow. Nat Commun. 9;11(1), 131

Cheung A, Streijger F, So K, Okon EB, Manouchehri N, Shortt K, Kim KT, Keung MSM, Chan RM, Fong A, Sun J, Griesdale DE, Sehkon MS and Kwon BK (2020). Relationship between Early Vasopressor Administration and Spinal Cord Hemorrhage in a Porcine Model of Acute Traumatic Spinal Cord Injury. Journal of Neurotrauma. Aug 2020.1696-1707. http://doi.org/10.1089/neu.2019.6781

WilliamsAM, Manouchehri N, Erskine E, Tauh K, So K, Streijger F, Shortt K, Kim KT, Kwon BK and West CR (2020). Cardio-centric hemodynamic management improves spinal cord oxygenation and mitigates hemorrhage in acute spinal cord injury Biorxiv doi: https://doi.org/10.1101/2020.03.29.014498

Shadgan B, Macnab A, Fong A, Manouchehri N, So K, Shortt K, Streijger F, Cripton PA, Sayre EC, Dumont GA, Pagano R, Kim KT and Kwon BK (2019). Optical Assessment of Spinal Cord Tissue Oxygenation Using a Miniaturized Near Infrared Spectroscopy Sensor. J Neurotrauma 36(21), 3034-3043

Andelius TCK, Pedersen MV, Bøgh N, Omann C, Hjortdal VE, Pedersen M, Kyng KJ and Henriksen TB (2019). Consequence of insertion trauma - effect on early measurements when using intracerebral devices. Sci Rep. 9(1), 10652

Tran CHT, George AG, Teskey GC and Gordon GR (2019). Seizures cause sustained microvascular constriction associated with astrocytic and vascular smooth muscle Ca2+ recruitment. bioRxiv http://dx.doi.org/10.1101/644039

Chen SM, Phuagkhaopong S, Fang C, Wu JCC, Huang YH, Vivithanaporn P, Lin HH and Tsai CY (2019). Dose-Dependent Acute Circulatory Fates Elicited by Cadmium Are Mediated by Differential Engagements of Cardiovascular Regulatory Mechanisms in Brain. Front Physiol. 10, 772

Phillips TJ, Gom RC, Wolff MD and Teskey GC (2019). Caffeine Exacerbates Postictal Hypoxia. Neuroscience 422, 32-43

Chen CC, Chang CP and Yang CL (2019). An adaptive fall-free rehabilitation mechanism for ischemic stroke rat patients. Sci Rep 9(1), 984

Harris SS, Boorman LW, Kennerley AJ, Sharp PS, Martin C, Redgrave P, Schwartz TH and Berwick J (2018). Seizure epicenter depth and translaminar field potential synchrony underlie complex variations in tissue oxygenation during ictal initiation. Neuroimage 171, 165-175

Harris SS, Boorman LW, Das D, Kennerley AJ, Sharp PS, Martin C, Redgrave P, Schwartz TH and Berwick J (2018). Physiological and Pathological Brain Activation in the Anesthetized Rat Produces Hemodynamic-Dependent Cortical Temperature Increases That Can Confound the BOLD fMRI Signal. Front Neuroscience 12: 550

Hosford PS, Christie IN, Niranjan A, Aziz Q, Anderson N, Ang R, Lythgoe MF, Wells JA, Tinker A and Gourine AV (2018). A critical role for the ATP-sensitive potassium channel subunit KIR6.1 in the control of cerebral blood flow. J Cereb Blood Flow Metab. 2018 Jun 4:271678X18780602

Lanigan S, Corcoran AE, Wall A, Mukandala G and O'Connor JJ (2018). Acute hypoxic exposure and prolyl-hydroxylase inhibition improves synaptic transmission recovery time from a subsequent hypoxic insult in rat hippocampus. Brain Res 1701,212-218

Harris SS, Boorman LW, Kennerley AJ, Sharp PS, Martin C, Redgrave P, Schwartz TH and Berwick J (2018). Seizure epicenter depth and translaminar field potential synchrony underlie complex variations in tissue oxygenation during ictal initiation. Neuroimage 171, 165-175

Wang KC, Tang SC, Lee JE, Tsai JC, Lai DM, Lin WC, Lin CP, Tu YK and Hsieh ST (2018). Impaired microcirculation after subarachnoid hemorrhage in an in vivo animal model. Sci Rep 8(1):13315

Virdyawan V, Oldfield M and Rodriguez y Baena F (2018). Laser Doppler sensing for blood vessel detection with a biologically inspired steerable needle. Bioinspiration & Biomimetics Vol 13, Nr 2

Lee K, Bohnert S, Wu Y, Vair C, Mikler J, Campbell Teskey G and Dunn JF (2018). Assessment of brain oxygenation imbalance following soman exposure in rats. Neurotoxicology 65, 28-37

Wang HC, Tsai JC, Lee JE, Huang SJ, Po-Hao Huang A, Lin WC, Hsieh ST and Wang KC (2017). Direct visualization of microcirculation impairment after acute subdural hemorrhage in a novel animal model. J Neurosurg 129(4), 997-1007

Lin W, Hsuan YC, Su YC, Lin CH, Lin MT, Chen ZH, Chang CP and Lin KC (2017). CD34- human placenta-derived mesenchymal stem cells protect against heat stroke mortality in rats. Oncotarget 9(2), 1992-2001

Hou H, Khan N, Gohain S, Eskey CJ, Moodie KL, Maurer KJ, Swartz HM and Kuppusamy P (2017). Dynamic EPR Oximetry of Changes in Intracerebral Oxygen Tension During Induced Thromboembolism. Cell Biochem Biophys 75(3-4), 285-294

Wang CC, Kuo JR, Chen YC, Chio CC, Wang JJ and Lin BS (2016). Brain tissue oxygen evaluation by wireless near-infrared spectroscopy. J Surg Res 200(2), 669-75

Bakhsheshi MF, Moradi HV, Stewart EE, Keenliside L and Lee T-Y (2015). Brain Cooling with Ventilation of Cold Air Over Respiratory Tract in Newborn Piglets: An Experimental and Numerical Study. IEEE J Translational Engineering in Health and Medicine, Vol 3 doi: 10.1109/JTEHM.2015.2424214

Schoennagel BP, Yamamura J, Fischer R, Tavares de Sousa M, Weyhmiller M, Birkelbach M, Kooijman H, Adam G and Wedegaertner U (2015). BOLD MRI in the brain of fetal sheep at 3T during experimental hypoxia. J Magn Reson Imaging 41(1), 110-6

Schilte C, Bouzat P, Millet A, Boucheix P, Pernet-Gallay K, Lemasson B, Barbier EL and Payen JF (2015). Mannitol Improves Brain Tissue Oxygenation in a Model of Diffuse Traumatic Brain Injury. Crit Care Med 43(10), 2212-8

Schoennagel BP, Yamamura J, Fischer R, Tavares de Sousa M, Weyhmiller M, Birkelbach M, Kooijman H, Adam G and Wedegaertner U (2015). BOLD MRI in the brain of fetal sheep at 3T during experimental hypoxia. J Magn Reson Imaging 41(1), 110-6

Tseng LS, Chen SH, Lin MT and Lin YC (2015). Transplantation of human dental pulp-derived stem cells protects against heatstroke in mice. Cell Transplant 24(5), 921-37

Angelova PR, Kasymov V, Christie I, Sheikhbahaei S, Turovsky E, Marina N, Korsak A, Zwicker J, Teschemacher AG, Ackland GL, Funk GD, Kasparov S, Abramov AY and Gourine AV (2015). Functional Oxygen Sensitivity of Astrocytes. J Neurosci 35(29),10460-73

Tsenov G, Vondrakova K, Otahal J, Burchfiel J and Kubova H (2015). Activation of either the ETA or the ETB receptors is involved in the development of electrographic seizures following intrahippocampal infusion of the endothelin-1 in immature rats. Exp Neurol 265, 40-7

Christen T, Bouzat P, Pannetier N, Coquery N, Moisan A, Lemasson B, Thomas S, Grillon E, Detante O, Rémy C, Payen JF and Barbier EL (2014). Tissue oxygen saturation mapping with magnetic resonance imaging. J Cereb Blood Flow Metab 34(9), 1550-7

Hsu CC, Chen LF, Lin MT and Tian YF (2014). Honokiol protected against heatstroke-induced oxidative stress and inflammation in diabetic rats. Int J Endocrinol 2014,134575

Tseng LS, Chen SH, Lin MT and Lin YC (2014). Umbilical cord blood-derived stem cells improve heat tolerance and hypothalamic damage in heat stressed mice. Biomed Res Int 2014, 685683

Crespi F (2013). *In vivo* oxymetric analysis of mild hypercapnia upon cerebral oxygen, temperature and blood flow: markers of mood as proposed by concomitant bupropion challenge and electrochemical analysis? Exp Brain Res. 230(4), 597-604

Bouzat P, Millet A, Boue Y, Pernet-Gallay K, Trouve-Buisson T, Gaide-Chevronnay L, Barbier E and Payen JF (2013). Changes in brain tissue oxygenation after treatment of diffuse traumatic brain injury by erythropoietin. Crit Care Med 41(5), 1316-24

Herrmann AG, Deighton RF, Le Bihan T, McCulloch MC, Searcy JL, Kerr LE and McCulloch J (2013). Adaptive changes in the neuronal proteome: mitochondrial energy production, endoplasmic reticulum stress, and ribosomal dysfunction in the cellular response to metabolic stress. J Cereb Blood Flow Metab 33(5), 673-83

Mazela J, Merritt TA, Terry MH, Gregory TG and Blood AB (2012). Comparison of poractant alfa and lyophilized lucinactant in a preterm lamb model of acute respiratory distress. Ped Research 72, 32-37

Dunn JF, Wu Y, Zhao Z, Srinivasan S and Natah SS (2012). Training the brain to survive stroke. PLoS One. 2012;7(9), e45108

Lee K-L, Niu K-C, Mao-Tsun Lin M-T and Niu C-S (2012). Attenuating brain inflammation, ischemia, and oxidative damage by hyperbaric oxygen in diabetic rats after heat stroke. Journal of the Formosan Medical Association, http://dx.doi.org/10.1016/j.jfma.2012.02.017

Haile M, Galoyan S, Li YS, Cohen BH, Quartermain D, Blanck T and Bekker A (2012). Nimodipine-induced hypotension but not nitroglycerin-induced hypotension preserves long- and short-term memory in adult mice. Anesth Analg 114(5), 1034-41

Hou H, Dong R, Li H, Williams B, Lariviere JP, Dvoriantchikova G, Ivanov D, Barakat D, Grinberg A, Wen R, Slepak VZ and Shestopalov VI (2012). Genetic ablation of Pannexin1 protects retinal neurons from ischemic injury. PLoS One. 2012;7(2), e31991

Li FCH, Yen J-C, Chan SHH and Chang AYW (2012). Bioenergetics Failure and Oxidative Stress in Brain Stem Mediates Cardiovascular Collapse Associated with Fatal Methamphetamine Intoxication. PLoS One. 2012; 7(1), e30589

Hekmatyar SK, Kauppinen RA, Khan N and Swartz H (2012). Dynamic changes in oxygenation of intracranial tumor and contralateral brain during tumor growth and carbogen breathing: a multisite EPR oximetry with implantable resonators. J Magn Reson 214(1), 22-8

Teranishi K, Scultetus A, Haque A, Stern S, Philbin N, Rice J, Johnson T, Auker C, McCarron R, Freilich D and Arnaud F (2012). Traumatic brain injury and severe uncontrolled haemorrhage with short delay pre-hospital resuscitation in a swine model. Injury 43(5), 585-93

Connell BJ, Saleh MC, Khan BV, Rajagopal D and Saleh TM (2012). UPEI-100, a conjugate of lipoic acid and apocynin, mediates neuroprotection in a rat model of ischemia/reperfusion. Am J Physiol Regul Integr Comp Physiol. 302(7), R886-95

Liew HK, Pang CY, Hsu CW, Wang MJ, Li TY, Peng HF, Kuo JS and Wang JY (2012). Systemic administration of urocortin after intracerebral hemorrhage reduces neurological deficits and neuroinflammation in rats. J Neuroinflammation. 19 (9):13. doi: 10.1186/1742-2094-9-13

Levi H, Schoknecht K, Prager O, Chassidim Y, Weissberg I, Serlin Y and Friedman A (2012). Stimulation of the sphenopalatine ganglion induces reperfusion and blood-brain barrier protection in the photothrombotic stroke model. PLoS One. 2012;7(6), e39636

Zhu XH, Zhang Y, Wiesner HM, Ugurbil K and Chen W (2012). In vivo measurement of CBF using (17) O NMR signal of metabolically produced H(2) (17) O as a perfusion tracer. Magn Reson Med. 70(2), 309-14

Wang LC, Huang CY, Wang HK, Wu MH and Tsai KJ (2012). Magnesium sulfate and nimesulide have synergistic effects on rescuing brain damage after transient focal ischemia. J Neurotrauma 29(7), 1518-29

Connell BJ, Khan BV, Rajagopal D, and Saleh MT (2012). Novel Neurovascular Protective Agents: Effects of INV-155, INV-157, INV-159, and INV-161 versus Lipoic Acid and Captopril in a Rat Stroke Model. Cardiology Research and Practice, 2012, 319230

Marbacher S, Andereggen L, Neuschmelting V, Widmer HR, von Gunten M, Takala J, Jakob SM and Fandino J (2012). A new rabbit model for the study of early brain injury after subarachnoid hemorrhage. J Neurosci Methods 208(2), 138-45

Connell BJ and Saleh TM (2012). Co-administration of apocynin with lipoic acid enhances neuroprotection in a rat model of ischemia/reperfusion. Neurosci Lett 507(1), 43-6

Baskerville TA, Deuchar GA, McCabe C, Robertson CA, Holmes WM, Santosh C and Macrae IM (2011). Influence of 100% and 40% oxygen on penumbral blood flow, oxygen level, and T2*-weighted MRI in a rat stroke model. J Cereb Blood Flow Metab. 31(8), 1799-806

Chou JL, Wu CH, Tsai CY, Chang AY and Chan SH (2011). Proteomic investigation of a neural substrate intimately related to brain death. Proteomics 11(2), 239-48

Chang HH, Lee YC, Chen MF, Kuo JS and Lee TJ (2011). Sympathetic activation increases basilar arterial blood flow in normotensive but not hypertensive rats. Am J Physiol Heart Circ Physiol. 302(5), H1123-30

Lin XJ, Mei GP, Liu J, Li YL, Zuo D, Liu SJ, Zhao TB, and Lin MT (2011). Therapeutic effects of melatonin on heatstroke-induced multiple organ dysfunction syndrome in rats. J Pineal Res 50(4), 436-444

Chan JY, Tsai CY, Wu CH, Li FC, Dai KY, Sun EY, Chan SH and Chang AY (2011). Sumoylation of hypoxia-inducible factor-1α ameliorates failure of brain stem cardiovascular regulation in experimental brain death. PLoS One 6(3), e17375.

Mishra AM, Ellens DJ, Schridde U, Motelow JE, Purcaro MJ, DeSalvo MN, Enev M, Sanganahalli BG, Hyder F and Blumenfeld H (2011). Where fMRI and electrophysiology agree to disagree: corticothalamic and striatal activity patterns in the WAG/Rij rat. J Neurosci 31(42), 15053-64

Liu X, Zhu XH, Zhang Y and Chen W (2011). Neural origin of spontaneous hemodynamic fluctuations in rats under burst-suppression anesthesia condition. Cereb Cortex 21(2), 374-84

Lin YC, Ko TL, Shih YH, Lin MY, Fu TW, Hsiao HS, Hsu JY and Fu YS (2011). Human umbilical mesenchymal stem cells promote recovery after ischemic stroke. Stroke 42(7), 2045-53

Greco R, Meazza C, Mangione AS, Allena M, Bolla M, Amantea D, Mizoguchi H, Sandrini G, Nappi G and Tassorelli C (2011). Temporal profile of vascular changes induced by systemic nitroglycerin in the meningeal and cortical districts. Cephalalgia 31(2), 190-8

Hamadate N, Yamaguchi T, Sugawara A, Togashi H, Izumi T, Yoshida T, Ohmura Y and Yoshioka M (2010). Liposome-encapsulated hemoglobin ameliorates impairment of fear memory and hippocampal dysfunction after cerebral ischemia in rats. J Pharmacol Sci 114, 409 – 419

Sukhotinsky I, Yaseen MA, Sakadzić S, Ruvinskaya S, Sims JR, Boas DA, Moskowitz MA and Ayata C (2010). Perfusion pressure-dependent recovery of cortical spreading depression is independent of tissue oxygenation over a wide physiologic range. J Cereb Blood Flow Metab 30(6), 1168-77

Ortiz-Prado E, Nataha, S, Srinivasana S and Dunn JF (2010). A method for measuring brain partial pressure of oxygen in unanesthetized unrestrained subjects: The effect of acute and chronic hypoxia on brain tissue pO2. Journal of Neuroscience Methods 193, 217–225

Spiotto MT, Banh A, Papandreou I, Cao H, Galvez MG, Gurtner GC, Denko NC, Le QT and Koong AC (2010). Imaging the unfolded protein response in primary tumors reveals microenvironments with metabolic variations that predict tumor growth. Cancer Res 70(1), 78-88

Hsi-Hsing Y, Ching-Ping C, Juei-Tang C and Lin MT (2010). Inhibition of acute lung inflammation and injury is a target of brain cooling after heatstroke injury. J Trauma. 69(4), 805-812

Ragoonanan TE et al. (2009). Metoprolol reduces cerebral tissue oxygen tension after acute hemodilution in rats. Anesthesiology 111, 988-1000

© Oxford Optronix Ltd., 2026

Bickenbach J, Zoremba N, Fries M, Dembinski R, Doering R, Ogawa E, Rossaint R and Kuhlen R (2009). Low tidal volume ventilation in a porcine model of acute lung injury improves cerebral tissue oxygenation. Anesth Analg. 109(3), 847-55

Liu CC, Cheng BC, Lin MT and Lin HJ (2009). Small volume resuscitation in a rat model of heatstroke. Am J Med Sci 337, 79-87

Shen YC, Wang YH, Chou YC, Liou KT, Yen JC, Wang WY and Liao JF (2008). Dimemorfan protects rats against ischemic stroke through activation of sigma-1 receptor-mediated mechanisms by decreasing glutamate accumulation. J Neurochem 104, 558-72

Englot DJ, Mishra AM, Mansuripur PK, Herman P, Hyder F and Blumenfeld H (2008). Remote effects of focal hippocampal seizures on the rat neocortex. J Neurosci 28, 9066-81

Hwang WS, Chen SH, Lin CH, Chang HK, Chen WC and Lin MT (2008). Human umbilical cord blood–derived CD34+ cells can be used as a prophylactic agent for experimental heatstroke. Journal of Pharmacological Sciences 106, 46-55

Gormana D and Huang YL (2008). Haeme oxygenase and nitric oxide synthetase blockade and brain blood flow in sheep exposed to carbon monoxide. Neuroscience Letters 444, 203-207

Strbian D, Durukan A, Pitkonen M, Marinkovic I, Tatlisumak E, Pedrono E, Abo-Ramadan U and Tatlisumak T (2008). The blood-brain barrier is continuously open for several weeks following transient focal cerebral ischemia. Neuroscience 153, 175-181

Baker J, Park E, Hare GMT, Liu E, Sikich N and Mazer DC (2008). Effects of resuscitation fluid on neurologic physiology after cerebral trauma and hemorrhage. J Trauma 64, 348-357

Rigamonti A, McLaren AT, Mazer DC, Nix K, Ragoonanan T, Freedman J, Harrington A and Hare GMT (2008). Storage of strain-specific rat blood limits cerebral tissue oxygen delivery during acute fluid resuscitation. Br J Anaesth. 100, 357-64

Chen YC, Liu YC, Yen DHT, Wang LM, Huang CI, Lee CH and Lin MT (2008). l-Arginine causes amelioration of cerebrovascular dysfunction and brain inflammation during experimental heatstroke. Shock 29, 212-216

Petrushanko IY, Bogdanov NB, Lapina N, Boldyrev AA, Gassmann M and Bogdanova AY (2007). Oxygen-induced regulation of Na/K ATPase in cerebellar granule cells. J Gen Physiol 130, 389-398

Chen SH, Chang FM, Chang HK, Chen WC, Huang KF and Lin MT (2007). Human umbilical cord blood-derived CD34+ cells cause attenuation of multi-organ dysfunction during experimental heatstroke. Shock 27, 663-71

Pena JP, Tomimatsu T, Hatran DP, McGill LL and Longo LD (2007). Cerebral blood flow and oxygenation in ovine fetus: responses to superimposed hypoxia at both low and high altitude. J Physiol 578, 359-70

Tomimatsu T, Pereyra Peña JL and Longo LD (2007). Fetal cerebral oxygenation: the role of maternal hyperoxia with supplemental CO2 in sheep. Am J Obstet Gynecol. 196, 359.e1-5.

Tomimatsu T, Pereyra Peña JL and Longo LD (2007). Fetal hypercapnia in high altitude acclimatized sheep: cerebral blood flow and cerebral oxygenation. Reprod Sci 17, 1-8

Pereyra Peña JL, Tomimatsu T, Hatran DP, McGill LL and Longo LD (2007). Cerebral blood flow and oxygenation in the ovine fetus: responses to superimposed hypoxia at both low and high altitude. J Physiol (Lond). 578, 359-370

Hsiao G, Lee J-J, Chen Y-C, Lin J-H, Shen M-Y, Lin K-H, Chou D-S and Sheu J-R (2007). Neuroprotective effects of PMC, a potent α-tocopherol derivative, in brain ischemia-reperfusion: reduced neutrophil activation and anti-oxidant actions. Biochemical Pharmacology 73, 682-693

Jensen EC, Bennet L, Hunter CJ, Power GC and Gunn AJ (2006). Post-hypoxic hypoperfusion is associated with suppression of cerebral metabolism and increased tissue oxygenation in near-term fetal sheep. J Physiol. 572, 131-39

Li M, Ratcliffe SJ, Knoll F, Wu J, Ances B, Mardini W and Floyd TF (2006). Aging: impact upon local cerebral oxygenation and blood flow with acute isovolemic hemodilution. J Neurosurg Anesthesiol 18, 125-31

Chen SH, Chang FM, Niu KC, Lin MY and Lin MT (2006). Resuscitation from experimental heatstroke by estrogen therapy. Crit Care Med 34, 1113-18

Chen TY, Lee MY, Chen HY, Kuo YL, Lin SC, Wu TS and Lee EJ (2006). Melatonin attenuates the post-ischemic increase in blood-brain barrier permeability and decreases hemorrhagic transformation of tissue-plasminogen activator therapy following ischemic stroke in mice. J Pineal Res 40, 242-50

Hsu SF, Niu KC, Lin CL and Lin MT (2006). Brain cooling causes attenuation of cerebral oxidative stress, systemic inflammation, activated coagulation, and tissue ischemia/injury during heatstroke. Shock 26, 210-20

Lee WC, Wen HC, Chang CP, Chen MY and Lin MT (2006). Heat shock protein 72 overexpression protects against hyperthermia, circulatory shock, and cerebral ischemia during heatstroke. J Appl Physiol 100, 2073-82

Tomimatsu T, Pereyra-Peña JL and Longo LD (2006). Fetal hypercapnia and cerebral oxygenation: studies in near-term sheep. Pediat Res 60, 711-716

Hare GMT, Worrall JMA, Baker AJ, Liu E, Sikich N and Mazer CD (2006). β_2 adrenergic antagonist inhibits cerebral cortical oxygen delivery after severe haemodilution in rats. British Journal of Anaesthesia 97, 617–23

Hare GMT, Harrington A, Liu E, Wang JL, Baker AJ, and Mazer CD (2006). Effect of oxygen affinity and molecular weight of HBOCs on cerebral oxygenation and blood pressure in rats. Can J Anesth 53, 1030–1038

Chen H-Y, Chen T_Y, Lee M-Y, Chen S-T, Hsu Y-S, Kuo Y-LL, Chang G-L, Wu T-S and Lee E-J (2006). Melatonin decreases neurovascular oxidative/nitrosative damage and protects against early increases in the blood-brain barrier permeabilitly after transient focal cerebral ischemia in mice. J Pineal Res 41, 175-182

Strbian D, Karjalainen-Lindsberg M-L, Tatlisumak T and Lindsberg PJ (2006). Cerebral mast cells regulate early ischemic brain swelling and neutrophil accumulation. J Cereb Blood Flow Metab. 26, 605-12

Hermàn P, Trübel HKF and Hyder F (2006). A multi-parametric assessment of oxygen efflux from the brain. J Cereb Blood Flow Metab 26, 79-91

Trübel HKF, Sacolick LI and Hyder F (2006). Regional temperature changes in the brain during somatosensory stimulation. J Cereb Blood Flow Metab 26, 68-78

Woitzik J, Schneider UC, Thomé, Schroeck H and Schilling L (2006). Comparison of different intravascular thread occlusion models for experimental stroke in rats. RJ Neuroscience Methods 151, 224-231

Tomimatsu T, Pereyra Peña JL, Hatran DP and Longo LD (2006). Maternal oxygen administration and fetal cerebral oxygenation: studies on near-term fetal lambs at both low and high altitude. Am J Obstet Gynecol 195, 535-541

Verberne AJM and McInerney K (2006). Pancreatic vasoconstrictor responses are regulated by neurons in the rostral ventrolateral medulla. Brain Res 1102, 127-134

Lee JJ, Lin MT, Wang NL, Lin CL and Chang CK (2005). Platonin, a cyanine photosensitizing dye, causes attenuation of circulatory shock, hypercoagulable state, and tissue ischemia during heat stroke. Shock. 24, 577-82

Wang NL, Chang CK, Liou YL, Lin CL and Lin MT (2005). Shengmai San, a Chinese herbal medicine protects against rat heat stroke by reducing inflammatory cytokines and nitric oxide formation. J Pharmacol Sci. 98(1), 1-7

Lyng K, Braakhuis M, Froen JF, Stray-Pedersen B, Saugstad OD (2005). Inflammation increases vulnerability to hypoxia in newborn piglets: effect of reoxygenation with 21% and 100% O2. Am J Obstet Gynecol 192(4), 1172-8

Wang NL, Liou YL, Lin MT, Lin CL and Chang CK (2005). Chinese herbal medicine, Shengmai San, is effective for improving circulatory shock and oxidative damage in the brain during heatstroke. J Pharmacol Sci 97, 253-65

Wang JL, Ke DS and Lin MT (2005). Heat shock pre-treatment may protect against heatstroke – induced circulatory shock and cerebral ischemia by reducing oxidative stress and energy depletion. Shock 23, 161-7

Chang CP, Chen SH, Lin MT (2005). Ipsapirone and ketanserin protects against circulatory shock, intracranial hypertension, and cerebral ischemia during heatstroke. Shock 24, 336-40

Lin MT, Chen SH, Chang FM, Tsai YC and Huang KF (2005). Resuscitation from experimental heatstroke by transplantation of human umbilical cord blood cells. Crit Care Med 33, 1377-83

O'Hara J A, Hou H, Demidenko E, Springett RJ, Khan N and Swartz HM (2005). Simultaneous measurement of rat brain cortex PtO_2 using EPR oximetry and a fluorescence fibre-optic sensor during normoxia and hyperoxia. Physiol Meas 26, 203-13

Wen Y-S, Huang M-S, Lin M-T and Lee C-H (2005). Rapid brain cooling by hypothermic retrograde jugular vein flush. J Trauma 58, 577-581

Gonzalez H, Hunter CJ, Bennet L, Power GG and Gunn AJ (2005). Cerebral oxygenation during post-asphyxial seizures in near-term fetal sheep. J Cereb Blood Flow Metab 25, 911-918

Nurmi A, Vartiainen N, Pihlaja R, Golsteins G, Yrjanheikki J and Koistinaho J (2004). Pyrrolidine dithiocarbamate inhibits translocation of nuclear factor kappa-B in neurons and protects against brain ischaemia with a wide therapeutic time window. J Neurochem 91, 755-65

Fabian RH, Perez-Polo JR and Kent T (2004). Extracellular superoxide concentration increases following cerebral hypoxia but does not affect cerebral blood flow. Intl J Devl Neuroscience 22, 225-230

Liu C-C, Ke D, Chen Z-C and Lin M-T (2004). Hydroxyethyl starch produces attenuation of circulatory shock and cerebral ischemia during heatstroke. Shock 22, 288-294

Nersesyan H, Herman P, Erdogan E, Hyder F and Blumenfeld H (2004). Relative changes in cerebral blood flow and neuronal activity in local microdomains during generalized seizures. J Cereb Blood Flow Met 24, 1057-1068

Trubel H, Herman P, Kampmann C, Huth R, Maciejewski PK, Novotny E and Hyder F (2004). A novel approach for selective brain cooling: implications for hypercapnia and seizure activity. Intensive Care Med 30, 1829-1833

Trubel H, Herman P, Kampmann C, Novotny E and Hyder F (2004). Duration of induced seizures during selective pharyngeal brain cooling. Biomed Technik 49, 278-280

Chang CK, Chiu WT, Chang CP and Lin MT (2004). Effect of hypervolaemic haemodilution on cerebral glutamate, glycerol, lactate and free radicals in heatstroke rats. Clin Sci (Lond). 106, 501-9

Trubel H, Maciejewski PK, Farber JH and Hyder F (2004). Brain temperature measured by 1H-NMR in conjunction with a lanthanide complex. J Appl Physiol 94, 1641-1649

Nwaigwe CI, Roche MA, Grinberg O and Dunn JF (2003). Brain tissue and sagittal sinus pO2 measurements using the lifetimes of the oxygen-quenched luminescence of a ruthenium compound. Adv Exp Med Biol 530, 101-11

Hunter CJ, Bennet L, Power GG, Roelfsema V, Blood AB, Quaedackers JS, George S, Guan J and Gunn AJ (2003). Key neuroprotective role for endogenous adenosine A1 receptor activation during asphyxia in the fetal sheep. Stroke 34, 2240-2245

Kuo JR, Lin CL, Chio CC, Wang JJ and Lin MT (2003). Effects of hypertonic (3%) saline in rats with circulatory shock and cerebral ischemia after heatstroke. Intensive Care Medicine 29, 1567-1573

Kroppenstedt SN, Thomale UW, Griebenow M, Sakowitz OW, Mayr P, Stover JF and Unterberg AW (2003). Effects of early and late infusion of norepinephrine on cerebral blood flow, brain tissue oxygenation and brain edema formation in brain-injured rats. Critical Care Medicine 31, 2211-21

Blood AB, Hunter CJ and Power GG (2003). Adenosine mediates decreased cerebral metabolic rate and increased cerebral blood flow during acute moderate hypoxia in the near-term fetal sheep. J Physiol 553, 935-945

Hunter CJ, Blood AB and Power GG (2003). Cerebral metabolism during cord occlusion and hypoxia in the fetal sheep: a novel method of continuous measurement based on heat production. J Physiol 552, 241-251

Bishai JM, Blood AB, Hunter CJ, Longo LD and Power GG (2003). Fetal lamb cerebral blood flow (CBF). and oxygen tensions during hypoxia: a comparison of laser Doppler and microsphere measurements of CBF. J Physiol (Lond). 546, 869-878

Shen H, Greene AS, Stein EA and Hudetz AG (2002). Functional cerebral hyperemia is unaffected by isovolemic hemodilution. Anesthesiology 96, 142-147

Kannurpatti SS, Biswal BB and Hudetz AG (2002). Differential fMRI-BOLD signal response to apnea in humans and anesthetized rats. Magnetic Resonance in Medicine 47, 864-870

Koistinaho, M, Kettunen MI, Holtzman DM, Kauppinen RA, Higgins LS and Koistinaho J (2002). Expression of Human Apoliproprotein E downregulates amyloid precursor protein – induced ischemic susceptibility. Stroke 33, 1905-1910

Koistinaho, M, Kettunen MI, Goldsteins G, Keinänen R, Salminen A, Ort M, Bures J, Liu D, Kauppinen RA, Higgins LS and Koistinaho J (2002). ß-Amyloid precursor protein transgenic mice that harbor diffuse Aß deposits but do not form plaques show increased ischemic vulnerability: Role of inflammation. PNAS 99, 1610-1615

Schmidt-Kastner R, Truettner J, Lin B, Zhao W, Saul I, Busto R and Ginsberg M D (2001). Transient changes of brain-derived neurotrophic factor (BDNF) mRNA expression in hippocampus during moderate ischemia induced by chronic bilateral common carotid artery occlusion in the rat. Molecular Brain Research 92, 157-166

Nwaigwe CI, Roche MA, Grinberg O and Dunn JF (2000). Effect of hyperventilation on brain tissue oxygenation and cerebro-venous pO2 in rats. Brain Res 868, 150-6

Alonso-Balincia M, Hudetz AG, Shen H, Harder DR and Roman RJ (1999). Contribution of 20-HETE to vasodilator actions of nitric oxide in the cerebral microcirculation. Stoke 30, 2727-34

Vital Organs / Shock

Alber BR, Gill A, Dyavanpalli J, Mendelowitz D, Kay MW (2026). Chemogenetic activation of cholinergic intrinsic cardiac ganglia improves border zone oxygenation and reduces arrhythmias during acute local ischemia. Front Cardiovasc Med

Ramezani A, Silverton NA, Saint-Pierre LM, Hoareau GL, Kuck K (2026). Correcting diffusion artifacts in urinary oxygen tension monitoring. Sci Rep

© Oxford Optronix Ltd., 2026

Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Yastrebov K, Schnitzler FC, Paterson HS, Zerbib Y, Partel L, Wise IK, and Bannon P (2026). Head-to-head comparison of central and peripheral venoarterial ECMO in normal ovine hearts and in cardiogenic shock. Sci Rep

Reddoch-Cardenas KM, Wu X, et al., and Zia M (2026). Transfusion efficacy of novel anticoagulant-preservative solution in a rat model of decompensated hemorrhagic shock. Transfusion

Gladytz T, Cantow K, Millward JM, Waiczies S, Tasbihi E, Grosenick D, Seeliger E, Niendorf T (2026). MRI-PHYSIOL-NIRS: an integrated platform to study kidney oxygenation. Commun Eng

Kjærsgaard L, Nørholt C, et al., and Granfeldt A (2025). Intramuscular adrenaline to improve outcomes following cardiac arrest - An experimental porcine study. Resuscitation

Yastrebov K, Paterson HS, Tian DH, Brunel LM, Schnitzler FC, Partel LM, Dennis M, Bannon PG (2025). Head-to-head comparison of V-A ECMO, Impella and ECPELLA in normal ovine hearts. Sci Rep

Mesnard B, Masset C, et al., and Branchereau J (2025). Is 2 h of Hypothermic Machine Perfusion for Pancreas Preservation Effective in Improving Graft Reperfusion? Transplant Direct

Ramezani A, Silverton N, Kuck K (2025). Improving urinary oxygen monitoring with a transit time algorithm: enhancing AKI detection in cardiac surgery. J Clin Monit Comput

Vincely VD, Bayer CL (2025). Photoacoustic imaging of rat kidney tissue oxygenation using second near-infrared wavelengths. J Biomed Opt

Prudhomme T, Darius T, Levy S, et al., and Branchereau J (2025). Cortex kidney tissue partial oxygen pressure depends on percentage of active oxygenation during oxygenated hypothermic machine perfusion. Artif Organs

Mesnard B, Ogbemudia E, Bruneau S, et al., and Branchereau J (2025). Pancreas Preservation: Hypothermic Oxygenated Perfusion to Improve Graft Reperfusion. Transplantation

Loiseau E, Mesnard B, Bruneau S, De Sousa C, Bernardet S, Hervouet J, Minault D, Levy S, Le Gal A, Dion L, Blancho G, Lavoue V, Branchereau J (2024). Uterine transplant optimization from a preclinical donor model with controlled cardiocirculatory arrest. Transplant Direct

McDonald R, Watchorn J, Mehta R, Ostermann M, Hutchings S (2024). The REPERFUSE study protocol: The effects of vasopressor therapy on renal perfusion in patients with septic shock-A mechanistically focused randomised control trial. PLoS One

Mesnard B, De Vergie S, Branchereau J, Prudhomme T (2024). Exploring the correlation between arterial clamping duration during kidney surgeries and kidney partial oxygen pressure levels. World J Urol

Vincely, V. D., & Bayer, C. L. (2024). Improved Spectral Inversion of Blood Oxygenation due to Reduced Tissue Scattering: Towards NIR-II Photoacoustic Imaging. bioRxiv

Moretti EH, Lino CA, Steiner AA (2024). Interplay between brain oxygenation and the development of hypothermia in endotoxic shock. Shock

Fanous MS, de la Cruz JE, Michael OS, Afolabi JM, Kumar R, Adebiyi A (2024). Early fluid plus norepinephrine resuscitation diminishes kidney hypoperfusion and inflammation in septic newborn pigs. Shock

Xiang L, Calderon AS, Ryan KL, Klemcke HG, Mdaki KS, Hudson IL, Meledeo MA (2023). Can polyethylene glycol-20k replace albumin for prehospital treatment of hemorrhagic shock when full resuscitation is unavailable? Shock

Cronin JN, Crockett DC, Perchiazzi G, Farmery AD, Camporota L, Formenti F (2023). Intra-tidal PaO2 oscillations associated with mechanical ventilation: a pilot study to identify discrete morphologies in a porcine model. Intensive Care Med Exp

Kious KW, Savage KA, Twohey SCE, Highum AF, Philipose A, Díaz HS, Del Rio R, Lang JA, Clayton SC, Marcus NJ (2023). Chronic intermittent hypoxia promotes glomerular hyperfiltration and potentiates hypoxia-evoked decreases in renal perfusion and PO2. Front Physiol

Osawa EA, Cutuli SL, Yanase F, Iguchi N, Bitker L, Maciel AT, Lankadeva YR, May CN, Evans RG, Eastwood GM, Bellomo R (2022). Effects of changes in inspired oxygen fraction on urinary oxygen tension measurements. Intensive Care Med Exp

Vogiatjis J, Noe KM, Don A, Cochrane AD, Zhu MZL, Smith JA, Ngo JP, Martin A, Thrift AG, Bellomo R, Evans RG (2022). Association between changes in norepinephrine infusion rate and urinary oxygen tension after cardiac surgery. J Cardiothorac Vasc Anesth

Kious KW, Philipose A, Smith LJ, Kemble JP, Twohey SCE, Savage K, Díaz HS, Del Rio R, Marcus NJ (2022). Peripheral chemoreflex modulation of renal hemodynamics and renal tissue PO2 in chronic heart failure with reduced ejection fraction. Front Physiol

Jufar AH, May CN, Evans RG, Cochrane AD, Marino B, Hood SG, McCall PR, Bellomo R, Lankadeva YR (2022). Influence of moderate hypothermia on renal and cerebral haemodynamics and oxygenation during experimental cardiopulmonary bypass in sheep. Acta Physiol (Oxf)

Hu R, Yanase F, McCall P, Evans R, Raman J, Bellomo R (2022). The Effects of Targeted Changes in Systemic Blood Flow and Mean Arterial Pressure on Urine Oximetry During Cardiopulmonary Bypass. J Cardiothorac Vasc Anesth

Konieczny P, Xing Y, Sidhu I, Subudhi I, Mansfield KP, Hsieh B, Biancur DE, Larsen SB, Cammer M, Li D, Landén NX, Loomis C, Heguy A, Tikhonova AN, Tsirigos A, Naik S. (2022). Interleukin-17 governs hypoxic adaptation of injured epithelium. Science

Dalsgaard FF, Moeslund N, Zhang ZL, Pedersen M, Qerama E, Beniczky S, Ryhammer P, Ilkjær LB, Erasmus M, Eiskjær H (2022). Clamping of the Aortic Arch Vessels During Normothermic Regional Perfusion After Circulatory Death Prevents the Return of Brain Activity in a Porcine Model. Transplantation. Sep 1;106(9):1763-1769. doi: 10.1097/TP.0000000000004047.

Heble AY, Santelli J, Armstrong AM, Mattrey RF, and Lux J (2021). Catalase-Loaded Silica Nanoparticles Formulated via Direct Surface Modification as Potential Oxygen Generators for Hypoxia Relief. ACS Appl. Mater. Interfaces 13 (5) 5945–5954

Koh H-C E, van Vliet S, Pietka TA, Meyer GA, Razani B, Laforest R, Gropler RJ, and Mittendorfer B (2021). Subcutaneous Adipose Tissue Metabolic Function and Insulin Sensitivity in People with Obesity. Diabetes

Gallifant J, Cronin JN, Formenti F (2021). Quantification of lobar gas exchange: a proof-of-concept study in pigs. Br J Anaesth 127(2), e55-e58. doi: 10.1016/j.bja.2021.04.022

Akabori H, Yamamoto H, Shimizu T, Endo Y, Tani T, and Tani M (2020). Involvement of TRPV1-containing peripheral sensory efferents in hemodynamic responses in a rat hemorrhagic shock model. Surgery

Eriksen JK, Nielsen LH, Moeslund N, Keller AK, Krag S, Pedersen M, Pedersen JAK, Birn H, Jespersen B and Norregaard R (2020). Goal-Directed Fluid Therapy Does Not Improve Early Glomerular Filtration Rate in a Porcine Renal Transplantation Model. Anesth Analg 130(3), 599-609

Ngo JP, Lankadeva YR, Zhu MZL, Martin A, Kanki M, Cochrane AD, Smith JA, Thrift AG, May CN and Evans RG (2019). Factors that confound the prediction of renal medullary oxygenation and risk of acute kidney injury from measurement of bladder urine oxygen tension. Acta Physiol (Oxf) 227(1), e13294

Chen NT, Barth ED, Lee TH, Chen CT, Epel B, Halpern HJ and Lo LW (2019). Highly sensitive electron paramagnetic resonance nanoradicals for quantitative intracellular tumor oxymetric images. Int J Nanomedicine 14, 2963-2971

Osawa EA, Cutuli SL, Bitker L, Canet E, Cioccari L, Iguchi N, Lankadeva YR, Eastwood GM, Evans RG, May CN and Bellomo R (2019). Effect of Furosemide on Urinary Oxygenation in Patients with Septic Shock. Blood Purif. 48(4), 336-345

O'Neill J, Jasionek G, Drummond SE, Brett O, Lucking EF, Abdulla MA and O'Halloran KD (2019). Renal cortical oxygen tension is decreased following exposure to long-term but not short-term intermittent hypoxia in the rat. Am J Physiol Renal Physiol 316(4): F635-F645

Chan TS, Cassim S, Raymond VA, Gottschalk S, Merlen G, Zwingmann C, Lapierre P, Darby P, Mazer CD and Bilodeau M (2018). Upregulation of Krebs cycle and anaerobic glycolysis activity early after onset of liver ischemia. PLoS One 3(6): e0199177

Iguchi N, Kosaka J, Booth LC, Iguchi Y, Evans RG, Bellomo R, May CN and Lankadeva YR (2018). Renal perfusion, oxygenation, and sympathetic nerve activity during volatile or intravenous general anaesthesia in sheep. Br J Anaesth 122(3), 342-349

Lankadeva YR, Evans RG, Kosaka J, Booth LC, Iguchi N, Bellomo R and May CN (2018). Alterations in regional kidney oxygenation during expansion of extracellular fluid volume in conscious healthy sheep. Am J Physiol Regul Integr Comp Physiol 315(6), R1242-R1250

Ciria R, Navarro E, Sánchez-Frías M, Gallardo AB, Medina J, Ayllón MD, Gomez-Luque I, Ruiz-Rabelo J, Luque A, de la Mata M, Rufián S, López-Cillero P and Briceño J (2018). Preliminary results from the use of intraoperative real-time biliary oxygen monitoring in liver transplantation. Clin Transplant. 32(12):e13433

Anele UA, Ratz PH, Colhoun AF, Roberts S, Musselman R, Vince RA, Speich JE and Klausner AP (2018). Potential vascular mechanisms in an ex vivo functional pig bladder model. Neurourol Urodyn. 37(8), 2425-2433

Arulkumaran N, Pollen S, Greco E, Courtneidge H, Hall AM, Duchen MR, Tam FWK, Unwin RJ and Singer M (2018). Renal Tubular Cell Mitochondrial Dysfunction Occurs Despite Preserved Renal Oxygen Delivery in Experimental Septic Acute Kidney Injury. Crit Care Med. 46(4):e318-e325

Lankadeva YR, Kosaka J, Evans RG and May CN (2018). An Ovine Model for Studying the Pathophysiology of Septic Acute Kidney Injury. Methods Mol Biol 1717, 207-218

Cantow K, Flemming B, Ladwig-Wiegard M, Persson PB and Seeliger E (2018). Low dose nitrite improves reoxygenation following renal ischemia in rats. Sci Rep 8(1), 1748

Letson HL and Dobson GP (2017). 3% NaCl adenosine, lidocaine, Mg2+ (ALM) bolus and 4 hours "drip" infusion reduces noncompressible hemorrhage by 60% in a rat model. J Trauma Acute Care Surg 82(6), 1063-1072

Damiani E, Dyson A, Zacchetti L, Donati A and Singer M (2016). Exploring alternative routes for oxygen administration. Intensive Care Med Exp 4(1), 34

Sgouralis I, Kett MM, Ow CP, Abdelkader A, Layton AT, Gardiner BS, Smith DW, Lankadeva YR and Evans RG (2016). Bladder urine oxygen tension for assessing renal medullary oxygenation in rabbits: experimental and modeling studies. Am J Physiol Regul Integr Comp Physiol 311(3), R532-44

Cantow K, Arakelyan K, Seeliger E, Niendorf T and Pohlmann A (2016). Assessment of Renal Hemodynamics and Oxygenation by Simultaneous Magnetic Resonance Imaging (MRI) and Quantitative Invasive Physiological Measurements. Methods Mol Biol 1397, 129-54

Calzavacca P, Evans RG, Bailey M, Bellomo R and May CN (2015). Variable responses of regional renal oxygenation and perfusion to vasoactive agents in awake sheep. Am J Physiol Regul Integr Comp Physiol 309(10), R1226-33

Zhang J, Zhang M, Zhang J and Xia Q (2015). A Novel Mouse Model of Liver Ischemic/Reperfusion Injury and its Differences to the Existing Model. J Invest Surg 28(5), 283-91

Wilde AD, Snyder DJ, Putnam NE, Valentino MD, Hammer ND, Lonergan ZR, Hinger SA, Aysanoa EE, Blanchard C, Dunman PM, Wasserman GA, Chen J, Shopsin B, Gilmore MS, Skaar EP and Cassat JE (2015). Bacterial Hypoxic Responses Revealed as Critical Determinants of the Host-Pathogen Outcome by TnSeq Analysis of Staphylococcus aureus Invasive Infection. PLoS Pathog 11(12), e1005341

Calzavacca P, Evans RG, Bailey M, Bellomo R and May CN (2015). Cortical and Medullary Tissue Perfusion and Oxygenation in Experimental Septic Acute Kidney Injury. Crit Care Med 43(10), e431-9

Calzavacca P, Evans RG, Bailey M, Lankadeva YR, Bellomo R and May CN (2015). Long-term measurement of renal cortical and medullary tissue oxygenation and perfusion in unanesthetized sheep. Am J Physiol Regul Integr Comp Physiol 308(10), R832-9

Grosenick D, Cantow K, Arakelyan K, Wabnitz H, Flemming B, Skalweit A, Ladwig M, Macdonald R, Niendorf T and Seeliger E (2015). Detailing renal hemodynamics and oxygenation in rats by a combined near-infrared spectroscopy and invasive probe approach. Biomed Opt Express 6(2), 309-23

Muir WW, Del Rio CL, Ueyama Y, Youngblood BL, George RS, Rausch CW, Lau BS and Hamlin RL (2014). Dose-Dependent Hemodynamic, Biochemical, and Tissue Oxygen Effects of OC99 following Severe Oxygen Debt Produced by Hemorrhagic Shock in Dogs. Crit Care Res Pract. 2014, 864237

Umbrello M, Dyson A, Pinto BB, Fernandez BO, Simon V, Feelisch M and Singer M (2014). Short-term hypoxic vasodilation in vivo is mediated by bioactive nitric oxide metabolites, rather than free nitric oxide derived from haemoglobin-mediated nitrite reduction. J Physiol, 592(Pt 5), 1061-75

Guerci P, Tran N, Menu P, Losser MR, Meistelman C and Longrois D (2014). Impact of fluid resuscitation with hypertonic-hydroxyethyl starch versus lactated ringer on hemorheology and microcirculation in hemorrhagic shock. Clin Hemorheol Microcirc 56(4), 301-17

Sabbatini G, Dyson A and Singer M (2014). Metabolic acidosis induced by haemorrhage and hydrochloric acid generates different cardiorespiratory responses. Intensive Care Medicine Experimental 2(Suppl 1):P36 Poster

He K, Chen X, Han C, Xu L, Zhang J, Zhang M and Xia Q (2013). Lipopolysaccharide-induced cross-tolerance against renal ischemia-reperfusion injury is mediated by hypoxia-inducible factor-2α-regulated nitric oxide production. Kidney Int. 85(2), 276-8

Dyson A, Simon F, Seifritz A, Zimmerling O, Matallo J, Calzia E, Radermacher P and Singer M (2012). Bladder tissue oxygen tension monitoring in pigs subjected to a range of cardiorespiratory and pharmacological challenges. Intensive Care Med. 38(11), 1868-76

Zhang S, Han CH, Chen XS, Zhang M, Xu LM, Zhang JJ and Xia Q (2012). Transient ureteral obstruction prevents against kidney ischemia/reperfusion injury via hypoxia-inducible factor (HIF)-2α activation. PLoS One. 7(1), e29876

Shue Dong Chung, Ting Yu Lai, Chiang Ting Chien, and Hong Jen Yu (2012) Activating Nrf-2 Signaling Depresses Unilateral Ureteral Obstruction-Evoked Mitochondrial Stress-Related Autophagy, Apoptosis and Pyroptosis in Kidney. PLoS One 7(10), e47299

Sánchez-Etayo G, Borrat X, Escobar B, Hessheimer A, Rodriguez-Laiz G and Taura P (2012). Effect of intra-abdominal pressure on hepatic microcirculation: implications of the endothelin-1 receptor. J Dig Dis 13(9), 478-85

Cheng H-LM (2012). Effect of Hyperoxia and Hypercapnia on Tissue Oxygen and Perfusion Response in the Normal Liver and Kidney. PLoS One 7(7), e40485

Brügger LE, Beldi G, Stalder M, Porta F, Candinas D, Takala J and Jakob SM (2012). Postoperative splanchnic blood flow redistribution in response to fluid challenges in the presence and absence of endotoxemia in a porcine model. Shock 37(1), 116-21

© Oxford Optronix Ltd., 2026

Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Patel NN, Lin H, Toth T, Jones C, Ray P, Welsh GI, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Phosphodiesterase-5 inhibition prevents postcardiopulmonary bypass acute kidney injury in swine. Ann Thorac Surg 92(6), 2168-76

Patel NN, Toth T, Jones C, Lin H, Ray P, George SJ, Welsh G, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Prevention of post-cardiopulmonary bypass acute kidney injury by endothelin A receptor blockade. Crit Care Med. 2011 39(4), 793-802

Patel NN, Lin H, Toth T, Welsh GI, Jones C, Ray P, Satchell SC, Sleeman P, Angelini GD and Murphy GJ (2011). Reversal of anaemia with allogenic RBC transfusion prevents post-cariopulmonary bypass acute kidney injury in swine. Am J Physiol Renal Physiol 301(3), F605-14

Dyson A, Bezemer R, Legrand M, Balestra G, Singer M and Ince C (2011). Microvascular and interstitial oxygen tension in the renal cortex and medulla studied in a 4-h rat model of LPS-induced endotoxemia. Shock 36(1), 83-9

Zaets SB, Xu D-Z, Lu Q, Feketova E, Berezina TL, Malinina IV, Deitch EA and Olsen EH (2010). Recombinant Factor XIII Mitigates Hemorrhagic Shock-Induced Organ Dysfunction. Journal of Surgical Research, J Surg Res. 166(2), e135-42

Mac Grory B, O'Connor Et, O'Halloran KD and Jones JFX (2010). The effect of pro-inflammatory cytokines on the discharge rate of vagal nerve paraganglia in the rat. Respiratory Physiology & Neurobiology 171, 122–127

Li LP, Ji L, Santos EA, Dunkle E, Pierchala L and Prasad P (2009). Effect of nitric oxide synthase inhibition on intrarenal oxygenation as evaluated by blood oxygenation level-dependent magnetic resonance imaging. Invest Radiol 44, 67-73

Stern S, Rice J, Philbin N, McGwin G, Arnaud F, Johnson T, Flournoy WS, Ahlers S, Pearce LB, McCarron R and Freilich D (2009). Resuscitation with the hemoglobin-based oxygen carrier, HBOC-201, in a swine model of severe uncontrolled hemorrhage and traumatic brain injury. Shock 31, 64-79

Cooper ES, Bateman SW and Muir WW (2009). Evaluation of hyperviscous fluid resuscitation in a canine model of hemorrhagic shock: a randomized, controlled study. J Trauma 66, 1365-73

Cai RS, Alexander MS, Marson L (2008). Activation of somatosensory afferents elicit changes in vaginal blood flow and the urethrogenital reflex via autonomic efferents. J Urol 180, 1167-72

Guven S, Muci E, Unsal MA, Yulug E, Alver A, Duman MK and Mentese A (2008). The effects of carbon dioxide pneumoperitoneum on ovarian blood flow, oxidative stress markers, and morphology during laparoscopy: a rabbit model. Fertil Steril. 93(4), 1327-32

Deniz T, Agalar C, Agalar F, Comu FM, Caglayan O, Alpay Y, and Saygun O (2008). The Effect of hypothermia on splanchnic flows and lung in a two-hit hemorrhagic shock model. Journal of Surgical Research 158(1), 121-126

Driessen B, Zarrucco L, Gunther RA, Burns PM, Lamb SV, Vincent SE, Boston RA, Jahr JS and Cheung ATW (2007). Effects of low-volume haemoglobin glutamer-200 versus normal saline and arginine vasopression resuscitation on systemaic and skeletal muscle blood flow and oxygenation in a a canine hemorrhagic shock model. Crit Care Med 35, 1-9

Tokunaga C, Bateman RM, Boyd J, Wang Y, Russell JA and Walley KR (2007). Albumin resuscitation improves ventricular contractility and myocardial tissue oxygenation in rat endotoxemia. Crit Care Med 35, 1341-47

Deniz T, Agalar C, Ozdogan M, Comu F, Emirdogan M, Taskin S, Saygun O and Agalar F (2007). Oral carbohydrate solution ameliorates endotoxemia-induced splanchnic ischemia. Dig Dis Sci. 52, 287-91

Krejci V, Hiltebrand LB and Sigurdsson GH (2006). Effects of epinephrine, norepinephrine, and phenylephrine on microcirculatory blood flow in the gastrointestinal tract in sepsis. Critical Care Medicine 34, 1456-146

Yen DHT, Chan JH, Huang CI, Lee CH, Chan SH and Chang AY (2005). Coenzyme Q10 confers cardiovascular protection against acute mevinphos intoxication by ameliorating bioenergetic failure and hypoxia in the rostral ventrolateral medulla of the rat. Shock 23, 353-9

Hiltebrand LB, Krejci V, tenHoevel ME, Banic A and Sigurdsson GH (2003). Redistribution of microcirculatory blood flow within the intestinal wall during sepsis and general anesthesia. Anesthesiology 98, 658-69

Krejci V, Hiltebrand LB, Erni D and Sigurdsson GH (2003). Endothelin receptor antagonist bosentan improves microcirculatory blood flow in splanchnic organs in septic shock. Crit Care Med 31, 203-10

Krejci V, Hiltebrand L, Banic A, Erni D, Wheatley AM and Sigurdsson GH (2000). Continuous measurements of microcirculatory blood flow in gastrointestinal organs during acute haemorrhage. Br J Anaesth 84, 468-475

Crane NJ, Pinto PA, Hale D, Gage FA, Tadaki D, Kirk AD, Levin IW and Elster EA (2008). Non-invasive monitoring of tissue oxygenation during laparoscopic donor nephrectomy. BMC Surgery 8:8

O'Connor PM, Anderson WP, Kett MM and Evans RG (2008). Simultaneous measurement of pO2 and perfusion in the rabbit kidney in vivo. Adv Exp Med Biol 599, 93-99

Evans RG, Leong C-L, Anderson WP and O'Connor PM (2007). Don't be so BOLD: potential limitations in the use of BOLD MRI for studies or renal oxygenation. Kidney International 71, 1327-1328

Dyson A, Stidwill R, Taylor V and Singer M (2007). Tissue oxygen monitoring in rodent models of shock. Am J Physiol Heart Circ Physiol 293, H526-H533

dos Santos EA, Li LP, Ji L and Prasad PV (2007). Early changes with diabetes in renal medullary hemodynamics as evaluated by fiberoptic probes and BOLD magnetic resonance imaging. Invest Radiol. 42, 157-62

Whitehouse T, Stotz M, Taylor V, Stidwill R and Singer M (2006). Tissue oxygen and hemodynamics in renal medulla, cortex, and corticomedullary junction during hemorrhage-reperfusion. Am J Physiol Renal Physiol 291, F647–F653

Badger WJ, Whitbeck C, Kogan B, Chichester P and Levin RM (2006). The immediate effect of castration on female bladder blood flow and tissue oxygenation. Urologia Internationalis 76, 264-268

Rhee TK, Larson AC, Prasad PV, Santos E, Sato KT, Salem R, Deng J, Paunesku T, Woloschak GE, Mulcahy MF, Li D and Omary RA (2005). Feasibility of blood oxygenation level-dependent MR imaging to monitor hepatic transcatheter arterial embolization in rabbits. J Vasc Interv Radiol. 16, 1523-28

Jordan BF, Kimpalou JZ, Beghein N, Dessy C, Feron O and Gallez B (2004). Contribution of oxygenation to BOLD contrast in exercising muscle. Magn Reson Med 52, 391-396

Voss M, Pinheiro J, Reynolds J, Greene R, Dewhirst M, Vaslef SN, Clary E and Eubanks WS (2003). Endoscopic components separation for abdominal compartment syndrome. Am J Surg 186, 158-63

Plastic Surgery / Wound Healing

Chien S, Sarojini H, Rajaee A, Bayat M, Chien S, Kotwal G (2024). Creating an Extremely Long-lasting Neuroischemic Wound Model. JID Innov

Rodrigues AE, Dolivo DM, Hou C, Li Y, Sun LS, Mustoe TA, Hong SJ, Galiano RD (2024). Influence of Staphylococcus aureus Infection on Partially Ischemic Excisional Skin Wounds. Adv Med

Tang D, Yan T, Zhang J, Jiang X, Zhang D and Huang Y (2017). Notch1 Signaling Contributes to Hypoxia-induced High Expression of Integrin β1 in Keratinocyte Migration. Sci Rep 7, 43926

Wisniewski NA, Nichols SP, Gamsey SJ, Pullins S, Au-Yeung KY, Klitzman B and Helton KL (2017). Tissue-Integrating Oxygen Sensors: Continuous Tracking of Tissue Hypoxia. Adv Exp Med Biol 977, 377-383

Xie P, Jia S, Tye R, Chavez-Munoz C, Vracar-Grabar M, Hong SJ, Galiano R and Mustoe TA (2015). Systemic administration of hemoglobin improves ischemic wound healing. J Surg Res 194(2), 696-705

You JO, Rafat M, Almeda D, Maldonado N, Guo P, Nabzdyk CS, Chun M, LoGerfo FW, Hutchinson JW, Pradhan-Nabzdyk LK and Auguste DT (2015). pH-responsive scaffolds generate a pro-healing response. Biomaterials 57, 22-32

Ponticorvo A, Taydas E, Mazhar A, Scholz T, Kim HS, Rimler J, Evans GR, Cuccia DJ and Durkin AJ (2013). Quantitative assessment of partial vascular occlusions in a swine pedicle flap model using spatial frequency domain imaging. Biomed Opt Express 4(2), 298-306

Koc E, Topaloglu S, Calik A, Sokmensuer C, Abdullazade S, Karabulut E and Piskin B (2013). Hepatic microcirculation in inflow and inflow-outflow occlusion of the liver. Transplant Proc 45(2), 474-9

Covington S, Adams GL, and Dixon K (2012). Ultrasound-mediated oxygen delivery to lower extremity wounds. Wounds 24(8)

Sorkin M, Wong VW, Glotzbach JP; Rustad KC; Major MR; Longaker MT and Gurtner GC (2010). 222C: A novel oxygen-binding delivery protein enhances local oxygenation of ischemic skin. Plastic & Reconstructive Surgery 125(6), 145

Gordillo GM and Sen CK (2009). Evidence-based recommendations for the use of topical oxygen therapy in the treatment of lower extremity wounds. The International Journal of Lower Extremity Wounds 8, 105-111

Schlaudraff KU, Pepper MS, Tkatchouk EN, Eherenburg I, Alizadeh N, Montandon D and Pittet B (2008). Hypoxic preconditioning increases skin oxygenation and viability but does not alter VEGF expression or vascular density. High Altitude Medicine and Biology 9, 76-88

Lesnik G, Remenschneider A, Herman P, Ross A and Ross D (2008). Capillary blood gas: A novel means of assessing free flap perfusion in an animal model. Otolaryngol Head Neck Surg 139, 250-255

Russell JA, Conforti ML, Connor NP and Hartig GK (2007). Cutaneous tissue flap viability following partial venous obstruction. Plast Reconstr Surg 117, 2259-66

Contaldo C, Harder Y, Plock J, Banic A, Jakob S and Erni D (2007). The influence of local and systemic preconditioning on oxygenation, metabolism and survival in critically ischaemic skin flaps in pigs. Journal of Plastic, Reconstructive & Aesthetic Surgery 60, 1182-1192

Plock JA, Contaldo C, Sakai H, Tsuchida E, Leunig M, Banic A, Menger MD and Erni D (2005). Is hemoglobin in hemoglobin vesicles infused for isovolemic hemodilution necessary to improve oxygenation in critically ischemic hamster skin? Am J Physiol heart Circ Physiol 289, H2624-31

Contaldo C, Plock J, Djonov V, Leunig M, Banic A and Erni D (2005). The influence of trauma and ischemia on carbohydrate metabolites monitored in hamster flap tissue. Anesth Analg 100, 817-822

Contaldo C, Plock J, Sakai H, Takeoka S, Tsuchida E, Leunig M, Banic A, Emi D (2005). New generation of hemoglobin-based oxygen carriers evaluated for oxygenation of critically ischemic hamster flap tissue. Crit Care Med 33, 806-12

Fries RB, Wallace WA, Roy S, Kuppusamy P, Bergdall V, Gordillo GM, Melvin WS and Sen CK (2005). Dermal excisional wound healing in pigs following treatment with topically applied pure oxygen. Mutation Research 579, 172-181

Harder Y, Contaldo C, Klenk J, Banic A, Jakob SM and Erni D (2005). Preconditioning with monophosphoryl lipid A improves survival of critically ischemic tissue. Anesth Analg 100, 1786-1792

Rodrigues LM, Pinto PC, Magro MJ and Alves MFJ (2004). Exploring the influence of skin perfusion on transepidermal water loss. Skin Research and Technology 10, 257-262

Rodrigues ML, Magro MJ, Pinto CP, Mouzinho M and Almeida A (2004). Non-invasive assessment of wound-healing pathophysiology by transcutaneous indicators. Annals of Burns and Fire Disasters 17(3)

Peltonen LM and Pyörnilä A (2004). Local action of exogenous nitric oxide (NO) on the skin blood flow of rock pigeons (Columba livia) is affected by acclimation and skin site. Journal of Experimental Biology 207, 2611-2619

Hiltebrand LB, Krejci V and Sigurdsson GH (2004). Effects of dopamine, dobutamine, and dopexamine on microcirculatory blood flow in the gastrointestinal tract during sepsis and anesthesia. Anesthesiology 100, 1188-1197

Rosado C and Rodrigues LM (2003). In vivo study of the physiological impact of stratum corneum sampling methods. International Journal of Cosmetic Science 25, 37-44

Schramm S, Wettstein R, Wessendorf R, Jakob SM, Banic A and Erni D (2002). Acute normovolemic hemodilution improves oxygenation in ischemic flap tissue. Anesthesiology 96,478-1484

Erni D, Wessendor R, Wettstein R, Banic A and Schilling MK (2001). Endothelin receptor blockade improves oxygenation in contralateral TRAM flap tissue in pigs. British Journal of Plastic Surgery 54(5), 412-418

Raisis AL, Young LE, Taylor PM, Walsh KP and Lekeux P (2000). Doppler ultrasonography and single-fiber laser Doppler flowmetry for measurement of hind limb blood flow in anesthetized horses. American Journal of Veterinary Research 61(3), 286-290

Physiology / Ischemia

Aikeremu N, George B, Ramchandra R (2026). Total renal nerve activity is enhanced during renal venous congestion to maintain renal medullary tissue oxygenation. Am J Physiol Renal Physiol

Iwano S, Kato J, Toramaru T, Hama H, Sugiyama M, Takahashi R, Takahashi M, Hioki H, Nakashiba T, and Miyawaki A (2026). OxyBLI: A Genetics-Based Approach for In Vivo Real-Time Visualization of Tissue Oxygenation Dynamic. bioRxiv

Liao AH, Wang CH, Chou LY, Hung YC, Lin YC, Chuang HC, Ma KH, Liu HL, Wang JK, Shih CP (2025). Transcranial ultrasound combined with intravenous metformin-loaded oxygenated microbubbles attenuates noise-induced hearing loss in mice. Drug Deliv

Oknińska M, Paterek A, Grzanka M, et al., and Mączewski M (2024). Myo-inositol trispyrophosphate prevents right ventricular failure and improves survival in monocrotaline-induced pulmonary hypertension in the rat. Br J Pharmacol

Shin J, Choi S, Park AY, Ju S, Kweon B, Kim DU, Bae GS, Han D, Kwon E, Hong J, Kim S (2024). In Vitro and In Vivo Anti-Inflammatory and Antidepressant-like Effects of Cannabis sativa L. Extracts Plants

Trevisan R and Mello DF (2024). Redox control of antioxidants, metabolism, immunity, and development at the core of stress adaptation of the oyster Crassostrea gigas to the dynamic intertidal environment. Free Radic Biol Med

Liu T, Zhang M, Hanson S, Juarez R, Wilson S, Schroeder H, Li Q, Zhu L, Zhang G, Blood AB (2024). H2S Increases Blood Pressure via Activation of L-Type Calcium Channels with Mediation by HS• Generated from Reactions with Oxyhemoglobin. Adv Sci

Subudhi I, Konieczny P, Prystupa A, et al., and Naik S (2024). Metabolic coordination between skin epithelium and type 17 immunity sustains chronic skin inflammation. Immunity

© Oxford Optronix Ltd., 2026

Peer-reviewed articles citing OxyLite™ and OxyFlo™

Updated October 2026

Chaba A, Hacking D, Slifirski H, Cogan R, Spano S, Maeda A, Eastwood G, Bellomo R (2023). Renal medullary oxygenation during laparoscopic vs open surgery: the impact of blood pressure management-a pilot randomized controlled trial. J Clin Monit Comput

Ho YJ, Hsu HC, Wu BH, Lin YC, Liao LD, Yeh CK (2023). Preventing ischemia-reperfusion injury by acousto-mechanical local oxygen delivery. J Control Release

Shin J, Kang H, Kim S (2023). Primo Vessels Inside Lymphatic Vessels Are Absent in an ALS Mouse Model. Adv Exp Med Bio

Hu R, Yanase F, McCall P, Evans R, Raman J, Bellomo R (2022). The Effects of Targeted Changes in Systemic Blood Flow and Mean Arterial Pressure on Urine Oximetry During Cardiopulmonary Bypass. J Cardiothorac Vasc Anesth

Schaefer PM, Huang J, Butic A, Perry C, Yardeni T, Tan W, Morrow R, Baur JA, Wallace DC (2022). Nicotinamide riboside alleviates exercise intolerance in ANT1-deficient mice. Mol Metab

Kazmi S, Khan MA, Shamma T, Altuhami A, Ahmed HA, Mohammed Assiri A, Broering DC (2022). Targeting Interleukin-10 Restores Graft Microvascular Supply and Airway Epithelium in Rejecting Allografts. Int J Mol Sci. 23(3):1269. https://doi.org/10.3390/ijms23031269 PMID: 35163192; PMCID: PMC8836023.

Gross DA, Cheng HS, Zhuang R, McCoy MG, Pérez-Cremades D, Salyers Z, Wara AKMK, Haemmig S, Ryan TE, Feinberg MW (2022). Deficiency of lncRNA SNHG12 impairs ischemic limb neovascularization by altering an endothelial cell cycle pathway. JCI Insight. 7(1):e150761. https://doi.org/10.1172/jci.insight.150761 PMID: 34793334; PMCID: PMC8765056

Koh HE, van Vliet S, Cao C, Patterson BW, Reeds DN, Laforest R, Gropler RJ, Ju YS, Mittendorfer B (2022). Effect of obstructive sleep apnea on glucose metabolism. Eur J Endocrinol. 186(4):457-467. https://doi.org/10.1530/eje-21-1025 PMID: 35118996; PMCID: PMC9172969.

Konieczny P, Xing Y, Sidhu I, Subudhi I, Mansfield KP, Hsieh B, Biancur DE, Larsen SB, Cammer M, Li D, Landén NX, Loomis C, Heguy A, Tikhonova AN, Tsirigos A, Naik S (2022). Interleukin-17 governs hypoxic adaptation of injured epithelium. Science 377(6602):eabg9302. https://doi.org/10.1126/science.abg9302 Epub 2022 Jul 8. PMID: 35709248.

Zhu Y, Jung J, Anilkumar S, Ethiraj S, Madira S, Tran NA, Mullis DM, Casey KM, Walsh SK, Stark CJ, Venkatesh A, Boakye A, Wang H, Woo YJ (2022). A novel photosynthetic biologic topical gel for enhanced localized hyperoxygenation augments wound healing in peripheral artery disease. Sci Rep. 12(1):10028. https://doi.org/10.1038/s41598-022-14085-1 PMID: 35705660; PMCID: PMC9200759.

Hensel B, Großfeld R, Simmet C, Jung M, and Schulze M (2022). Time of ovulation in sows is not related to intravaginal dissolved oxygen levels or temperature. Livestock Science 260, 104926. https://doi.org/10.1016/j.livsci.2022.104926

Khan MA, Ashoor GA, Shamma T, Alanazi F, Altuhami A, Kazmi S, Ahmed HA, Assiri AM, and Broering DC (2021). IL-10 Mediated Immunomodulation Limits Subepithelial Fibrosis and Repairs Airway Epithelium in Rejecting Airway Allografts. Cells 10(5), 1248. doi: 10.3390/cells10051248

Oller L, Bennett KA, McKnight JC, Moss SEW, Milne R, Hall AJ, and Rocha J (2021). Partial pressure of oxygen in adipose tissue and its relationship with fatness in a natural animal model of extreme fat deposition, the grey seal. Physiol Rep 9(16), e14972. doi: 10.14814/phy2.14972

Noe KM, Ngo JP, Martin A, Zhu MZL, Cochrane AD, Smith JA, Thrift AG, Singh H, and Evans RG (2021). Intra-operative and early post-operative prediction of cardiac surgery-associated acute kidney injury: Urinary oxygen tension compared with plasma and urinary biomarkers. Clin Exp Pharmacol Physiol. 2021 Oct 21. doi: 10.1111/1440-1681.13603. Online ahead of print.

Fitzpatrick SF, King AD, O'Donnell C, Roche HM and Ryan S (2020). Mechanisms of intermittent hypoxia-mediated macrophage activation – potential therapeutic targets for obstructive sleep apnoea. Journal of Sleep Research. doi:10.1111/jsr.13202

Cifarelli V, Beeman SC, Smith GI, Yoshino J, Morozov D, Beals JW, Kayser BD, Watrous JD, Jain M, Patterson BW, Klein S (2020). Decreased adipose tissue oxygenation associates with insulin resistance in individuals with obesity. J Clin Invest 130(12), 6688-6699. doi: 10.1172/JCI141828.

Morozov D, Quirk JD and Beeman SC (2020). Toward noninvasive quantification of adipose tissue oxygenation with MRI. Int J Obes (Lond) 44(8), 1776-1783

Baark F, Shaughnessy F, Pell VR, Clark JE, Eykyn TR, Blower P and Southworth R (2019). Tissue acidosis does not mediate the hypoxia selectivity of [64Cu][Cu(ATSM)] in the isolated perfused rat heart. Sci Rep 9(1), 499

Rossello X, He Z and Yellon DM (2018). Myocardial Infarct Size Reduction Provided by Local and Remote Ischaemic Preconditioning: References Values from the Hatter Cardiovascular Institute. Cardiovasc Drugs Ther 32(2), 127-133

Shimizu EN, Seifert JL, Johnson KJ and Romero-Ortega MI (2018). Prophylactic Riluzole Attenuates Oxidative Stress Damage in Spinal Cord Distraction. J Neurotrauma 35(12), 1319-1328

Streijger F, So K, Manouchehri N, Gheorghe A, Okon EB, Chan RM, Ng B, Shortt K, Sekhon MS, Griesdale DE and Kwon BK (2018). A Direct Comparison between Norepinephrine and Phenylephrine for Augmenting Spinal Cord Perfusion in a Porcine Model of Spinal Cord Injury. J Neurotrauma 35(12), 1345-1357

Perry DA, Thomson LM, Pigula FA, Polizzotti BD, DiNardo JA, Nedder A, Gauvreau K and Kheir JN (2018). Changes in tissue oxygen tension, venous saturation, and Fick-based assessments of cardiac output during hyperoxia. Acta Anaesthesiol Scand.63(1), 93-100

Chan TS, Cassim S, Raymond VA, Gottschalk S, Merlen G, Zwingmann C, Lapierre P, Darby P, Mazer CD and Bilodeau M (2018). Upregulation of Krebs cycle and anaerobic glycolysis activity early after onset of liver ischemia. PLoS One 13(6):e0199177

Ekbal NJ, Hennis P, Dyson A, Mythen M, James MFM and Singer M (2018). The anion study: effect of different crystalloid solutions on acid base balance, physiology, and survival in a rodent model of acute isovolaemic haemodilution. Br J Anaesth 120(6), 1412-1419

Hellman KM, Yu PY, Oladosu FA, Segel C, Han A, Prasad PV, Jilling T and Tu FF (2017). The Effects of Platelet-Activating Factor on Uterine Contractility, Perfusion, Hypoxia, and Pain in Mice. Reprod Sci 25(3), 384-394

Davidson SM, He Z, Dyson A, Bromage DI and Yellon DM (2017). Ventilation strategy has a major influence on remote ischaemic preconditioning in mice. J Cell Mol Med 21(10), 2426-2431

Streijger F, So K, Manouchehri N, Lee JHT, Okon EB, Shortt K, Kim SE, McInnes K, Cripton P and Kwon BK (2017). Changes in Pressure, Hemodynamics, and Metabolism within the Spinal Cord during the First 7 Days after Injury Using a Porcine Model. J Neurotrauma 34(24):3336-3350

Shadgan B, Kwon BK, Streijger F, Manouchehri N, So K, Shortt K, Cripton PA and Macnab A (2017). Optical monitoring of spinal cord hemodynamics, a feasibility study. Proc. SPIE 10072, Optical Diagnostics and Sensing XVII: Toward Point-of-Care Diagnostics, 100720T (February 17, 2017); doi:10.1117/12.2248776

Cezar CA, Roche ET, Vandenburgh HH, Duda GN, Walsh CJ, Mooney DJ (2016). Biologic-free mechanically induced muscle regeneration. Proc Natl Acad Sci USA 113(6):1534-9

von Aspern K, Haunschild J, Hoyer A, Luehr M, Bakhtiary F, Misfeld M, Mohr FW and Etz CD (2016). Non-invasive spinal cord oxygenation monitoring: validating collateral network near-infrared spectroscopy for thoracoabdominal aortic aneurysm repair. Eur J Cardiothorac Surg 50(4):675-683

Bovis MJ, Noimark S, Woodhams JH, Kay CWM and Weiner J (2015). Photosensitisation studies of silicone polymer doped with methylene blue and nanogold for antimicrobial applications. RSC Adv., 2015, 5, 54830

Mahling M, Fuchs K, Thaiss WM, et al., and Kneilling M (2015). A Comparative pO2 Probe and [18F]-Fluoro-Azomycinarabino-Furanoside ([18F]FAZA) PET Study Reveals Anesthesia-Induced Impairment of Oxygenation and Perfusion in Tumor and Muscle. PLoS One 10(4):e0124665

Hendargo HC, Zhao Y, Allenby T and Palmer GM (2015). Snap-shot multispectral imaging of vascular dynamics in a mouse window-chamber model. Opt Lett 40(14), 3292-5

Jiang X, Nguyen TT, Tian W, Sung YK, Yuan K, Qian J, Rajadas J, Sallenave JM, Nickel NP, de Jesus Perez V, Rabinovitch M and Nicolls MR (2015). Cyclosporine Does Not Prevent Microvascular Loss in Transplantation but Can Synergize With a Neutrophil Elastase Inhibitor, Elafin, to Maintain Graft Perfusion During Acute Rejection. Am J Transplant 15(7), 1768-81

Schafer R and Gmitro AF (2015). Dynamic oxygenation measurements using a phosphorescent coating within a mammary window chamber mouse model. Biomed Opt Express 6(2), 639-50

Dyson A, Ekbal N, Stotz M, Barnes S, Carré J, Tully S, Henderson S, Barrett L and Singer M (2014). Component reductions in oxygen delivery generate variable haemodynamic and stress hormone responses. Br J Anaesth 113(4), 708-16]

Twu CW, Reuther MS, Briggs KK, Sah RL, Masuda K and Watson D (2014). Effect of oxygen tension on tissue-engineered human nasal septal chondrocytes. Allergy Rhinol (Providence) 5(3),125-31

Eisenbrey JR, Albala L, Kramer MR, Daroshefski N, Brown D, Liu JB, Stanczak M, O'Kane P, Forsberg F and Wheatley MA (2014). Development of an ultrasound sensitive oxygen carrier for oxygen delivery to hypoxic tissue. Int J Pharm 478(1), 361-367

Chemonges S, Shekar K, Tung JP, Dunster KR, Diab S, Platts D, Watts RP, Gregory SD, Foley S, Simonova G, McDonald C, Hayes R, Bellpart J, Timms D, Chew M, Fung YL, Toon M, Maybauer MO and Fraser JF (2014). Optimal management of the critically ill: anaesthesia, monitoring, data capture, and point-of-care technological practices in ovine models of critical care. Biomed Res Int 2014:468309

Umbrello M, Dyson A, Pinto BB, Fernandez BO, Simon V, Feelisch M and Singer M (2014). Short-term hypoxic vasodilation in vivo is mediated by bioactive nitric oxide metabolites, rather than free nitric oxide derived from haemoglobin-mediated nitrite reduction. J Physiol 592(Pt 5), 1061-75

Regter S, Hedayati M, Zhang Y, Zhou H, Dalrymple S, Koch CJ, Isaacs JT and DeWeese TL (2014). Androgen withdrawal fails to induce detectable tissue hypoxia in the rat prostate. Prostate 74(8), 805-10

Yang CC, Yao CA, Lin YR, Yang JC and Chien CT (2014). Deep-sea water containing selenium provides intestinal protection against duodenal ulcers through the upregulation of Bcl-2 and thioredoxin reductase 1. PLoS One 9(7), e96006

Radiloff D, Zhao Y, Boico A, Blueschke G, Palmer G, Fontanella A, Dewhirst M, Piantadosi CA, Noveck R, Irwin D, Hamilton K, Klitzman B and Schroeder T (2014). Anti-hypotensive treatment and endothelin blockade synergistically antagonize exercise fatigue in rats under simulated high altitude. PLoS One 9(6), e99309

Seeliger E, Cantow K, Arakelyan K, Ladwig M, Persson PB and Flemming B (2014). Low-dose nitrite alleviates early effects of an X-ray contrast medium on renal hemodynamics and oxygenation in rats. Invest Radiol 49(2), 70-7

Doro CJ, Sitzman TJ and O'Toole RV (2014). Can intramuscular glucose levels diagnose compartment syndrome? J Trauma Acute Care Surg 76(2), 474-8

Poole KM, Tucker-Schwartz JM, Sit WW, Walsh AJ, Duvall CL and Skala MC (2013). Quantitative optical imaging of vascular response in vivo in a model of peripheral arterial disease. Am J Physiol Heart Circ Physiol 305(8), H1168-80

Jiang X, Malkovskiy AV, Tian W, Sung YK, Sun W, Hsu JL, Manickam S, Wagh D, Joubert LM, Semenza GL, Rajadas J and Nicolls MR (2013). Promotion of airway anastomotic microvascular regeneration and alleviation of airway ischemia by deferoxamine nanoparticles. Biomaterials 35(2), 803-13

Pohlmann A, Cantow K, Hentschel J, Arakelyan K, Ladwig M, Flemming B, Hoff U, Persson PB, Seeliger E and Niendorf T (2013). Linking non-invasive parametric MRI with invasive physiological measurements (MR-PHYSIOL): towards a hybrid and integrated approach for investigation of acute kidney injury in rats. Acta Physiol (Oxf) 207(4), 673-89

Needles A, Heinmiller A, Sun J, Theodoropoulos C, Bates D, Hirson D, Yin M and Foster F (2013). Development and initial application of a fully integrated photoacoustic micro-ultrasound system. IEEE Trans Ultrason Ferroelectr Freq Control 60(5), 888-97

Khan MA, Maasch C, Vater A, Klussmann S, Morser J, Leung LL, Atkinson C, Tomlinson S, Heeger PS and Nicolls MR (2013). Targeting complement component 5a promotes vascular integrity and limits airway remodeling. Proc Natl Acad Sci USA 110(15), 6061-6

McNamee EN, Korns Johnson D, Homann D and Clambey ET (2013). Hypoxia and hypoxia-inducible factors as regulators of T cell development, differentiation, and function. Immunol Res 55(1-3), 58-70

Rafferty AR, Evans RG, Scheelings TF and Reina RD (2013). Limited oxygen availability in utero may constrain the evolution of live birth in reptiles. Am Nat 181(2), 245-53

Aimot-Macron S, Salomon LJ, Deloison B, Thiam R, Cuenod CA, Clement O and Siauve N (2013). In vivo MRI assessment of placental and foetal oxygenation changes in a rat model of growth restriction using blood oxygen level-dependent (BOLD) magnetic resonance imaging. Eur Radiol 23(5), 1335-42

Khan MA, Dhillon G, Jiang X, Lin YC and Nicolls MR (2012). New Methods for Monitoring Dynamic Airway Tissue Oxygenation and Perfusion in Experimental and Clinical Transplantation. Am J Physiol Lung Cell Mol Physiol. 303(10), L861-9

Reuther MS, Briggs KK, Schumacher BL, Masuda K, Sah RL and Watson D (2012). In vivo oxygen tension in human septal cartilage increases with age. Laryngoscope. 122(11), 2407-10

Nasui OC, Nathanael G, Miller E, Belik J, Crawley A, Weiss R, Detzler G, Zhong A, Moineddin R and Doria AS (2012). Responsiveness of BOLD MRI to Short-Term Temperature Changes in Rabbit Knees with Inflammatory Arthritis. Rheumatol Curr Res 2012, S2, http://dx.doi.org/10.4172/2161-1149.S2-003

Griffin KM, O'Herlihy C, O'Connell PR and Jones JF (2012). Combined ischemic and neuropathic insult to the anal canal in an animal model of obstetric-related trauma. Dis Colon Rectum 55(1), 32-41

Davis BH, Morimoto Y, Sample C, Olbrich K, Leddy HA, Guilak F and Taylor DA (2012). Effects of myocardial infarction on the distribution and transport of nutrients and oxygen in porcine myocardium. J Biomech Eng 134(10), 101005

Radiloff DR, Zhao Y, Boico A, Wu C, Shan S, Palmer G, Hamilton K, Irwin D, Hanna G, Piantadosi CA and Schroeder T (2012). The combination of theophylline and endothelin receptor antagonism improves exercise performance of rats under simulated high altitude. J Appl Physiol 113(8), 1243-52

Mutoh T, Sanosaka T, Ito K and Nakashima K (2012). Oxygen levels epigenetically regulate fate switching of neural precursor cells via hypoxia-inducible factor 1α-notch signal interaction in the developing brain. Stem Cells 30(3), 561-9

Yamaoka I, Kikuchi T, Arata T and Kobayashi E (2012). Organ preservation using a photosynthetic solution. Transplantation Research 2012, 1:2

Chang HH, Lee YC, Chen MF, Kuo JS and Lee TJ (2012). Sympathetic activation increases basilar arterial blood flow in normotensive but not hypertensive rats. Am J Physiol Heart Circ Physiol. 302(5), H1123-30

© Oxford Optronix Ltd., 2026

El Beheiry MH, Heximer SP, Voigtlaender-Bolz J, Mazer CD, Connelly KA, Wilson DF, Beattie WS, Tsui AK, Zhang H, Golam K, Hu T, Liu E, Lidington D, Bolz SS and Hare GM (2011). Metoprolol impairs resistance artery function in mice. J Appl Physiol. 111(4), 1125-33

Khan MA, Jiang X, Dhillon G, Beilke J, Holers VM, Atkinson C, Tomlinson S and Nicolls MR (2011). CD4+ T cells and complement independently mediate graft ischemia in the rejection of mouse orthotopic tracheal transplants. Circ Res 109(11), 1290-301

Gyawali S, Solis L, Chong SL, Curtis C, Seres P, Kornelsen I, Thompson R and Mushahwar VK (2011). Intermittent electrical stimulation redistributes pressure and promotes tissue oxygenation in loaded muscles of individuals with spinal cord injury. J Appl Physiol 110(1), 246-55

Evans RG, Goddard D, Eppel GA and O'Connor PM (2011). Factors that render the kidney susceptible to tissue hypoxia in hypoxemia. Am J Physiol Regul Integr Comp Physiol 300(4), R931-40

Evans RG, Goddard D, Eppel GA and O'Connor PM (2011). Stability of tissue pO2 in the face of altered perfusion: a phenomenon specific to the renal cortex and independent of resting renal oxygen consumption. Clin Exp Pharmacol Physiol 38(4), 247-54

Hoff U, Lukitsch I, Chaykovska L, Ladwig M, Arnold C, Manthati VL, Fuller TF, Schneider W, Gollasch M, Muller DN, Flemming B, Seeliger E, Luft FC, Falck JR, Dragun D and Schunck WH (2011). Inhibition of 20-HETE synthesis and action protects the kidney from ischemia/reperfusion injury. Kid Int 79(1), 57-65

Khan MAA, Tomlinson S, Dhillon G, Jiang X, and Nicolls MR (2010). The contribution of C3 to allograft hypoxia and perfusion In murine model of orthotopic tracheal transplantation. Am J Respir Crit Care Med 181: A1092

Oda S, Nagahama R, Nakano K, Matoba T, Kubo M, Sunagawa K, Tominaga R and Egashira K (2010). Nanoparticle-mediated endothelial cell-selective delivery of pitavastatin induces functional collateral arteries (therapeutic arteriogenesis) in a rabbit model of chronic hind limb ischemia. J Vasc Surg. 52(2), 412-20

Terry MH, Merritt TA, Harding B, Schroeder H, Merrill-Henry J, Mazela J, Gregory TJ, Segal R, Power GG and Blood AB (2010). Pulmonary distribution of lucinactant and poractant alfa and their peri-dosing hemodynamic effects in a preterm lamb model of respiratory distress syndrome. Pediatr Res 68(3), 193-8

Nematbakhsh M, Eppel GA, Goddard D, O'Connor PM and Evans RG (2010) Local maximum oxygen disappearance rate has limited utility as a measure of local renal tissue oxygen consumption. J Pharmacol Toxicol Methods 61(3), 297-303

Shih AC, Vigani A, Loring N, Pereira FG, Szarowicz M and Bandt C (2010). Cardiopulmonary effects of a new inspiratory impedance threshold device in anesthetized hypotensive dogs. Vet Anaesth Analg 37(3), 215-21

Roy S, Biswas S, Khanna S, Gordillo GM, Bergdall V, Green J, Marsh CB, Gould LJ and Sen CK (2009). Characterization of a Pre-Clinical Model of Chronic Ischemic Wound. Physiol. Genomics 37, 211 - 224

Isbil-Buyukcoskun N, Gulec G, Cam-Etoz B and Ozluk K (2009). Peripheral GLP-1 gastroprotection against ethanol: The role of exendin, NO, CGRP, prostaglandins and blood flow. Regul Pept 152, 22-27

Rausch ME, Weisberg S, Vardhana P and Tortoriello DV (2008). Obesity in C57BL/6J mice is characterized by adipose tissue hypoxia and cytotoxic T-cell infiltration. Int J Obes (Lond) 32, 451-63

Caporali A, Pani E, Horrevoets AJ, Kraenkel N, Oikawa A, Sala-Newby GB, Meloni M, Cristofaro B, Graiani G, Leroyer AS, Boulanger CM, Spinetti G, Yoon SO, Madeddu P and Emanueli C (2008). Neurotrophin p75 receptor (p75NTR) promotes endothelial cell apoptosis and inhibits angiogenesis: implications for diabetes-induced impaired neovascularization in ischemic limb muscles. Circ Res 103, 15-26

Babu AN, Murakawa T, Thurman JM, Miller EJ, Henson PM, Zamora MR, Voelkel NF and Nicolls MR (2007). Microvascular destruction identifies murine allografts that cannot be rescued from airway fibrosis. J Clin Invest 117, 3774-85

Seeliger E, Flemming, B, Wronski T, Ladwig M, Arakelyan K, Godes M, Moeckel M and Persson PB (2007). Viscosity of contrast media perturbs renal hemodynamics. J Am Soc Nehprol 18, 2912-2920

Leong C-L, Anderson WP, O'Connor PM and Evans RG (2007). Evidence that renal arterial-venous oxygen shunting contributes to dynamic regulation of renal oxygenation. Am J Physiol Renal Physiol 292, F1726-F1733

Murnaghan M, Li G and Marsh DR (2006). Nonsteroidal anti-inflammatory drug-induced fracture nonunion: an inhibition of angiogenesis? J Bone Joint Surg Am 88, 140-47

O'Connor PM, Kett MM, Anderson WP and Evans RG (2006). Renal medullary tissue oxygenation is dependent on both cortical and medullary blood flow. Am J Physiol Renal Physiol 290, F688–F694

Murnaghan M, Li G and Marsh DR (2006). Nonsteroidal anti-inflammatory drug-induced fracture nonunion: an inhibition of angiogenesis? J Bone Joint Surg Am 88 Suppl 3, 140-47

Duggan M, Engelberts D, Jankov RP, Worrall JM, Qu R, Hare GM, Tanswell AK, Mullen JB, Kavanagh BP (2005). Hypocapnia attenuates mesenteric ischemia-reperfusion injury in a rat model. Can J Anaesth 52, 262-68

Ryan S, Taylor CT and McNicholas WT (2005). Selective activation of inflammatory pathways by intermittent hypoxia in obstructive sleep apnea syndrome. Circulation 112, 2660-7

Baines AD and Ho P (2005). 20-HETE-mediated vasoconstriction by haemoglobin-O2 carrier in Sprague-Dawley but not Wistar rats. J Appl Physiol 98, 772-779

van der Bilt JDW, Kranenburg O, Nijkamp NW, Smakman N, Veenendaal LM, te Velde EA, Voest EE, van Diest PJ and Borel Rinkes IHM (2005). Ischemia/reperfusion accelerates the outgrowth of hepatic micrometastases in a highly standardized murine model. Hepatology 42, 165-175

Fukatsu K, Ueno C, Maeshima Y, Hara E, Nagayoshi H, Omata J, Mochizuki H and Hiraide H (2004). Effects of L-arginine infusion during ischemia on gut blood perfusion, oxygen tension, and circulating myeloid cell activation in a murine gut ischemia/reperfusion model. JPEN J Parenter Enteral Nutr. 28, 224-30

Yuan LJ, Ueng SW, Lin SS, Yeh WL, Yang CY and Lin PY (2004). Attenuation of apoptosis and enhancement of proteoglycan synthesis in rabbit cartilage defects by hyperbaric oxygen treatment are related to the suppression of nitric oxide production. J Orthop Res. 22, 1126-34

Cheung AT, Driessen B, Jahr JS, Duong PL, Ramanujam S, Chen PC and Gunther RA (2004). Blood substitute resuscitation as a treatment modality for moderate hypovolemia. Artif Cells Blood Substit Immobil Biotechnol 32, 189-207

Dobryansky M, Galiano RD, Curtis L, Cetrulo Jr, Bhatt KA, Michaels J, Ashinoff R, Levine JP and Gurtner GC (2004). Endostatin inhibits ischemia-induced meovascularization and increased ischemic tissue loss. Ann Plast Surg 52, 512-18

Ceradini DJ, Kulkarni AR, Callaghan MJ, Tepper OM, Bastidas N, Kleinman ME, Capla JM, Galiano RD, Levine JP and Gurtner GC (2004). Progenitor cell trafficking is regulated by hypoxic gradients through HIF-1 induction of SDF-1. Nature Medicine 10, 858-864

Mäkinen TM, Pääkkönen T, Palinkas LA, Rintamäki H, Leppäluoto J and Hassi J (2004). Seasonal changes in thermal responses of urban residents to cold exposure. Comp Biochem Physiol A Mol Integr Physiol. 139, 29-238

Omar AA, Mavor AID, Jones AM and Homer-Vanniasinkam S (2004). Treatment of venous leg ulcers with Dermagraft®. European Journal of Vascular and Endovascular Surgery, 27, 666-672

Calatayud S, Canet A, Bello R, Hernández C, Martí M and Barrachina MD (2003). Low endotoxemia prevents the reduction of gastric blood flow induced by NSAIDs: role of nitric oxide. British Journal of Pharmacology 139, 263–270

Morales J, Moitinho E, Abraldes JG, Fernández M and Bosch J (2003). Effects of the V1a vasopressin agonist F-180 on portal hypertension-related bleeding in portal hypertensive rats. Hepatology 38, 1378–1383

Cernanec J, Guilak, Weinberg JB, Pisetsky DS and Fermor B (2002). Influence of hypoxia and reoxygenation on cytokine-induced production of proinflammatory mediators in articular cartilage. Arthritis Rheum 46, 968-75

Hillebrand U, Kobelt V, vOphoven M, Suwelack B, Matzkies F, Gerhardt U, Sindermann J and Hohage H (2002). Influence of antihypertensive drugs on renal microcirculation and renal hemodynamics in cyclosporine a-treated rats. Transplantation Proceedings 34, 1383-1384

Giuliano F, Allard J, Compagnie S, Alexandre L, Droupy S and Bernabe J (2001). Vaginal physiological changes in a model of sexual arousal in anesthetized rats. Am J Physiol Regul Integr Comp Physiol 281, R140-149

Castañeda B, Morales J, Lionetti R, Moitinho E, Andreu V, Pérez-del-Pulgar S, Pizcueta P, Rodés J and Bosch J (2001). Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats. Hepatology 33(4), 821-825

Minning DM, Gow AJ, Bonaventura J, Braun R, Dewhirst M, Goldberg DE and Stamler JS (1999). Ascaris haemoglobin is a nitric oxide-activated 'deoxygenase'. Nature 401, 497-502

Nazzaro P, Triggiani R, Ciancio L, Scarano AM, Merlo M, Manzari M, Cicco G, Manicone A and Pirrelli A (1999). Microvascular changes during laboratory stimuli and structural haemodynamic indices: the role of pulse pressure. Clinical Hemorheology and Microcirculation 21, 225-232

Calatayud S, Sanz M-J, Canet A, Bello R, Díaz de Rojas F and Esplugues JV (1999). Mechanisms of gastroprotection by transdermal nitroglycerin in the rat. British Journal of Pharmacology 127, 1111–1118

Darlington SE, Carlolan-Rees G, Davies WT, Griffiths H and Woodcock JP (1998). Use of a multi-channel laser Doppler flowmeter in the objective assessment of hand-arm vibration syndrome patients. Journal of Vascular Investigation 4, 31-34.

Khattab M, Hohage H, Hollah P, Rahn K-H and Schlatter E (1998). Effects of diadenosine polyphosphates on systemic and regional hemodynamics in anesthetized rats. Kidney & Blood Pressure Research 21, 42-49

Kuznetsova LV, Tomasek N, Sigurdsson GH, Banic A, Erni D and Wheatley AM (1998). Dissociation between volume blood flow and laser-Doppler signal from rat muscle during changes in vascular tone. Physiol Heart Circ Physiol 274 (4), H1248-H1254

Cortijo J, Pons R, Dasí F, Marín N, Martinez-Losa M, Advenier C and Morcillo EJ (1997). Bronchodilator and anti-inflammatory activities of SCA40: studies in human isolated bronchus, human eosinophils, and in the guineapig in vivo. Naunyn-Schmiedeberg's Archives of Pharmacology 35, 806-814

Magerl W and Treede R-D (1996). Heat-evoked vasodilatation in human hairy skin: axon reflexes due to low-level activity of nociceptive afferents. Journal of Physiology 497, 837-848

Ophthalmology

Fayyaz M, Jabeen M, Tsipursky MS, and Irudayaraj J (2021). Dextran-Based Oxygen Nanobubbles for Treating Inner Retinal Hypoxia. ACS Applied Nano Materials, 4(7), 6583–6593. doi:10.1021/acsanm.1c00084

Kim JR, Park YG and Roh YJ (2018). Comparison of pre-retinal oxygen pressure changes after selective retina therapy versus conventional photocoagulation in the rabbit eye. Graefes Arch Clin Exp Ophthalmol 256(8), 1459-1467

Williamson BK, Hawkey NM, Blake DA, Frenkel JW, McDaniel KP, Davis JK, Satija C, Beazer A, Dhungana S, Carlson J, McRitchie S and Ayyala RS (2018). The Effects of Glaucoma Drainage Devices on Oxygen Tension, Glycolytic Metabolites, and Metabolomics Profile of Aqueous Humor in the Rabbit. Transl Vis Sci Technol 7(1), 14

Zhang Z, Huang W, Lei M, He Y, Yan M, Zhang X and Zhao C (2016). Laser-triggered intraocular implant to induce photodynamic therapy for posterior capsule opacification prevention. Int J Pharm 498(1-2), 1-11

Murali K, Kang D, Nazari H, Scianmarello N, Cadenas E, Tai YC, Kashani A and Humayun M (2016). Spatial Variations in Vitreous Oxygen Consumption. PLoS One 11(3), e0149961

Huang AJ, Shui YB, Han YP, Bai F, Siegfried CJ and Beebe DC (2015). Impact of Corneal Endothelial Dysfunctions on Intraocular Oxygen Levels in Human Eyes. Invest Ophthalmol Vis Sci 56(11), 6483-8

Siegfried CJ, Shui YB, Bai F and Beebe DC (2015). Central corneal thickness correlates with oxygen levels in the human anterior chamber angle. Am J Ophthalmol 159(3), 457-62

Lim JK, Nguyen CT, He Z, Vingrys AJ and Bui BV (2014). The effect of ageing on ocular blood flow, oxygen tension and retinal function during and after intraocular pressure elevation. PLoS One 9(5), 98393

Filas BA, Shui YB and Beebe DC (2013). Computational model for oxygen transport and consumption in human vitreous. Invest Ophthalmol Vis Sci 54(10), 6549-59

Muir ER, Zhang Y, San Emeterio Nateras O, Peng Q and Duong TQ (2013). Human vitreous: MR imaging of oxygen partial pressure. Radiology 266(3), 905-11

Siegfried CJ, Shui YB, Holekamp NM, Bai F and Beebe DC (2011). Racial differences in ocular oxidative metabolism: implications for ocular disease. Arch Ophthalmol. 129, 849-54

Park YH, Shui YB, Beebe DC (2011). Comparison of two probe designs for determining intraocular oxygen distribution. Brit J Ophthalmol 95(1), 118-22

Lange CA, Stavrakas P, Luhmann UF, de Silva DJ, Ali RR, Gregor ZJ and Bainbridge JW (2011) Intraocular oxygen distribution in advanced proliferative diabetic retinopathy. Am J Ophthalmol. 152(3), 406-412

Abdallah W, Ameri H, Barron E, Chader GJ, Greenbaum E, Hinton DR and Humayun MS (2010). Vitreal oxygenation in retinal ischemia reperfusion. Invest Ophthalmol Vis Sci. 52(2), 1035-42

Siegfried CJ, Shui Y-B, Holekamp NM, Bai F and Beebe DC (2010). Oxygen distribution in the human eye: relevance to the etiology of open-angle glaucoma after vitrectomy. Investigative Ophthalmology & Visual Science 51, 5731-5738

Shui Y-B, Holekamp NM, Kramer BC, Crowley JR, Wilkins MA, Chu F, Malone PE, Mangers SJ, Hou JH, Siegfried CJ and Beebe DC (2009). The gel state of the vitreous and ascorbate-dependent oxygen consumption: Relationship to the etiology of nuclear cataracts. Arch Opthalmol 127, 475-482

Giblin FJ, Quiram PA, Leverenz VR, Baker RM, Dang L and Trese MT (2009). Enzyme-induced posterior vitreous detachment in the rat produces increased lens nuclear pO2 levels. Exp Eye Res 88, 286-292

Kane R, Godson C and O'Brien C (2008). Chordin-like 1, a bone morphogenetic protein-4 antagonist, is upregulated by hypoxia in human retinal pericytes and plays a role in regulating angiogenesis. Molecular Vision 14, 1138-1148

Shui Y-B and Beebe DC (2008). Age-dependent control of lens growth by hypoxia. IOVS 49, 1023-1029

Quiram PA, Leverenz VR, Baker RM, Dang L, Giblin FJ and Trese MT (2007). Microplasmin-induced posterior vitreous detachment affects vitreous oxygen levels. Retina 27(8), 1090-96

© Oxford Optronix Ltd., 2026

Holekamp NM, Shiu YB and Beebe D (2006). Lower intraocular oxygen tension in diabetic patients: possible contribution to decreased incidence of nuclear sclerotic cataract. Am J Ophthalmol 141, 1027-32

Shui YB, Fu JJ, Garcia C, Dattilo LK, Rajagopal R, McMillan S, Mak G, Holekamp NM, Lewis A and Beebe DC (2006). Oxygen distribution in the rabbit eye and oxygen consumption by the lens. IOVS 47, 1571-1580

Holekamp NM, Shui Y-B and Beebe DC (2005). Vitrectomy surgery increases oxygen exposure to the lens: A possible mechanism for nuclear cataract formation. Am J Ophthalmol 139, 302-310

McNulty R, Wang H, Mathias RT, Ortwerth BJ, Truscott RJW and Bassnett S (2004). Regulation of tissue oxygen levels in mammalian lens. J Physiol 559, 883-898

Bassnett S and McNulty R (2003). The effect of elevated intraocular oxygen on organelle degradation in the embryonic chicken lens. J Exp Biol 206, 4353-4361

In Vitro Applications

Hahn, M. B., Aminzadeh-Gohari, S., Grebinyk, A., Gross, M., Hoffmann, A., Li, X., ... & Villani, D. (2026). Ultra-High Dose-Rate Irradiation Spares DNA under Physiological Oxygen and Salt Conditions. Square Research preprint

Kwon D, Fiegel V, Blain G, Chiavassa S, Anh LT, Tran HN, Terfas S, Evin M, Craff E, Incerti S, Delpon G, Haddad F, Koumeir C, Maigne L (2026). Experimental and simulated H2O2 in pure water under conventional and ultra-high dose rates for single pulse proton irradiation. Med Phys

Germain N, Buret E, Nguyen LHT, Cocheteux M, Touya N, Dhayer M, Dubois R, Lafont F, Janel S, Maboudou P, Lancel S, Marchetti P (2026). GelMA-based 3D spheroids recapitulate transcriptomic and functional hallmarks of myeloid sarcoma. FEBS Open Bio

Penjweini R, Pasut A, Roarke B, Link KA, Sackett DL, Knutson JR. Single-Cell Imaging of Mitochondrial Metabolism and Remodeling in C2C12 Murine Skeletal Muscle Cells upon Differentiation. Int J Mol Sci

Seco J, and Freitas H (2026). Kinetic model of radiochemical oxygen depletion (ROD) in FLASH radiotherapy. Med Phys

Dantas EKC, Thomé JPFT, de Oliveira Pontes Filho M, Coelho MGP, Felzenszwalb I, Araújo-Lima CF (2026). Multi-herbal ergogenic supplement induces in vitro mutagenicity and cytogenetic damages in HepG2 and HEK293 cells. Mutagenesis

Xu X, Penjweini R, et al., and Chung JH (2025). Endonuclease G promotes hepatic mitochondrial respiration by selectively increasing mitochondrial tRNAThr production. Proc Natl Acad Sci USA

Tran Q, Lee G, Balcarcel-Monzon M, Zhang Y, Dominguez S, Sack K, Kheir JN, Bird J, McDannold N, Peng Y (2025). Rapidly dissolving polymeric microbubbles promote supersaturation and in-situ formation of acoustic nanobubbles capable of dynamic pressure sensing. Ultrason Sonochem

Estephan H, Tailor A, Parker R, Kreamer M, Papandreou I, Campo L, Easton A, Moon EJ, Denko NC, Ternette N, Hammond EM, Giaccia AJ (2025). Hypoxia promotes tumor immune evasion by suppressing MHC-I expression and antigen presentation. EMBO J

Pehlivan J, Beyreuther E, Horst F, Nasse MJ, Pawelke J, Leichtle D, Jäkel O, Holzapfel B (2025). Electron spin resonance measurements of radiation-induced radicals under conventional and ultra-high dose rate electron irradiation. Phys Med Biol

Terfas S, Blain G, Craff E, Koumeir C, Haddad F, Poirier F, Delpon G, Vandenborre J (2025). Oxygen Dependence on Hydrated Electron Yields: Pulsed Radiolysis Studies Using Proton Beams. J Phys Chem A

Fan S, Qian Y, Li D, Lu L, Lian J, Liu X, Xiang J, Shi A, Wei S, Lyu Y, Yang L, Liu P (2025). Development of a User-Friendly Dynamic Culture System for Decellularized Scaffold-Based Tissue Engineering. ACS Biomater Sci Eng

Hahn, MB, Aminzadeh-Gohari, S., et al., and Villani, D (2025). Sparing of DNA irradiated with Ultra-High Dose-Rates under Physiological Oxygen and Salt conditions. arXiv

Karle C, Liew H, Tessonnier T, et al., and Mairani A (2025). Oxygen consumption measurements at ultra-high dose rate over a wide LET range. Med Phys

Xu X, Penjweini R, Székvölgyi L, et al., and Chung JH (2025). Endonuclease G promotes hepatic mitochondrial respiration by selectively increasing mitochondrial tRNAThr production. Proc Natl Acad Sci USA

Penjweini R, Link KA, Qazi S, Mattu N, Zuchowski A, Vasta A, Sackett DL, Knutson JR (2025). Low dose Taxol causes mitochondrial dysfunction in actively respiring cancer cells. J Biol Chem

Tessonnier T, Filosa DI, Karle C, et al., and Mairani A (2024). First Dosimetric and Biological Verification for Spot-Scanning Hadron Arc Radiation Therapy With Carbon Ions. Adv Radiat Oncol

Donnelly C, Komlódi T, Cecatto C, et al., and Place N (2024). Functional hypoxia reduces mitochondrial calcium uptake. Redox Biol

Kim MJ, Ji HB, Min CH, Kim CR, Han JH, Kim SN, Yoon SB, Kwon EJ, Lee C, Choy YB (2024). Fe-Porphyrin Cross-Linked Hydrogel for Reactive Oxygen Species Scavenging and Oxygen Generation in Diabetic Wounds. ACS Appl Mater Interfaces

Capuani S, Campa-Carranza JN, Hernandez N, Chua CYX, Grattoni A (2024). Modeling of a Bioengineered Immunomodulating Microenvironment for Cell Therapy. Adv Healthc Mater

Baark F, Waters ECT, Eykyn TR, Southworth R (2024). Characterization and Validation of Radiotracer Kinetics Using the Langendorff Isolated Perfused Heart. Methods Mol Biol

Penjweini R, Pasut A, Roarke B, Alspaugh G, Sackett DL, Knutson JR (2023). High resolution spatial investigation of intracellular oxygen in muscle cells. bioRxiv

Mori MP, Penjweini R, Ma J, Alspaugh G, Andreoni A, Kim YC, Wang PY, Knutson JR, Hwang PM (2023). Mitochondrial respiration reduces exposure of the nucleus to oxygen. J Biol Chem

Tosun C, Wallabregue ALD, Mallerman M, Phillips SE, Edwards CM, Conway SJ,Hammond EM (2023). Antibody-Based Imaging of Bioreductive Prodrug Release in Hypoxia. JACS Au

Bi J, Witt E, Voltarelli VA, Feig VR, et al., and Byrne JD (2023). Low-Cost, High-Pressure-Synthesized Oxygen-Entrapping Materials to Improve Treatment of Solid Tumors. Adv Sci (Weinh)

Chappuis F, Grilj V, Tran HN, Zein SA, Bochud F, Bailat C, Incerti S, Desorgher L (2023). Modeling of scavenging systems in water radiolysis with Geant4-DNA. Phys Med

Metzkes-Ng J, Brack FE, Kroll F, et al., and Beyreuther E (2023). The DRESDEN PLATFORM is a research hub for ultra-high dose rate radiobiology. Sci Rep

Berg M, Eleftheriadou D, Phillips JB, Shipley RJ (2023). Mathematical modelling with Bayesian inference to quantitatively characterize therapeutic cell behaviour in nerve tissue engineering. J R Soc Interface

Müller M, Cascales JP, Marks HL, Wang-Evers M, Manstein D, Evans CL (2022). Phosphorescent Microneedle Array for the Measurement of Oxygen Partial Pressure in Tissue. ACS Sens

Taylor-Williams M, Mead S, Sawyer TW, Hacker L, Williams C, Berks M, Murray A, Bohndiek SE (2022). Multispectral imaging of nailfold capillaries using light-emitting diode illumination. J Biomed Opt

Sedlack AJH, Penjweini R, Link KA, Brown A, Kim J, Park SJ, Chung JH, Morgan NY, Knutson JR (2022). Computational Modeling and Imaging of the Intracellular Oxygen Gradient. Int J Mol Sci. 23(20):12597. doi: 10.3390/ijms232012597. PMID: 36293452; PMCID: PMC9604273. https://doi.org/10.3390/ijms232012597

Moon EJ, Petersson K, Olcina MM (2022). The importance of hypoxia in radiotherapy for the immune response, metastatic potential and FLASH-RT. Int J Radiat Biol. 98(3):439-451. doi: 10.1080/09553002.2021.1988178. Epub 2021 Nov 2. PMID: 34726575; PMCID: PMC7612434

Cooper CR, Jones D, Jones GD, Petersson K (2022). FLASH irradiation induces lower levels of DNA damage ex vivo, an effect modulated by oxygen tension, dose, and dose rate. Br J Radiol. 95(1133):20211150. doi: 10.1259/bjr.20211150. Epub 2022 Feb 16. PMID: 35171701.https://doi.org/10.1259/bjr.20211150

Eleftheriadou D, Berg M, Phillips JB, Shipley RJ (2022). A combined experimental and computational framework to evaluate the behavior of therapeutic cells for peripheral nerve regeneration. Biotechnol Bioeng. 119(7):1980-1996. doi: 10.1002/bit.28105. Epub 2022 May 2. PMID: 35445744; PMCID: PMC9323509. https://doi.org/10.1002/bit.28105

Hafiz SS, Xavierselvan M, Gokalp S, Labadini D, Barros S, Duong J, Foster M, Mallidi S (2022). Eutectic Gallium-Indium Nanoparticles for Photodynamic Therapy of Pancreatic Cancer. ACS Appl Nano Mater. 27;5(5):6125-6139. doi: 10.1021/acsanm.1c04353. Epub 2022 May 15. PMID: 35655927; PMCID: PMC9150699. https://doi.org/10.1021/acsanm.1c04353

Christie IN, Theparambil SM, Doronin M, Hosford PS, Brazhe A, Hobbs A, Semyanov A, Abramov AY, Angelova P, and Gourine AV (2022). Astrocyte mitochondria produce nitric oxide from nitrite to modulate cerebral blood flow during brain hypoxia. bioRxiv preprint https://www.biorxiv.org/content/10.1101/2022.03.13.484128v1

Alspaugh G, Roarke B, Chand A, Penjweini R, Andreoni A, and Knutson JR (2021). Developing Analysis Protocols for Monitoring Intracellular Oxygenation Using Fluorescence Lifetime Imaging of Myoglobin-mCherry. Methods Mol Biol, 2304, 315-337

Ramachandran S, Ma TS, Griffin J, Ng N, Foskolou, IP, Hwang, M-S, ... Hammond EM (2021). Hypoxia-induced SETX links replication stress with the unfolded protein response. Nature Communications, 12(1). doi:10.1038/s41467-021-24066-z

Maury P, Porcel E, Mau A, Lux F, Tillement O, Mahou P, Schanne-Klein M-C, and Lacombe S (2021). Rapid Evaluation of Novel Therapeutic Strategies Using a 3D Collagen-Based Tissue-Like Model. Front. Bioeng. Biotechnol., https://doi.org/10.3389/fbioe.2021.574035

Gonzalez-Gonzalez MA, Bendale GS, Wang, K. et al. (2021) Platinized graphene fiber electrodes uncover direct spleen-vagus communication. Commun Biol 4, 1097 https://doi.org/10.1038/s42003-021-02628-7

Niu H, Li C, Guan Y, Yu Dang, Li XF, Fan Z, Shen J, Ma L and Guan JJ (2020). High oxygen preservation hydrogels to augment cell survival under hypoxic condition. Acta Biomater 105, 56-67

Gehrung M, Bohndiek SE and Brunker J (2019). Development of a blood oxygenation phantom for photoacoustic tomography combined with online pO2 detection and flow spectrometry. J Biomed Opt. 24(12), 1-11

Baark F, Shaughnessy F, Pell VR, Clark JE, Eykyn TR, Blower P and Southworth R (2019). Tissue acidosis does not mediate the hypoxia selectivity of [64Cu][Cu(ATSM)] in the isolated perfused rat heart. Sci Rep. 9(1), 499

Andreoni A; Penjweini R; Roarke B; Strub M-P; Sackett DL and Jay R. Knutson (2019). Genetically encoded FRET probes for direct mapping and quantification of intracellular oxygenation level via fluorescence lifetime imaging. Proceedings Volume 10882, Multiphoton Microscopy in the Biomedical Sciences XIX; 108820O (2019) https://doi.org/10.1117/12.2510646

Penjweini R, Andreoni A, Rosales T, Kim J, Brenner MD, Sackett DL, Chung JH and Knutson JR (2018). Intracellular oxygen mapping using a myoglobin-mCherry probe with fluorescence lifetime imaging. J. Biomed. Opt. 23(10), 107001

Busco G; Fasani F; Dozias S; Ridou L, Douat C, Pouvesle J-M and Grillon C (2018). Changes in oxygen level upon cold plasma treatments: consequences for RONS production. IEEE Transactions on Radiation and Plasma Medical Sciences 2(2), 147-152

Tiwari A, Wong CS, Nekkanti LP, Deane JA, McDonald C, Li J, Pham Y, Sutherland AE, Jenkin G and Kirkland MA (2018). Controlling the Effective Oxygen Tension Experienced by Cells Using a Dynamic Culture Technique for Hematopoietic Ex Vivo Expansion. Curr Protoc Stem Cell Biol 44, 2A.11.1-2A.11.13

Wijesekera D, Willis SA, Gupta A, Torres AM, Zheng G and Price WS (2018). NMR diffusion and relaxation studies of 2-nitroimidazole and albumin interactions. Spectrochim Acta A Mol Biomol Spectrosc 193, 318-323

Khaliullina-Skultety H, Zi Chao N and Harris WA (2017). Induction of Hypoxia in Living Frog and Zebrafish Embryos. J Vis Exp. 2017 Jun 26;(124). doi: 10.3791/55710

Foskolou IP, Jorgensen C, Leszczynska KB, Olcina MM, Tarhonskaya H, Haisma B, D'Angiolella V, Myers WK, Domene C, Flashman E and Hammond EM (2017). Ribonucleotide Reductase Requires Subunit Switching in Hypoxia to Maintain DNA Replication. Mol Cell 66(2), 206-220

Minoves M, Morand J, Perriot F, Chatard M, Gonthier B, Lemarié E, Menut JB, Polak J, Pepin JL, Godin-Ribuot D and Briancon-Marjollet A (2017). An innovative intermittent hypoxia model in cell cultures allowing fast PO2 oscillations with minimal gas consumption. Am J Physiol Cell Physiol 313(4), C460-C468

Lee PS, Eckert H, Hess R, Gelinsky M, Rancourt D, Krawetz R, Cuniberti G and Scharnweber D (2017). Developing a Customized Perfusion Bioreactor Prototype with Controlled Positional Variability in Oxygen Partial Pressure for Bone and Cartilage Tissue Engineering. Tissue Eng Part C Methods 23(5),286-297

Joniová J, Gerelli E, Zellweger Mand Wagnières G (2017). Optimization and characterization of the endogenous production of protoporphyrin IX in a yeast model. J Biomed Opt 21(12), 125008

Tiwari A, Wong CS, Nekkanti LP, Deane JA, McDonald C, Jenkin G and Kirkland MA (2016). Impact of Oxygen Levels on Human Hematopoietic Stem and Progenitor Cell Expansion. Stem Cells Dev. 25(20), 1604-1613

Baird AM, Gray SG, Richard DJ and O'Byrne KJ (2016). Promotion of a cancer-like phenotype, through chronic exposure to inflammatory cytokines and hypoxia in a bronchial epithelial cell line model. Sci Rep 6, 18907

You JO, Rafat M, Almeda D, Maldonado N, Guo P, Nabzdyk CS, Chun M, LoGerfo FW, Hutchinson JW, Pradhan-Nabzdyk LK and Auguste DT (2015). pH-responsive scaffolds generate a pro-healing response. Biomaterials 57,22-32

Yaghini E, Pirker KF, Kay CW, Seifalian AM and MacRobert AJ (2014). Quantification of Reactive Oxygen Species Generation by Photoexcitation of PEGylated Quantum Dots. Small 10(24), 5106-15

Giuntini F, Chauhan VM, Aylott JW, Rosser GA, Athanasiadis A, Beeby A, MacRobert AJ, Brown RA, and Boyle RW (2014). Conjugatable water-soluble Pt(II) and Pd(II) porphyrin complexes: novel nano- and molecular probes for optical oxygen tension measurement in tissue engineering. Photochem Photobiol Sci 13(7), 1039-51

Grimes DR, Kelly C, Bloch K and Partridge M (2014). A method for estimating the oxygen consumption rate in multicellular tumour spheroids. J R Soc Interface 11(92), 20131124

Handley MG, Medina RA, Mariotti E, Kenny GD, Shaw KP, Yan R, Eykyn TR, Blower PJ and Southworth R (2014). Cardiac hypoxia imaging: second-generation analogues of 64Cu-ATSM. J Nucl Med 55(3), 488-94

Taylor CT, Kent BD, Crinion SJ, McNicholas WT and Ryan S (2014). Human adipocytes are highly sensitive to intermittent hypoxia induced NF-kappaB activity and subsequent inflammatory gene expression. Biochem Biophys Res Commun 447(4), 660-5

© Oxford Optronix Ltd., 2026

Campbell EL, Bruyninckx WJ, Kelly CJ, Glover LE, McNamee EN, Bowers BE, Bayless AJ, Scully M, Saeedi BJ, Golden-Mason L, Ehrentraut SF, Curtis VF, Burgess A, Garvey JF, Sorensen A, Nemenoff R, Jedlicka P, Taylor CT, Kominsky DJ and Colgan SP (2014). Transmigrating neutrophils shape the mucosal microenvironment through localized oxygen depletion to influence resolution of inflammation. Immunity 40(1), 66-77

Liu XB, Cheng Q, Geng W, Ling CC, Liu Y, Ng KT, Yam JW, Guan XY, Lo CM and Man K (2014). Enhancement of cisplatin-based TACE by a hemoglobin-based oxygen carrier in an orthotopic rat HCC model. Artif Cells Nanomed Biotechno 42(4), 229-36

Handley MG, Medina RA, Paul RL, Blower PJ and Southworth R (2013). Demonstration of the retention of 64Cu-ATSM in cardiac myocytes using a novel incubation chamber for screening hypoxia-dependent radiotracers. Nucl Med Commun 34(10), 1015-22

Nyga A, Loizidou M, Emberton M and Cheema U (2013). A novel tissue engineered three-dimensional in vitro colorectal cancer model. Acta Biomater 9(8), 7917-26

Cheema U, Rong Z, Kirresh O, Macrobert AJ, Vadgama P and Brown RA (2012). Oxygen diffusion through collagen scaffolds at defined densities: implications for cell survival in tissue models. J Tissue Eng Regen Med 6(1), 77-84

Meng F, Evans JW, Bhupathi D, Banica M, Lan L, Lorente G, Duan JX, Cai X, Mowday AM, Guise CP, Maroz A, Anderson RF, Patterson AV, Stachelek GC, Glazer PM, Matteucci MD and Hart CP (2012). Molecular and cellular pharmacology of the hypoxia-activated prodrug TH-302. Mol Cancer Ther 11(3), 740-51

Hsieh CH, Wu CP, Lee HT, Liang JA, Yu CY and Lin YJ (2012). NADPH oxidase subunit 4 mediates cycling hypoxia-promoted radiation resistance in glioblastoma multiforme. Free Radic Biol Med 53(4), 649-58

Pires IM, Olcina MM, Anbalagan S, Pollard JR, Reaper PM, Charlton PA, McKenna WG and Hammond EM (2012). Targeting radiation-resistant hypoxic tumour cells through ATR inhibition. Br J Cancer 107(2), 291-9

Mutoh T, Sanosaka T, Ito K and Nakashima K (2012). Oxygen Levels Epigenetically Regulate Fate Switching of Neural Precursor Cells via Hypoxia-Inducible Factor 1α-Notch Signal Interaction in the Developing Brain. Stem Cells 30(3), 561-9

Tamama K, Kawasaki H, Kerpedjieva SS, Guan J, Ganju RK and Sen CK (2011). Differential roles of hypoxia inducible factor subunits in multipotential stromal cells under hypoxic condition. J Cell Biochem 112(3), 804-17

Deschepper M, Oudina K, David B, Myrtil V, Collet C, Bensidhoum M, Logeart-Avramoglou D and Petite H (2011). Survival and function of mesenchymal stem cells (MSCs) depend on glucose to overcome exposure to long-term, severe and continuous hypoxia. J Cell Mol Med 15(7), 1505-14

Streeter I and Cheema U (2011). Oxygen consumption rate of cells in 3D culture: The use of experiment and simulation to measure kinetic parameters and optimise culture conditions. Analyst 136, 4013

Staples KJ, Sotoodehnejadnematalahi F, Pearson H, Frankenberger M, Francescut L, Ziegler-Heitbrock L and Burke B. (2010). Monocyte-derived macrophages matured under prolonged hypoxia transcriptionally up-regulate HIF-1α mRNA. Immunobiology. 216(7), 832-9

Forde JC, Perry AS, Brennan K, Martin LM, Lawler MP, Lynch TH, Hollywood D and Marignol L (2010). Docetaxel maintains its cytotoxic activity under hypoxic conditions in prostate cancer cells. Urol Oncol. 30(6), 912-9

Agbor TA, Cheong A, Comerford KM, Scholz CC, Bruning U, Clarke A, Cummins EP, Cagney G and Taylor CT (2010). Small ubiquitin-related modifier (SUMO)-1 protein modification promotes glycolysis in hypoxia. J Biol Chem 286(6), 4718-26

Robinson MA, Tuttle SW, Otto CM and Koch CJ (2010). pO(2)-dependent NO production determines OPPC activity in macrophages. Free Radic Biol Med 48(2), 189-95

Hicks KO, Siim BG, Jaiswal JK, Pruijn FB, Fraser AM, Patel R, Hogg A, Liyanage HD, Dorie MJ, Brown JM, Denny WA, Hay MP and Wilson WR (2010). Pharmacokinetic/pharmacodynamic modeling identifies SN30000 and SN29751 as tirapazamine analogues with improved tissue penetration and hypoxic cell killing in tumors. Clinical Cancer Research. 16(20), 4946-57

Cheema U, Alekseeva T, Abou-Neel EA and Brown RA (2010). Switching off angiogenic signalling: creating channelled constructs for adequate oxygen delivery in tissue engineered constructs. European Cells and Materials 20, 274-281

Li J, Yan B, Huo Z, Liu Y, Xu J, Sun Y, Liu Y, Liang D, Peng L, Zhang Y, Zhou ZN, Shi J, Cui J and Chen YH (2010). ß2- but not ß1-adrenoceptor activation modulates intracellular oxygen availability. J Physiol. 588(16), 2987-2988

Atrux-Tallau N, Le TH, Denis A, Padois K, Zahouani H, Haftek M, Falson F and Pirot F (2009). Simultaneous characterization of oxygen transport into and through porcine skin exposed to oxygen-saturated water. Skin Pharmacol Physiol. 22(4), 210-217

O'Hagan KA, Cocchiglia S, Zhdanov AV, Tambuwala MM, Cummins EP, Monfared M, Agbor TA, Garvey JF, Papkovsky DB, Taylor CT and Allan BB (2009). PGC-1alpha is coupled to HIF-1alpha-dependent gene expression by increasing mitochondrial oxygen consumption in skeletal muscle cells. Proc Natl Acad Sci 106, 2188-93

Subarsky P and Hill RP (2008). Graded hypoxia modulates the invasive potential of HT1080 fibrosarcoma and MDA MB231 carcinoma cells. Clin Exp Metastasis 25, 253–264

Khait L, Hecker L, Randoti D and Birla RK (2008). Micro-perfusion for cardiac tissue engineering: development of a bench-top system for the culture of primary cardiac cells. Annals of Biomedical Engineering 36, 713–725

Chang EI, Bonillas RG, El-Ftesi S, Chang EI, Ceradini DJ, Vial IN, Chan DA, Michaels J 5th and Gurtner GC (2008). Tissue engineering using autologous microcirculatory beds as vascularized bioscaffolds. FASEB J. 23(3), 906-15

Cheema U, Brown RA, Alp B and MacRobert AJ (2008). Spatially defined oxygen gradients and vascular endothelial growth factor expression in an engineered 3D cell model. Cell. Mol. Life Sci. 65, 177-186

Potier E, Ferreira E, Meunier A, Sedel L, Logeart-Avramoglou D and Petite H (2007). Prolonged hypoxia concomitant with serum deprivation induces massive human mesenchymal stem cell death. Tissue Eng 13, 1325-31

Fischbach C, Chen R, Matsumoto T, Schmelzle T, Brugge JS, Polverini PJ and Mooney DJ (2007). Engineering tumors with 3D scaffolds. Nature Methods 40(10), 855-860

Yu G, Peng T, Feng Q and Tyml K (2007). Abrupt reoxygenation of microvascular endothelial cells after hypoxia activates ERK1/2 and JNK1, leading to NADPH oxidase-dependent oxidant production. Microcirculation 14, 125-36

Abramov AY, Scorziello A and Duchen MR (2007). Three distinct mechanisms generate oxygen free radicals in neurons and contribute to cell death during anoxia and reoxygenation. J Neurosci 27, 1129-38

Vohra HA and Galinanes M (2006). Myocardial preconditioning against ischemia-induced apoptosis and necrosis in man. J Surg Research 134, 138-144

Comerford KM, Leonard MO, Cummins EP, Fitzgerald KT, Beullens M, Bollen M and Taylor CT (2005). Regulation of protein phosphatase 1gamma activity in hypoxia through increased interaction with NIPP1: implications for cellular metabolism. J Cell Physiol 209, 211-18.

Wang DW, Fermor B, Gimble J, Awad H and Guilak F (2005). Influence of oxygen on the proliferation and metabolism of adipose derived adult stem cells. J Cell Physiol 204, 184-91

Tepper OM, Capla JM, Galiano RD, Ceradini DJ, Callaghan MJ, Kleinman ME and Gurtner GC (2005). Adult vasculogenesis occurs through in situ recruitment, proliferation, and tubulization of circulating bone morrow-derived cells. Blood 105, 1068-1077

Comerford KM, Cummins, EP and Taylor CT (2004). c-Jun NH2-terminal kinase activation contributes to hypoxia-inducible factor 1alpha-dependent P-glycoprotein expression in hypoxia. Cancer Res 64, 9057-61

Palacious-Callender M, Quintero M, Hollis VS, Springett RJ and Moncada S (2004). Endogenous NO regulates superoxide production at low oxygen concentrations by modifying the redox state of cytochrome c oxidase. Proc Natl Acad Sci 101, 7630-35

Roberts N, Ghosh S, Boehm M and Galinanes M (2003). The radial hyperaemic response: a new and objective assessment of ulnar collateral supply to the hand. Eur J Cardiothorac Surg 21, 549-52

Ho KC, Leach JK, Eley K, Mikkelsen RB and Lin PS (2003). A simple method of producing low oxygen conditions with oxyrase for cultured cells exposed to radiation and tirapazamine. Am J Clin Oncol 26, 86-91

Hicks KO, Pruijn FB, Sturman JR, Denny WA and Wilson WR (2003). Multicellular resistance to tirapazamine is due to restricted extravascular transport: a pharmacokinetic/pharmacodynamic study in HT29 multicellular layer cultures. Cancer Res 63, 5970-77

Khanna S, Wallace WA, Lappalainen J, Rink C, Cardounel AJ, Zweier JL and Sen CK (2003). Characterization of perceived hyperoxia in isolated primary cardiac fibroblasts and in the reoxygenated heart. J Biol Chem 278, 47129-35

Roy S, Khanna S, Bickerstaff AA, Subramanian SV, Atalay M, Bierl M, Pendyala S, Levy D, Sharma N, Venojarvi M, Strauch A, Orosz CG and Sen CK (2003). Oxygen sensing by primary cardiac fibroblasts – a key role of $p21^{Waf1/Cip1/Sdi1}$. Circ Res 92, 264-271

Gosh S and Galinanes M (2002). Protection of the human heart with ischemic predonditioning during cardiac surgery: role of cardiopulmonary bypass. J Thorac Cardiovasc Surg 126(1), 133-42

Zhang J-G, Shosh S, Ockleford CD and Galinanes M (2000). Characterization of an in vitro model for the study of the short and prolonged effects if myocardial ischemia and reperfusion in man. Clinical Science 99, 443-453

Methodology / Validation

Gladytz T, Cantow K, Millward JM, Waiczies S, Tasbihi E, Grosenick D, Seeliger E, Niendorf T (2026). MRI-PHYSIOL-NIRS: an integrated platform to study kidney oxygenation. Commun Eng

Lu, B., Vikas, V., Yang, W., Hadfield, R. H., Wilson, B. C., & Zhu, T. C. (2026). Cross-Platform Comparison of Multispectral and Time-Resolved Singlet Oxygen Luminescence Dosimetry Under Matched Irradiation Conditions in a Liquid Protoporphyrin IX Phantom. Antioxidants

Jansen J, Garcia-Calderon D, Sprengers K, Belali S, Bailat C, Seco J, El Khatib M and Grilj V (2026). Comparing Phosphorescence-based Systems for Quantification of Radiochemical Oxygen Depletion (ROD): ROD as a Function of Baseline pO2 and Temporal Structure of the FLASH Beam. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=6271721

Zho YJ, Chiu TY, Ho YJ (2026). Ultrasound-responsive oxygen-loaded microbubbles induce vascular normalization and immune modulation in pancreatic ductal adenocarcinoma. Int J Pharm

Grilj V and Geyer R and Froidevaux P (2025). FLASH irradiation does not induce lipid peroxidation in liposomes containing cholesterol and α-tocopherol. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=5991062

Vincely VD, Dickerson MA, Hawkins CE, Bayer CL (2025). Near-infrared-II pulsed laser diode array for spectral photoacoustic imaging of deep tissue oxygenation. Biomed Opt Express

Estephan H, Hammond EM, Adamopoulou E (2025). Immunopeptidomics Workflow for Isolation and LC-MS/MS Analysis of MHC Class I-Bound Peptides Under Hypoxic Conditions. Bio Protoc

Kunz LV, Schaefer R, Kacem H, Ollivier J, Togno M, Chappuis F, Weber D, Lomax A, Limoli CL, Psoroulas S, Vozenin MC (2025). Plasmid DNA Strand Breaks Are Dose Rate Independent at Clinically Relevant Proton Doses and Under Biological Conditions. Radiat Res

Estephan H, Tailor A, Parker R, Kreamer M, Papandreou I, Campo L, Easton A, Moon EJ, Denko NC, Ternette N, Hammond EM, Giaccia AJ (2025). Hypoxia promotes tumor immune evasion by suppressing MHC-I expression and antigen presentation. EMBO J

Delphin A, Boux F, Brossard C, Coudert T, Warnking JM, Lemasson B, Barbier EL, Christen T (2024). Enhancing MR vascular Fingerprinting with realistic microvascular geometries. Imaging Neuroscience

Grilj V, Paisley R, Sprengers K, Geyer WR, Bailat C, Bochud, F, Vozenin MC, Vinogradov S, Froidevaux P (2024) Average dose rate is the primary determinant of lipid peroxidation in liposome membranes exposed to pulsed electron FLASH beam. Rad Physics and Chemistry

Twigger SA, Dominguez B, Porto V, Hacker L, Chalmers AJ, Breckenridge R, Treder M, Sedgwick AC, Dominguez F, Hammond EM (2024). The activity of therapeutic molecular cluster Ag5 is dependent on oxygen level and HIF-1 mediated signalling. Redox Biol

Christie IN, Theparambil SM, Braga A, et al., and Gourine AV (2023). Astrocytes produce nitric oxide via nitrite reduction in mitochondria to regulate cerebral blood flow during brain hypoxia. Cell Rep

Sweeney A, Arora A, Edwards S, Mallidi S (2023). Ultrasound-guided Photoacoustic image Annotation Toolkit in MATLAB (PHANTOM) for preclinical applications. bioRxiv

Yang C, Wang Z, Zhang J, Wang Y, Wang Z, Wang H, Wang Y, Li W (2023). MRI Assessment of Renal Lipid Deposition and Abnormal Oxygen Metabolism of Type 2 diabetes Mellitus Based on mDixon-Quant. J Magn Reson Imaging

Raschdorf K, Mohseni A, Hogle K, Cheung A, So K, Manouchehri N, Khalili M, Lingawi S, Grunau B, Kuo C, Christenson J, Shadgan B (2023). Evaluation of transcutaneous near-infrared spectroscopy for early detection of cardiac arrest in an animal model. Sci Rep

Delphin A, Boux F, Bossard C, Couzdert T, Wernking JW, Lemasson B, Barbier EL and Christen T (2023). Enhanicing MR vascular fingerprinting through realistic microvascular geometries. arXiv

Cooper CR, Jones D, Jones GD, Petersson K (2022). FLASH irradiation induces lower levels of DNA damage ex vivo, an effect modulated by oxygen tension, dose, and dose rate. Br J Radiol

Lacerda Q, Rochani A, Oeffinger B, et al., and Eisenbrey JR (2022). Tumoral oxygenation and biodistribution of Lonidamine oxygen microbubbles following localized ultrasound-triggered delivery. Int J Pharm

Triana Y, Ogata G, Tomisaki M, Irkham, Einaga Y (2022). Blood Oxygen Sensor Using a Boron-Doped Diamond Electrode. Anal Chem. 8;94(9):3948-3955. https://doi.org/10.1021/acs.analchem.1c04999 Epub 2022 Feb 22. PMID: 35192326.

Valable S, Corroyer-Dulmont A, Chakhoyan A, Durand L, Toutain J, Divoux D, Barré L, MacKenzie ET, Petit E, Bernaudin M, Touzani O and Barbier EL (2016). Imaging of brain oxygenation with magnetic resonance imaging: A validation with positron emission tomography in the healthy and tumoural brain. J Cereb Blood Flow Metab 37(7), 2584-2597

© Oxford Optronix Ltd., 2026

Hou H, Khan N, Lariviere J, Hodge S, Chen EY, Jarvis LA, Eastman A, Williams BB, Kuppusamy P and Swartz HM (2014). Skeletal muscle and glioma oxygenation by carbogen inhalation in rats: a longitudinal study by EPR oximetry using single-probe implantable oxygen sensors. Adv Exp Med Biol 812, 97-103

Laurens E, Yeoh SD, Rigopoulos A, Cao D, Cartwright GA, O'Keefe GJ, Tochon-Danguy HJ, White JM, Scott AM and Ackermann U (2014). Radiolabelling and evaluation of a novel sulfoxide as a PET imaging agent for tumor hypoxia. Nucl Med Biol 41(5), 419-25

Ackermann U, Sigmund D, Yeoh SD, Rigopoulos A, O'Keefe G, Cartwright G, White J, Scott AM and Tochon-Danguy HJ (2011). Synthesis of 2-[(4-[18F]Fluorobenzoyloxy)methyl]-1,4-naphthalenedione from 2-hydroxymethyl 1,4-naphthoquinone and 4-[18F]fluorobenzoic acid using dicyclohexyl carbodiimide. Journal of Labelled Compounds and Radiopharmaceuticals 54(13), 788–794

Hsu W-L, Wu TH, Hsu S-M, Chen C-L, Lee JJS and Huang Y-H (2011). An integrated multimodality image-guided robot system for small-animal imaging research. Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 652(1), 763–766

Just N, Koh DM, D'Arcy J, Collins DJ and Leach MO (2011). Assessment of the effect of haematocrit-dependent arterial input functions on the accuracy of pharmacokinetic parameters in dynamic contrast-enhanced MRI. NMR Biomed 24(7), 902-15

Bejot R, Kersemans V, Kelly C, Carroll L, King RC, Gouverneur V, Elizarov AM, Ball C, Zhang J, Miraghaie R, Kolb HC, Smart S and Hill S (2010). Pre-clinical evaluation of a 3-nitro-1,2,4-triazole analogue of [18F]FMISO as hypoxia-selective tracer for PET. Nucl Med Biol. 37(5), 565-75. [Erratum appears in Nucl Med Biol. 37(8), 1013]

Wen B, Urano M, Humm JL, Seshan VE, Li GC and Ling CC (2008). Comparison of Helzel and OxyLite systems in the measurements of tumor partial oxygen pressure (pO2). Rad Res 169, 67-75

Leong C-L, O'Connor PM, Eppel GA, Anderson WP and Evans RG (2008). Measurement of renal tissue oxygen tension: systematic differences between fluorescence optode and microelectrode recordings in anaesthetized rabbits. Nephron Physiol 108, 11-17

Elas M, Ahn KH, Parasca A, Barth ED, Lee D, Haney C and Halpern HJ (2006). Electron paramagnetic resonance oxygen images correlate spatially and quantitatively with OxyLite oxygen measurements. Clin Cancer Res. 12 (14 Pt 1), 4209-17

Davda S and Bezabeh T (2006). Advances in methods for assessing tumor hypoxia in vivo: implications for treatment planning. Cancer and Metastasis Reviews 25, 469-80

Bishai JM, Blood AB, Hunter CJ, Longo LD and Power GG (2003). Fetal lamb cerebral blood flow (CBF). and oxygen tensions during hypoxia: a comparison of laser Doppler and microsphere measurements of CBF. J Physiol (Lond). 546, 869-878

Nwaigwe CI, Roche MA, Grinberg O and Dunn JF (2003). Brain tissue and sagittal sinus pO2 measurements using the lifetimes of the oxygen-quenched luminescence of a ruthenium compound. Adv Exp Med Biol 530, 101-11

Mason RP, Constantinescu A, Ran S and Thorpe PE (2002). Oxygenation in a human tumor xenograft: manipulation through respiratory challenge and antibody-directed infarction. Adv Exp Med Biol 530, 197-204

Seddon BM, Honess DJ, Vojnovic B, Tozer GM and Workman P (2001). Measurement of tumor oxygenation: in vivo comparison of a luminescence fiber-optic sensor and a polarographic electrode in the p22 tumor. Radiat Res 155, 837-46

Griffiths JR and Robinson SP (1999). The OxyLite: a fibre-optic oxygen sensor (Commentary). The British Journal of Radiology 72, 627-630

Leahy MJ, de Mul FFM, Nilsson GE and Maniewski R (1999). Principles and practice of the laser-Doppler perfusion technique. Technology and Health Care 7, 143–162

Dunn JF, Nwaigwe CI and Roche M (1999). Measurement of arterial, venous, and interstitial pO2 during acute hypoxia in rat brain using a time-resolved luminescence-based oxygen sensor. Adv Exp Med Biol 471, 43-48

Collingridge DR, Young WK, Vojnovic B, Wardman P, Lynch EM, Hill SA, Chaplin DJ (1997). Measurement of tumour oxygenation: a comparison between polarographic needle electrodes and a time-resolved luminescence-based optical sensor. Radiat Res 147, 329-334

Other

Gotoh A (2026). Physiological and morphological development of the spermatheca in queens of the ant Crematogaster osakensis (Hymenoptera: Formicidae: Myrmicinae). J Insect Physiol

© Oxford Optronix Ltd., 2026